


1- Purchasing information

P.O. number: * _____ Date: _____
Company Name: * _____
Purchasing contact: * _____
Phone: * _____
Email: * _____
Contact preference: * Phone ☐ Email ☐
Marked for: _____

3- Shipping information

Ship to: * _____
Name: _____
Address: _____
City: _____ State: _____
Zip Code: _____
Phone: _____

2- ATP/Clinician information

ATP/Clinician: * _____
Phone: * _____
Email: * _____
Contact preference: * Phone ☐ Email ☐

* Required				MA082 ☐ English Manual (STD)	MA089 ☐ Spanish Manual	Taxes not included	
MODEL							USD
WC11	☐	Ultralight Aluminum APEX Rigid Wheelchair (265 lb weight limit) Not available with painted frame - Frame will be black	Triple-buttet aluminum frame / Aluminum back canes and back rigidizer / Aluminum seat rigidizer / Ultralight carbon fiber camber tube and rear frame rigidizer			K0005	\$2,595
WC21	☐	Apex Carbon fiber frame upgrade (High Gloss Carbon Fiber)	Ultralight carbon fiber frame, back canes, back rigidizer, seat rigidizer, camber tube and rear frame rigidizer.				\$2,495
EVO-R	☐	Evo Rigid - Chair resizing service*	To be used within 24 months of chair purchase			Aluminum Carbon	\$750 \$1,000

*By selecting this option, I agree to the terms and conditions of the EVO-RIGID program. https://www.motioncomposites.com/en_us/terms-and-conditions

Frame										
SEAT WIDTH										
SW	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐	NC
	☐	20" ☐							E2201	\$505
SEAT DEPTH										
SD	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐	NC
	☐	20" ☐							E2203	\$485
FRAME LENGTH										
SP01	☐	Standard frame length configuration ¹								STD
SP02	☐	Frame length 1" longer than standard configuration								NC
SP03	☐	Frame length 2" longer than standard configuration								NC
SP04	☐	Frame length 1" shorter than standard configuration								NC
SP05	☐	Frame length 2" shorter than standard configuration								NC
TIE-DOWN										
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}			Short belt 20"-41"				\$365	
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}			Long belt 20"-46"				\$365	
AC35	☐	WC-19 Transit Tie Down without belt ³								\$335


1- Distance of 4.37" from end of seat upholstery to bend

2- Not available with depth adjustable back; 3- May interfere with the swing away armrest and the clamp on height adjustable push handle; Add a 3" of frame length behind backrest

4. Width calculator


FRONT Seat-to-floor height		
Caster sizes	Height available + 1/4"	Specify desired height: (inches)
☐ 3" Caster	14" to 21"	
☐ 4" Caster	14.5" to 21"	
☐ 5" Caster	15.5" to 21"	
☐ 6" Caster	16.5" to 21" (N/A with 90° front frame)	


Frog Legs FRONT Seat-to-floor height		
Caster Sizes	Height available + 1/4"	Specify desired height: (inches)
☐ 3" Caster	15.25" to 21"	
☐ 4" Caster	15.75" to 21"	
☐ 5" Caster	16.75" to 21"	
☐ 6" Caster	17.75" to 21" (N/A with 90° front frame)	




FRONT CASTERS					
CASTERS				Available	
CA01-03 to CA01-06	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6"	NC
CA10	☐	Pneumatic casters (1 ¼")		6"	\$165
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"	\$95
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"	\$215
CASTER OPTIONS					
CA13	☐	Carbon fiber Frog Legs suspension forks		E1015	\$490

REAR Seat-to-floor height		
Wheel sizes	Height available +/- 1/4"	Specify desired height: _____ (inches)
☐ 20" (451) wheel	14" to 17.5"	
☐ 22" (501) wheel	14" to 18.5"	
☐ 24" (540) wheel	15" to 19.5"	
☐ 25" (559) wheel	15.5" to 20"	
☐ 26" (590) wheel	16" to 20"	




FRONT FRAME ANGLE					
FA70	☐	70° Front frame angle (carbon upgrade available with at least 1" seat slope)			NC
FA75	☐	75° Front frame angle			NC
FA80	☐	80° Front frame angle			NC
FA85	☐	85° Front frame angle			NC
FA90	☐	90° Front frame angle			NC

Seat upholstery to footplate length	
12" to 19" without high mount	Specify desired length ² : _____ (inches) Required
7" to 13" with high mount ¹	



1- Choose high mount in the footplates section; 2- The seat upholstery to footrest length requested may not be available, depending on the configuration requested

Footrest width / Taper selection					
Seat Width	Straight	1" Taper	2" Taper		
Outside Measurement	2 ¼" Narrower than Seat Width	4 ½" Narrower than Seat Width	6 ½" Narrower than Seat Width		
12"	9.5"	7.5"			
13"	10.5"	8.5"			
14"	11.5"	9.5"			
15"	12.5"	10.5"			
16"	13.5"	11.5"	9.5"		
17"	14.5"	12.5"	10.5"		
18"	15.5"	13.5"	11.5"		
19"	16.5"	14.5"	12.5"		
20"	17.5"	15.5"	13.5"		

Note: higher than 20" Front STFH will reduce the footrest width up to 1" with a 2" taper

REAR WHEELS					
REAR WHEELS				Available	
RW01	☐	Mag ¹		20", 22" 24"	\$57
RW02	☐	Newton One - spoke wheel ²		20", 22" 24"	STD
RW03	☐	Newton Gravity - ultralight wheel		20", 22", 24", 25", 26"	\$360
RW04	☐	Spinergy Spox	Blk STD ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐	22", 24", 25", 26"	\$915
RW05	☐	Spinergy LX	Blk STD ☐ Pur ³ ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐ Pink ³ ☐ Grn ³ ☐ Org ³ ☐	22", 24", 25", 26"	\$1,145
RW07	☐	Spinergy CLX ⁴	Blk STD ☐ Pur ³ ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐ Pink ³ ☐ Grn ³ ☐ Org ³ ☐	24", 25"	\$1,625
TIRES				Available	
AIRLESS					
TI01	☐	Soft Urethane 1 3/8" - Low Tread, black		20", 22" 24"	E2218 NC
TI02	☐	Soft Urethane 1 3/8 " - Medium Tread, black ⁵		22", 24", 25", 26"	E2218 \$97
TI04	☐	Soft Urethane 1" - No tread, black - <i>Shox</i>		22", 24", 25", 26"	E2218 \$118
TI08	☐	Pneumatic Airless insert 1 3/8" - Medium Tread ⁶		22", 24", 26"	E2211/E2213 \$82
PNEUMATIC					
TI05	☐	Pneumatic 1 3/8" - Medium Tread		20", 22", 24", 25", 26"	E2211/E2212 STD
TI06	☐	Pneumatic HP 1" - Low Tread, Puncture resistant, black - <i>SpeedLite</i>		20", 22", 24", 25", 26"	E2211/E2212 \$105
TI07	☐	Pneumatic HP 1" - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>		24", 25", 26"	E2211/E2212 \$150
TI03	☐	Pneumatic 2" - Large Tread, black ⁷		22", 24", 25"	E2211/E2212 \$115

1- Not compatible with HP tires; Only available with aluminum or plastic coated handrim in standard position; 2- Not compatible with Shox tires; 3- Colour spokes require an additional 10 days lead-time;

4- Only available with 1" tires; 5- The 22" is only available with Mags and Newton One rear wheels; 25" and 26" are not available with Newton Gravity wheels

6- Not available with Spinergy CLX, Spinergy LX 25", 26" and Spox 25", 26" rear wheels; 7- Not available when armrests and 4°, 6°, 8° camber are selected.

HANDRIMS					
HANDRIM			Available		
HR01	☐	Aluminum anodized	20", 22", 24", 25", 26"		STD
HR61	☐	Aluminum black hard anodized ²	20", 22", 24", 25"		\$75
HR02	☐	Plastic coated ¹	20", 22", 24", 25", 26"		\$110
HR03	☐	High friction coated ^{1,2}	22", 24", 25", 26"		\$375
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² <i>See page 6 for the color selection and price</i>	20", 22", 24", 25", 26"		
HR28	☐	Surge ^{1,2,3} (1 1/2" Oval handrim w/ Gripton high friction strip)	22", 24", 25", 26"		\$450
HR05	☐	Surge LT ^{1,2,3} (1 1/8" Oval handrim w/ Gripton high friction strip)	22", 24", 25", 26"		\$495
HR04	☐	Natural Fit ^{1,2,3}	22", 24", 25", 26"		\$395
HR62	☐	Simi H ^{1,2} (1 3/8" Oval handrim with high friction strip)	22", 24", 25", 26"		\$395
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)	22", 24", 25", 26"		\$445
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)	22", 24", 25", 26"		\$345
HR99	☐	Omit handrim			NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels


3- 25" and 26" are not available in narrow position; 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

HANDRIMS OPTIONS					
ASSEMBLY POSITION					
HR29	☐	Standard Handrim position <i>Full tab</i>			STD
HR030	☐	Narrow Handrim position no cut <i>Full tab</i>			NC
HR30	☐	Narrow Handrim position with cut ³ <i>Short tab 2 positions</i>			\$30
HR31	☐	Super Narrow Handrim ³ <i>Short tab 2 positions</i> STD ☐ <i>Short tab 1 position</i> ☐			\$30
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS					
HR23	☐	Standard grip			\$95
HR27	☐	Super grip			\$150
HR099	☐	Omit thumb piece			NC

3- Only available with Aluminum and Air Grip handrims;

AXLES					
AX01	☐	Quick release axle			STD
AX03	☐	Quad release axle		K0108	\$130
REAR WHEEL CAMBER					
CM00	☐	0° camber			STD
CM02	☐	2° camber			NC
CM04	☐	4° camber			NC
CM06	☐	6° camber			NC
CM08	☐	8° camber			NC

CENTER OF GRAVITY	
Specify the position of rear wheel axle plate: Measure distance from front of back post to center of axle receiver.	
0 - 6" range	Set At: _____ (inches)
<i>If not indicated, default setting is at 2.5"</i>	



Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

WHEEL LOCK					
WL08	☐	Newton wheel lock - push to lock			STD
WL16	☐	Aluminum push to lock with extensions		E0961	\$77
WL02	☐	Pull to lock			NC
WL04	☐	Newton grade aid push to lock (<i>works best with pneumatic or high pressure tire</i>)		E0974	\$155
WL13 WL14	☐	6" removable extension handle ¹		E0961	\$77
WL05	☐	Scissors lock			\$155
WL99	☐	Omit wheel locks			NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)

FOOTPLATES					
FP12	☐	Tubular open loop ¹			STD
FP13	☐	Tubular with ABS cover			NC
FP31	☐	Newton adjustable angle - Aluminum (<i>one piece</i>)		K0040	\$97
FP32	☐	Newton adjustable angle - Carbon fiber (<i>one piece with rubber inserts</i>)		K0040	\$190
FP14	☐	Flip back, adjustable angle aluminum		K0040	\$200
FP15	☐	Flip back, adjustable angle carbon fiber		K0040	\$295
FR25	☐	High mount with adjustable angle footplate (<i>Aluminum - one piece</i>)		K0040	\$170
FR26	☐	High mount with adjustable angle footplate (<i>Carbon fiber with rubber inserts - one piece</i>)		K0040	\$250
FOOTPLATES ACCESSORIES					
FP16	☐	2" riser (<i>only available with aluminum angle adjustable footplate</i>) ²			\$77
FP09	☐	Calf strap		K0038	\$36
FP30	☐	Bodypoint Aeromesh Padded calf strap		K0038	\$118

1 - Available on: all straight frames; 1" taper with seat width of 14" and greater; 2" taper with seat width of 16" and greater


2 - Not available with high mount

SEATING AND BACKREST											
BACK UPHOLSTERY											
BH03	☐	Slip-on Syntech-Suede back upholstery							STD		
BH04	☐	Adjustable tension Syntech-Suede back upholstery					E2611		\$305		
BH99	☐	Omit Back upholstery							NC		
	☐	NXT back Support					See price list				
SEAT CUSHION											
SC01	☐	2" Cushion							\$170		
SC02	☐	3" Cushion					E2601/E2602		\$190		
SC99	☐	Omit seat cushion							STD		
	☐	NXT cushion					See price list				
FOLD DOWN BACKREST											
BC20	☐	Locking backrest							STD		
BC21	☐	Ultralight non locking backrest (not locking in upright and down position) ²							\$102		
FIXED HEIGHT, ADJUSTABLE ANGLE FOLD DOWN BACKREST (Not available with push handles)											
BC	☐	Fixed height without push handle	(30) 9" ☐	(31) 9.5" ☐	(32) 10" ☐	(33) 10.5" ☐	(34) 11" ☐		NC		
		(35) 11.5" ☐	(36) 12" ☐	(37) 12.5" ☐	(38) 13" ☐	(39) 13.5" ☐	(40) 14" ☐	(41) 14.5" ☐			
		(42) 15" ☐	(43) 15.5" ☐	(44) 16" ☐	(45) 16.5" ☐	(46) 17" ☐	(47) 17.5" ☐	(48) 18" ☐			
		(49) 18.5" ☐	(50) 19" ☐	(51) 19.5" ☐	(52) 20" ☐	(53) 20.5" ☐	(54) 21" ☐				
HEIGHT AND ANGLE ADJUSTABLE FOLD DOWN BACKREST WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)											
BC	☐	Straight back canes							NC		
		(22) 9 - 12" ☐	(23) 12 - 15" ☐	(24) 15 - 18" ☐	(25) 18 - 21" ☐						
Set height to: *			(in increments of 1/2", measured from seat sling to top of back upholstery) * If not indicated, default height setting is at the lowest position								
Select back cane angle: ¹		101° ☐	99° ☐	96° ☐	93° ☐	90° ☐	87° ☐	83° ☐	80° ☐		STD

1 - If not indicated default angle setting is at 93°; 2- Maximum back cane height of 19.5" with aluminum chair

PUSH HANDLES OPTIONS (ONE option at a time)					
PH01	☐	Push handles			STD
PH05	☐	Fold down push handles			\$145
PH06-920	☐	Clamp on height adjustable push handles 9 - 20" ¹			\$325
PH06-923	☐	Clamp on height adjustable push handles 9 - 23" ¹			\$325
PH02	☐	Omit push handles			NC
STROLLER HANDLE					
PH04	☐	Stroller handle (Push handles included)		K0108	\$165

1- Not compatible with swing away armrests; Not available with 9" to 12" back canes

BACKRESTS OPTIONS					
BC61	☐	Depth adjustable back - 1" depth adjustment ^{1,4}			\$195
BC62	☐	Depth adjustable back - 2" depth adjustment ^{2,4}			\$195
BC56	☐	Depth adjustable back - 3" depth adjustment ^{3,4}			\$195
BC57	☐	Standard 3 inch deep rigidizer bar			STD
BC55	☐	Four inch deep Aluminum rigidizer bar			NC
BC88	☐	Custom height rigidizer bar set at			\$135
		_____ (inches) Measured from the top of the seat sling to the center of the rigidizer - standard height is 5, Lowest position is 4,25"			

If used in combination with WC-19: 1- Maximum depth of 19"; 2- Maximum depth of 18"; 3- Maximum depth of 17"; 4- Only compatible with WC-19 transit tie down **without** Q'Straint belt

ARMREST					
HEIGHT ADJUSTABLE "T" ARMREST ¹					
AR13-610	☐	10" Desk length armpad ³	6" - 10"	E0973	\$330
AR03-812	☐	10" Desk length armpad	8" - 12"	E0973	\$330
AR03-1014	☐	10" Desk length armpad	10" - 14"	E0973	\$330
AR14-610	☐	14" Full length armpad ³	6" - 10"	E0973	\$330
AR04-812	☐	14" Full length armpad	8" - 12"	E0973	\$330
AR04-1014	☐	14" Full length armpad	10" - 14"	E0973	\$330
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²					
AR05	☐	Tubular armrest without plastic side guards - Short pad	8" - 11"	E0973	\$230
AR19	☐	Tubular armrest with plastic side guards - short pad	8" - 11"	E0973	\$395
AR23	☐	Tubular armrest without plastic side guards - long pad	8" - 11"	E0973	\$230
AR24	☐	Tubular armrest with plastic side guards - long pad	8" - 11"	E0973	\$395
AR06	☐	10" Desk length flat armpad without plastic side guards	8" - 11"	E0973	\$230
AR20	☐	10" Desk length flat armpad with plastic side guards	8" - 11"	E0973	\$395
AR17	☐	14" Full length flat armpad without plastic side guards	8" - 11"	E0973	\$230
AR21	☐	14" Full length flat armpad with plastic side guards	8" - 11"	E0973	\$395
ARMREST OPTIONS					
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ⁴			\$165
AR99	☐	Omit armrest			NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- not available with the Ultralight non-locking backrest; 3- May have some restriction with seat-to-floor height and rear wheel

4- Only available with "T" full length armrest; Not available with swing away and desk length armrests

ACCESSORIES							
SIDE GUARDS (not available with "T" Armrest)							
SG01	☐	Plastic side guards (removable)	Straight bracket -STD	Offset bracket ¹		K0108	\$200
SG03	☐	Carbon fiber side guards (removable)	Straight bracket -STD	Offset bracket ¹		K0108	\$305
SG06	☐	Plastic fender side guards (removable)	Straight bracket -STD	Offset bracket ¹			\$290
SG04	☐	Carbon fiber fender side guards (removable)	Straight bracket -STD	Offset bracket ¹		K0108	\$550
SG99	☐	Omit side guards					NC

1- only compatible with 0" and 2" camber; increase width by 1/2" per side for a total of 1"

POSITIONING BELT							
SB01-S	☐	Velcro adjustable - Small 35" ¹			E0978		\$46
SB01-L	☐	Velcro adjustable - Long 60"			E0978		\$46
SB02-S	☐	Auto buckle - Small 35" ¹			E0978		\$87
SB02-M	☐	Auto buckle - Medium 48"			E0978		\$87
SB02-L	☐	Auto buckle - Long 60"			E0978		\$87
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"			E0978		\$85
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"			E0978		\$85
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"			E0978		\$180
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"			E0978		\$180
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"			E0978		\$180
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"			E0978		\$195
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"			E0978		\$195
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"			E0978		\$195
SB03	☐	Hardware attachment for 2 extra points (1 pair)					\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"			K0108		\$305
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"			K0108		\$305
SB99	☐	Omit positioning belt					STD

1- Not recommended for seat width of 18" and more

ACCESSORIES							
AC03	☐	Anti-tippers			E0971		\$145
AC06	☐	Cane and crutch holder	Left ☐ Right ☐		E2207		\$200
AC08	☐	Spoke guards ¹	Available: 20", 22", 24", 25", 26"		K0065		\$118
AC10	☐	Seat pouch					\$82
AC30	☐	Newton multi-purpose pouch					\$61
AC26	☐	BodyPoint Mobility Bag					\$135
AC23	☐	Newton Backpack					\$130
AC13	☐	Tool kit					\$51
AC15	☐	Military Patches	Army ☐ Navy ☐ Air Force ☐ Marines ☐ Coast Guard ☐ Combat Wounded Purple Heart ☐ Space Force ☐ American Flag ☐				\$97

1- Not available with Mag wheels and Spinergy; the 24" spoke guard will be installed on the 25" wheel

Colors																					
Options ¹	Black ⁴	High Gloss Carbon Fiber ⁴	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)	
																					
AirGrip	☐ \$110	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$265
Frame	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC
Camber Tube	☐ STD/NC	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$60
																					
Highlight ³	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC
FC99	☐	Custom Color	Specify PPG Paintit color: additional 10 days lead-time																		\$390

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

3- To see different highlight, visit our website: https://www.motioncomposites.com/en_us/products/rigid-wheelchairs/apex-c

4- Black frame will be STD for the aluminum/High Gloss Carbon Fiber will be STD for the Carbon frame upgrade



CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's a subtle tweak for comfort or mobility, or a fully reimagined component tailored to your unique needs, we're here to support you.



Explore the
EVO Custom Catalog.

You can include your request or reference an existing customization from our catalog in the notes section below.




Have a customization in mind or a specific request? The **EVO Custom Request Form** is the best place to start.

Notes :



RIGID ON CHAIR – USA ORDER FORM

 Use wheelchair configuration Or use this size: NXCABF _____ (W" x D") HCPCS CODE E2607-E2608	DEPTH		WIDTH								
			12"	13"	14"	15"	16"	17"	18"	19"	20"
		12"	\$445	\$445	\$445		N/A	N/A	N/A	N/A	N/A
		13"						N/A	N/A	N/A	N/A
		14"	\$445	\$445	\$445						
		15"		\$445	\$445	\$445	\$445				
		16"		\$445	\$445	\$445	\$445	\$445	\$445	\$480	\$480
		17"	N/A			\$445	\$445	\$445	\$445	\$480	\$480
		18"	N/A			\$445	\$445	\$445	\$445	\$480	\$480
		19"	N/A			\$445	\$445	\$445	\$445	\$480	\$480
20"	N/A			\$445	\$445	\$445	\$480	\$480	\$480		
Option: Change cover for incontinent/infection control outer cover										N/C	

Green boxes are stocked sizes; the red boxes require customization; the N/A boxes are not available sizes.
*Customization (red boxes) is available with an upcharge of \$160.00 and has a 4 to 6 weeks additional lead time.

SEATING AND CUSHION ACCESSORIES

	MODEL #	Description	Fits Back Width	Retail	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6-43.2 cm) and 14"-18" deep (35.6-45.7 cm)	\$80	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7-48.3 cm) and 14"-18" deep (35.6-45.7 cm)	\$80	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	\$80	

THORACIC SHAPE



Optima™
THORACIC BACK SUPPORT
CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)

HCPCS CODE: E2620-E2621

WIDTH	HEIGHT	MODEL # CARBON FIBER	\$ CARBON	MODEL # ALUMINUM	\$ ALUMINUM
13"	7"			NOACB1307	\$695
13"	9"			NOACB1309	\$695
13"	13"			NOACB1313	\$695
13"	16"			NOACB1316	\$695
14"	7"			NOACB1407	\$695
14"	9"	NOCFACB1409	\$895	NOACB1409	\$695
14"	13"	NOCFACB1413	\$925	NOACB1413	\$695
14"	16"	NOCFACB1416	\$960	NOACB1416	\$695
15"	7"			NOACB1507	\$695
15"	9"	NOCFACB1509	\$895	NOACB1509	\$695
15"	13"	NOCFACB1513	\$925	NOACB1513	\$695
15"	16"	NOCFACB1516	\$960	NOACB1516	\$695
16"	7"			NOACB1607	\$695
16"	9"	NOCFACB1609	\$895	NOACB1609	\$695
16"	13"	NOCFACB1613	\$925	NOACB1613	\$695
16"	16"	NOCFACB1616	\$960	NOACB1616	\$695
17"	7"			NOACB1707	\$695
17"	9"	NOCFACB1709	\$895	NOACB1709	\$695
17"	13"	NOCFACB1713	\$925	NOACB1713	\$695
17"	16"	NOCFACB1716	\$960	NOACB1716	\$695
18"	7"			NOACB1807	\$695
18"	9"	NOCFACB1809	\$895	NOACB1809	\$695
18"	13"	NOCFACB1813	\$925	NOACB1813	\$695
18"	16"	NOCFACB1816	\$960	NOACB1816	\$695
20"	7"			NOACB2007	\$695
20"	9"	NOCFACB2009	\$895	NOACB2009	\$695
20"	13"	NOCFACB2013	\$925	NOACB2013	\$695
20"	16"	NOCFACB2016	\$960	NOACB2016	\$695
ITEM		WIDTH X DEPTH		RETAIL	QTY
Replacement Cover & Foam		NOACC		\$130	



Optima™ DEEP
THORACIC BACK SUPPORT
CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)

HCPCS CODE: E2620-E2621

WIDTH	HEIGHT	MODEL # CARBON FIBER	\$ CARBON	MODEL # ALUMINUM	\$ ALUMINUM
13"	7"			NOPCB1307	\$695
13"	9"			NOPCB1309	\$695
13"	13"			NOPCB1313	\$695
13"	16"			NOPCB1316	\$695
14"	7"			NOPCB1407	\$695
14"	9"	NOCFPCB1409	\$995	NOPCB1409	\$695
14"	13"	NOCFPCB1413	\$1,015	NOPCB1413	\$695
14"	16"	NOCFPCB1416	\$1,055	NOPCB1416	\$695
15"	7"			NOPCB1507	\$695
15"	9"	NOCFPCB1509	\$995	NOPCB1509	\$695
15"	13"	NOCFPCB1513	\$1,015	NOPCB1513	\$695
15"	16"	NOCFPCB1516	\$1,055	NOPCB1516	\$695
16"	7"			NOPCB1607	\$695
16"	9"	NOCFPCB1609	\$995	NOPCB1609	\$695
16"	13"	NOCFPCB1613	\$1,015	NOPCB1613	\$695
16"	16"	NOCFPCB1616	\$1,055	NOPCB1616	\$695
17"	7"			NOPCB1707	\$695
17"	9"	NOCFPCB1709	\$995	NOPCB1709	\$695
17"	13"	NOCFPCB1713	\$1,015	NOPCB1713	\$695
17"	16"	NOCFPCB1716	\$1,055	NOPCB1716	\$695
18"	7"			NOPCB1807	\$695
18"	9"	NOCFPCB1809	\$995	NOPCB1809	\$695
18"	13"	NOCFPCB1813	\$1,015	NOPCB1813	\$695
18"	16"	NOCFPCB1816	\$1,055	NOPCB1816	\$695
20"	7"			NOPCB2007	\$695
20"	9"	NOCFPCB2009	\$995	NOPCB2009	\$695
20"	13"	NOCFPCB2013	\$1,015	NOPCB2013	\$695
20"	16"	NOCFPCB2016	\$1,055	NOPCB2016	\$695
ITEM		WIDTH X DEPTH		RETAIL	QTY
Replacement Cover & Foam		NOPCC		\$130	

PLEASE NOTE: Each back will fit widths up to 2" wider.

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

BACK SUPPORT HARDWARE OPTIONS

All backs come STANDARD with QuickRelease Mounting Hardware. The following are fixed hardware options available at no charge when ordered with a back support.


MODEL #	DESCRIPTION	WEIGHT OF HARDWARE ONLY	RETAIL	✓
	QuickFit Quick Release Hardware System	STANDARD (2 LBS)	STD	
NIB-1642	Micro Mount 2 point fixed hardware. Back width needs to match chair width	Weight savings of 1.4 lb over standard	\$100	
NIB-1207	2 point fixed hardware. Width expandable to fit 3 sizes of chair	Weight savings of 1.0 lb over standard	\$100	

BACK SUPPORT ACCESSORIES

	MODEL #	DESCRIPTION	FITS BACK WIDTH	RETAIL	QTY
	Custom - Cover	Optional Infection Control Wipe Down Back Support Cover	Specify back model # when ordering	\$205	
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	\$70	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	\$70	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	\$70	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	\$70	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	\$70	

EXTRA COVERS

Extra Outer smartx3D Cover



Extra Outer Incontinent Cover



ITEM	WIDTH X DEPTH	RETAIL	QTY
Extra Outer smartx ^{3D} Cover – For a cover up to 18" x 18"	NXCCBF_____V	\$130	
Extra Outer smartx ^{3D} Cover – For a cover 18" x 20" and above	NXCCBF_____V	\$150	
Extra Outer Incontinent Cover – For a cover up to 18" x 18"	NXCCAF_____V	\$130	
Extra Outer Incontinent Cover – For a cover 18" x 20" and above	NXCCAF_____V	\$150	

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com