



Breezy 600

EIB60, January 2021

ACCOUNT INFORMATION

Account No: _____ Drop Ship/Ship To: _____
 Date: _____ Name: _____
 P.O. #: _____ Address: _____
 Buyer: _____ City: _____ State: _____
 Marked For: _____ Zip Code: _____ Phone Number: _____

The **HCPCS CODES** herein are based on PDAC verification or interpretation of Medicare definitions and guidelines. Non-Medicare payers may accept alternative **HCPCS CODES**, including misc. codes to ensure access for their enrollees. The use of **HCPCS CODES** does not ensure coverage or payment.

1. FRAME

BREEZY 600

Hangers not included in base price

☐ 086WM20 K0004 Breezy 600 \$1,722.00

2. SIZE / SEATING

Seat to Floor Height Range

☐ Standard (15" - 20 1/2", see matrix) Std
☐ Ultra Hemi (13" - 18", see matrix) NC

Seat Width

☐ 086W5 14" Std
☐ 086W7 16" Std
☐ 086W9 18" Std
☐ 086W42 E2201 20" \$143.00

Seat Depth

☐ 086FD7 16" Std
☐ 086FD9 18" NC

Seat Height

☐ 086HT1 13" \$97.00
☐ 086HT2 14" \$97.00
☐ 086HT3 14 1/2 " \$97.00
☐ 086HT4 15" \$97.00
☐ 086HT5 15 1/2" \$97.00
☐ 086HT6 16" \$97.00
☐ 086HT7 16 1/2" \$97.00
☐ 086HT8 17" NC
☐ 086HT9 17.5" NC
☐ 086HT10 18" NC
☐ 086HT11 18.5" NC
☐ 086HT12 19" ¹² NC
☐ 086HT13 19.5" ¹² NC
☐ 086HT14 20" ¹² NC
☐ 086HT16 20.5" ¹² NC

Seat Sling

☐ 086SL3 Padded Seat Sling \$15.00
☐ 086SL4 Non-padded Seat Sling ² Std
☐ 086SL6 Omit Seat Sling -\$15.00

Cushion

To order any JAY cushions on-chair, please see JAY price list.

☐ 086JC01 JAY Basic Price List
☐ 086JC02 JAY Easy Price List
☐ 086JC03 JAY Soft Combi P Price List
☐ 086JC04 JAY J2 Price List
☐ 086JC05 JAY J2 Deep Contour Price List
☐ 086JC06 JAY Lite Price List
☐ 086JC07 JAY J3 Price List
☐ 086CU1 K0669 2" Cushion \$153.00

3. CASTERS

CASTERS

☐	5" Polyurethane	NC
☐	8" Polyurethane ¹⁶	Std
☐	8" Pneumatic ⁶	\$87.00

Footnotes:

- ¹ Not available when using Standard frame.
² For use with cushion.
³ Only available with standard hemi extension tube.
⁴ Not available with Ultra Hemi frame.
⁵ Not available with 8" pneumatic casters.
⁶ Not available with 20" rear wheels when using Standard frame.
⁷ Only available with 8" casters.
⁸ Not available with 14" seat width.
⁹ Pull-to-lock wheel locks required.
¹⁰ Not available with composite footplates.
¹¹ Not available with articulating legrest.
¹² Must use 1-1/2" stem.
¹³ Not available with ELR.
¹⁴ Only available with ELR.
¹⁵ To order a J3 Back please select Omit Back Upholstery.
Please note: The J3 Back requires back canes or push handles.
¹⁶ Not available with 70° hangers due to interference

Caster Options

☐	1-1/2" Fork Stem (Double Bearing)	\$36.00
☐	086CP13 Double Bearing Caster Plate	\$36.00

4. REAR WHEELS

Rear Wheel Size

☐	086WS4	20"	NC
☐	086WS5	22"	NC
☐	086WS6	24"	Std

Rear Wheel Tires

☐	086RT4	Low-profile Polyurethane ^{17,21}	Std
☐	086RT29	E2218 Full-profile Polyurethane ^{18,21}	\$51.00
☐	086RT35	E2211 Pneumatic ²¹	\$168.00
☐	086RT33	E2211 Pneumatic w/Airless Insert ^{21,22}	\$219.00

Hand Rims

☐	086HR5	Composite ²¹	Std
☐	086HR2	Aluminum - painted ²¹	NC
☐	086HR1	Aluminum - anodized ²¹	\$0.00
☐	086HR4	Plastic Coated ²¹	\$112.00
☐	086HR7	Omit Hand Rims ²¹	NC

Axle

☐	086AL4	Threaded Offset Axles	Std
☐	086AX43	Quick-Release Rear Axles	\$97.00
☐	086OA2	E0958 One-Arm Drive ^{23,24}	\$867.00
☐	086HM2	Left Mount	
☐	086HM1	Right Mount	

Anti-Tip Tubes

☐	086AT1	E0971 Rear Anti-Tip Tubes	\$153.00
--------------------------	--------	---------------------------	----------

Projections ^{19, 21}

☐	086HR8	Oblique - 8	\$332.00
--------------------------	--------	-------------	----------

Wheel Locks

☐	086WL1	High-Push Breezy-Style	Std
☐	086WL2	High-Pull Breezy-Style	NC
☐	086WL22	High-Push Quickie-Style	\$41.00
☐	086WL21	High-Pull Quickie-Style	\$41.00

Wheel Lock Options

☐	086EH1	E0961 6" Ext. Handles with Bungee	\$77.00
☐	086GA1	E0974 Grade Aids ^{20,25}	\$153.00

See Sunrise Seating Solutions on reverse side.

TOTAL CHAIR PRICE: \$ _____

FOOTNOTES:

- ¹⁷ Not available with Projection Hand Rims.
¹⁸ "No Charge" option when used with Projection Hand Rims.
¹⁹ Not available with Low-profile polyurethane tires. Full-profile Polyurethane tires available as "No Charge" option. Requires 24" rear wheels.
²⁰ Not available with Polyurethane tires.
²¹ Not available with 24" Mag SLT
²² Must order Pneumatic tire with Flat Free Insert
²³ Not available with Ultra Hemi frame.
²⁴ Not available with Quick-Release Rear Axles.
²⁵ Grade Aids require Quickie style wheel locks

5. FOOTREST

Hanger Type

☐	086H4	60° Swing-Away Hemi ^{1,3}	\$143.00
☐	086H131	60° Swing-Away ⁴	\$143.00
☐	086H2	70° Swing-Away ^{4,5}	\$143.00
☐	086H24	K0053 Articulating Legrests ^{4,6,7,8,9}	\$377.00
☐	086H14	E0990 Elevating Legrests ^{4,10}	\$321.00

Footplates

☐	086F1	E0951 Composite w/Heel Loops ¹³	Std
☐	086F5	Aluminum ¹⁴	NC
☐	086F3	E0951 K0040 Adult Angle-Adj. w/Heel Loops ¹⁶	\$194.00

Footrest Extension Tubes

☐	086E1	Short (13"-15 1/2") ^{4,11}	NC
☐	086E2	Medium (15 1/2" - 18") ^{4,6}	Std
☐	086E44	Long (18" - 20 1/2") ^{4,6,12}	\$36.00
☐	086E21	Omit Ext. Tubes & Footplates	NC

6. BACKREST / SEATING

BACKREST (16"-19", 8° w/Push Handles)

☐	JAY J3 Back ¹⁵		
	086JB01	Please see the J3 Back order form for part #'s.	
☐	086B12	Adjustable w/tall back canes ¹	\$15.00
☐	086BU14	Omit Back Upholstery	-\$15.00

7. ARMRESTS

Flip Back Armrests

☐		Fixed Height, Desk Length	Std
☐	086AA5	Fixed Height, Full Length	NC
☐	086AA6	E0973 Flip Back Height-Adjustable, Desk	\$301.00
☐		E0973 Flip Back Height-Adjustable, Full	\$301.00

8. KEY OPTIONS AND ACCESSORIES

Backpack & Seat Pouch

☐	086A1	Utility Back Pack (Black/Charcoal)	\$77.00
☐	086A8	Seat Pouch (Black/Charcoal)	\$51.00

Wheelchair Tray Table - Tuffak

☐	086A31	E0950 Medium (15"-17")	\$255.00
☐	086A32	E0950 Large (18"-20")	\$255.00

Pelvic Positioning Belt

☐	086A12	E0978 Aircraft Buckle (2" wide)	\$112.00
☐	086A142	E0978 1.5" Auto Buckle	\$71.00

Miscellaneous

☐	086A82	Caddy	\$51.00
☐	086A51	E2207 Crutch Holder	\$199.00
☐	086A83	Tool Kit	\$56.00

9. COLOR

Frame Color

☐	086C6	Forest Green	Std
☐	086C16	Silver Texture	NC
☐	086C1	Blue	NC
☐	086C2	Black	NC



Sunrise Medical (US) LLC
2842 Business Park Ave. • Fresno, CA 93727 • USA

The chart below specifies which casters and rear wheels are necessary to achieve the front seat heights listed blow for **Standard** frames.

Seat Height	Rear Wheels				
	20" Low Poly	20" Full Poly/Pneu 22" Low Poly	22" Full Poly/Pneu	24" Low Poly	24" Full Poly/Pneu
15.0"	5" lp	N/A	N/A	N/A	N/A
16.0"	5" lp	5" lp	N/A	N/A	N/A
16.5"	5" lp		N/A	N/A	N/A
17.0"	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	N/A
17.5"	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp
18.0"	N/A	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem
18.5"	N/A	8" lp *20" full poly not recommended	8" lp	8" lp	8" lp
19.0"	N/A	N/A	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu
19.5"	N/A	N/A	N/A	N/A	8" pneu & 1-1/2" stem
20.0"	N/A	N/A	N/A	N/A	8" lp & 1-1/2" stem
20.5"	N/A	N/A	N/A	N/A	8" pneu & 1-1/2" stem

The chart below specifies which casters and rear wheels are necessary to achieve the front seat heights listed blow for **Ultra Hemi** frames.

Seat Height	Rear Wheels				
	20" Low Poly	20" Full Poly/Pneu 22" Low Poly	22" Full Poly/Pneu	24" Low Poly	24" Full Poly/Pneu
13.0"	5" lp	N/A	N/A	N/A	N/A
14.0"	5" lp	5" lp	N/A	N/A	N/A
14.5"	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	N/A
15.0"	8" lp	8" lp	8" lp	8" lp	N/A
15.5"	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem
16.0"	8" lp or 8" pneu	8" lp or 8" pneu	8" lp or 8" pneu	8" lp or 8" pneu	8" lp or 8" pneu
16.5"	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem
17.0"	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu
17.5"	N/A	1-1/2" stem & 8" lp or 8" pneu	1-1/2" stem & 8" lp or 8" pneu	1-1/2" stem & 8" lp or 8" pneu	1-1/2" stem & 8" lp or 8" pneu
18.0"	N/A	N/A	8" pneu & 1-1/2" stem	8" pneu & 1-1/2" stem	8" pneu & 1-1/2" stem