

SPAZZ-G

ORDER FORM 2024


Tel: 951-808-9131 FAX: 951-808-9949
Toll Free: 800-892-8998 www.colourswheelchair.com

DEALER		COLOURS INFORMATION For Office Use Only	
Dealer:		Order Date:	S/N:
Account:	P.O.#:		
Ordered By:			
Customer Name:			
Customer Weight:			
CHAIR INFORMATION		PRICE	
SPAZZ-G K0005		Base Wheel Chair Price K0005 \$ 3,100	
Adjustable FSH-RSH		Total Section A \$	
Max. Capacity 250Lbs		Total Section B \$	
NOTE		Total Section C \$	
Spazz-G is the economical solution when you want to grow your Chair by changing the seat depth and width after ordering.		Total Section D \$	
Main Frame : ZK55 & ZK60 High Grade A7000 Series Aluminum		Total Section E \$	
Main Frame : Lifetime Warranty(5 YEARS)		Total Section F \$	
		ORDER GRAND TOTAL \$	

A FRAME COLORS & PARTS COLORS


FRAME COLORS		
Powder-Coated ☐ Gloss Black ☐ Twilight Flake ☐ Yellow ☐ Magenta ☐ Fire Engine Red ☐ White ☐ Neon Yellow ☐ Candy Blue ☐ Candy Purple ☐ Candy Green ☐ Candy Red ☐ Candy Raspberry ☐ Cobalt Blue ☐ Brass Metallic ☐ Matte Gray ☐ Matte Purple ☐ Matte Blue ☐ Matte Green ☐ Matte Black ☐ Matte Red ☐ Tiffany Blue ☐ Blue Lilac ☐ Neon Green ☐ Orange Sparkle ☐ Mellon Yellow ☐ Gun Smoke Silver ☐ Shocker ☐ Sparkle ☐ Granny Sparkle Green ☐ Sparkle Sky Blue ☐ Reed Green		\$ STD
Special Colors ☐ Polished ☐ Aluminum- ☐ 24 karat Gold Plated		\$ 920 \$ CFP
PARTS COLORS		
STD Color Black Color (*Suspension Springs-Silver Color Only)-		\$ STD
Custom Color Main Bolt on Parts One Color Package ☐ Powder-Coated (.....)		\$ 690
Including: Backrest, Foot Plate, Footrest Rings, Backrest Brackets , Saddle Stops, Forks & Knurl Nuts, Caps, Front Suspension Springs, Axle Tube, Axle Clamps, Axle Plates, Axle Bases, Camber Discs, Caster Housings ☆marked parts		☐ Polished \$ 863 ☐ 24 karat Gold Plated \$ CFP

B FRAME MEASUREMENTS 1/2




1. SEAT WIDTH	☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19" ☐ 20"	\$ STD \$ 345																																																																								
2. SEAT DEPTH	Depth Adj. Frame ☐ Short Frame (16" Depth) Set at ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ Long Frame (19" Depth) Set at ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19"	\$ STD \$ STD																																																																								
3. FOOTREST WIDTH	☐ STD (Seat Width Minus 5", Taper on Bottom Frame) *No Custom Modifications	\$ STD																																																																								
FOOT PLATE STYLE	☐ Standard single loop with adjust. height & angle. STD Foot Plate K0040 ☐ Single Flip-Back-single loop (no riser avail) with adjust. height & angle. STD Foot Plate K0040 STD Foot Plate Size Chart *No Custom Modifications <table border="1"> <thead> <tr> <th>Your Seat Width</th> <th>Foot Plate Size</th> </tr> </thead> <tbody> <tr> <td>14"-15"</td> <td>W6.5"xD5"</td> </tr> <tr> <td>16"-18"</td> <td>W8.5"xD6.5"</td> </tr> <tr> <td>19"-20"</td> <td>W11"xD6.5"</td> </tr> </tbody> </table>	Your Seat Width	Foot Plate Size	14"-15"	W6.5"xD5"	16"-18"	W8.5"xD6.5"	19"-20"	W11"xD6.5"	 Seat Width Footrest Width (Seat Width Minus 5") \$ STD \$ 173																																																																
Your Seat Width	Foot Plate Size																																																																									
14"-15"	W6.5"xD5"																																																																									
16"-18"	W8.5"xD6.5"																																																																									
19"-20"	W11"xD6.5"																																																																									
☐ Add Anti-Skid Tape (\$20 up charge)	☐ Foot Propel w/ Bolt On Stabilizer Bar Style (\$250 up charge)																																																																									
4. FRAME BEND ANGLE	☐ 90° only *No Custom Modifications	\$ STD																																																																								
 Frame Bend Angle 90° Frame Angle to the Ground FRAME ANGLE to the Ground <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="8">Your Seat Depth</th> </tr> <tr> <th>13"</th> <th>14"</th> <th>15"</th> <th>16"</th> <th>17"</th> <th>18"</th> <th>19"</th> <th>20"</th> </tr> </thead> <tbody> <tr> <th rowspan="6">Seat Bucket</th> <th>0"</th> <td>90°</td><td>90°</td><td>90°</td><td>90°</td><td>90°</td><td>90°</td><td>90°</td><td>90°</td> </tr> <tr> <th>1"</th> <td>86°</td><td>86°</td><td>86°</td><td>86°</td><td>87°</td><td>87°</td><td>87°</td><td>87°</td> </tr> <tr> <th>2"</th> <td>81°</td><td>82°</td><td>82°</td><td>83°</td><td>83°</td><td>84°</td><td>84°</td><td>84°</td> </tr> <tr> <th>3"</th> <td>77°</td><td>78°</td><td>78°</td><td>79°</td><td>80°</td><td>80°</td><td>81°</td><td>81°</td> </tr> <tr> <th>4"</th> <td>72°</td><td>73°</td><td>75°</td><td>76°</td><td>76°</td><td>77°</td><td>78°</td><td>78°</td> </tr> <tr> <th>5"</th> <td>67°</td><td>69°</td><td>71°</td><td>72°</td><td>73°</td><td>74°</td><td>75°</td><td>76°</td> </tr> </tbody> </table>			Your Seat Depth								13"	14"	15"	16"	17"	18"	19"	20"	Seat Bucket	0"	90°	90°	90°	90°	90°	90°	90°	90°	1"	86°	86°	86°	86°	87°	87°	87°	87°	2"	81°	82°	82°	83°	83°	84°	84°	84°	3"	77°	78°	78°	79°	80°	80°	81°	81°	4"	72°	73°	75°	76°	76°	77°	78°	78°	5"	67°	69°	71°	72°	73°	74°	75°	76°	
			Your Seat Depth																																																																							
		13"	14"	15"	16"	17"	18"	19"	20"																																																																	
Seat Bucket	0"	90°	90°	90°	90°	90°	90°	90°	90°																																																																	
	1"	86°	86°	86°	86°	87°	87°	87°	87°																																																																	
	2"	81°	82°	82°	83°	83°	84°	84°	84°																																																																	
	3"	77°	78°	78°	79°	80°	80°	81°	81°																																																																	
	4"	72°	73°	75°	76°	76°	77°	78°	78°																																																																	
	5"	67°	69°	71°	72°	73°	74°	75°	76°																																																																	

B FRAME MEASUREMENTS 2/2


5. BACKREST HEIGHT		☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18"		\$ STD																																																																																																			
* Rigidizer bar 3.25" deep std.																																																																																																							
		Type ☐ Locking mechanism with adjust. height & angle \$ STD ☐ Double Locking mechanism with adjust. height & angle \$ 40 ☐ Folding with adjust. height & angle \$ NCO *No Custom Modifications																																																																																																					
6. BACKREST ANGLE		Set at (°) to the ground *STD 90° - \$ STD																																																																																																					
7. FRONT SEAT HEIGHT		☐ 17.5" ☐ 18.0" ☐ 18.5" ☐ 19.0" ☐ 19.5" ☐ 20.0" ☐ 20.5" \$ STD The front seat heights are impacted by the size of your front caster.																																																																																																					
STD Front Seat Height Ranges *No Custom Modifications		<table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="7">Front Seat Height</th> </tr> <tr> <th>17.5"</th> <th>18.0"</th> <th>18.5"</th> <th>19.0"</th> <th>19.5"</th> <th>20.0"</th> <th>20.5"</th> </tr> </thead> <tbody> <tr> <td rowspan="8">Your Casters & Forks</td> <td>3"Caster & STD Forks</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td></td> <td></td> </tr> <tr> <td>3"Caster & Springs</td> <td></td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td></td> <td></td> </tr> <tr> <td>3"Caster & Frog Legs</td> <td></td> <td></td> <td>☐*</td> <td>☐*</td> <td>☐*</td> <td>☐*</td> <td></td> </tr> <tr> <td>4"Caster & STD Forks</td> <td></td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td></td> </tr> <tr> <td>4"Caster & Springs</td> <td></td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td></td> </tr> <tr> <td>4"Caster & Frog Legs</td> <td></td> <td></td> <td>☐*</td> <td>☐*</td> <td>☐*</td> <td>☐*</td> <td>☐*</td> </tr> <tr> <td>5"Caster & STD Forks</td> <td></td> <td></td> <td>☐*</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐*</td> </tr> <tr> <td>5"Caster & Springs</td> <td></td> <td></td> <td></td> <td>☐*</td> <td>☐*</td> <td>☐*</td> <td>☐*</td> </tr> <tr> <td>5"Caster & Frog Legs</td> <td></td> <td></td> <td></td> <td>☐*</td> <td>☐*</td> <td>☐*</td> <td>☐*</td> </tr> </tbody> </table> * =Not Available with Quick Release Caster Axle.					Front Seat Height							17.5"	18.0"	18.5"	19.0"	19.5"	20.0"	20.5"	Your Casters & Forks	3"Caster & STD Forks	☐	☐	☐	☐	☐			3"Caster & Springs		☐	☐	☐	☐			3"Caster & Frog Legs			☐ *	☐ *	☐ *	☐ *		4"Caster & STD Forks		☐	☐	☐	☐	☐		4"Caster & Springs		☐	☐	☐	☐	☐		4"Caster & Frog Legs			☐ *	☐ *	☐ *	☐ *	☐ *	5"Caster & STD Forks			☐ *	☐	☐	☐	☐ *	5"Caster & Springs				☐ *	☐ *	☐ *	☐ *	5"Caster & Frog Legs				☐ *	☐ *	☐ *	☐ *										
		Front Seat Height																																																																																																					
		17.5"	18.0"	18.5"	19.0"	19.5"	20.0"	20.5"																																																																																															
Your Casters & Forks	3"Caster & STD Forks	☐	☐	☐	☐	☐																																																																																																	
	3"Caster & Springs		☐	☐	☐	☐																																																																																																	
	3"Caster & Frog Legs			☐ *	☐ *	☐ *	☐ *																																																																																																
	4"Caster & STD Forks		☐	☐	☐	☐	☐																																																																																																
	4"Caster & Springs		☐	☐	☐	☐	☐																																																																																																
	4"Caster & Frog Legs			☐ *	☐ *	☐ *	☐ *	☐ *																																																																																															
	5"Caster & STD Forks			☐ *	☐	☐	☐	☐ *																																																																																															
	5"Caster & Springs				☐ *	☐ *	☐ *	☐ *																																																																																															
5"Caster & Frog Legs				☐ *	☐ *	☐ *	☐ *																																																																																																
8. REAR SEAT HEIGHT		☐ 14.5" ☐ 15.0" ☐ 15.5" ☐ 16.0" ☐ 16.5" ☐ 17.0" ☐ 17.5" ☐ 18.0" ☐ 18.5" ☐ 19.0" \$ STD																																																																																																					
STD Rear Seat Height Ranges *No Custom Modifications		<table border="1"> <thead> <tr> <th>Rear Tire Size</th> <th>Rear Seat Height</th> </tr> </thead> <tbody> <tr> <td>24"x1"(540)</td> <td>14.5" - 18.0"</td> </tr> <tr> <td>24"x1 3/8"(540)</td> <td>15.0" - 18.0"</td> </tr> <tr> <td>25"x1"(559)</td> <td>15.5" - 18.0"</td> </tr> <tr> <td>24"x2"(540)</td> <td>15.5" - 18.5"</td> </tr> <tr> <td>26"x1"(590)</td> <td>15.5" - 19.0"</td> </tr> <tr> <td>25"x2.1"(559)</td> <td>16.0" - 19.0"</td> </tr> </tbody> </table>			Rear Tire Size	Rear Seat Height	24"x1"(540)	14.5" - 18.0"	24"x1 3/8"(540)	15.0" - 18.0"	25"x1"(559)	15.5" - 18.0"	24"x2"(540)	15.5" - 18.5"	26"x1"(590)	15.5" - 19.0"	25"x2.1"(559)	16.0" - 19.0"																																																																																					
Rear Tire Size	Rear Seat Height																																																																																																						
24"x1"(540)	14.5" - 18.0"																																																																																																						
24"x1 3/8"(540)	15.0" - 18.0"																																																																																																						
25"x1"(559)	15.5" - 18.0"																																																																																																						
24"x2"(540)	15.5" - 18.5"																																																																																																						
26"x1"(590)	15.5" - 19.0"																																																																																																						
25"x2.1"(559)	16.0" - 19.0"																																																																																																						
9. CENTER OF GRAVITY		☐ 1.0" ☐ 1.5" ☐ 2.0" ☐ 2.5" ☐ 3.0" ☐ 3.5" ☐ 4.0" ☐ 4.5" ☐ 5.0" ☐ 5.5" \$ STD																																																																																																					
Center of Gravity Ranges		<table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="9">Your Center of Gravity</th> </tr> <tr> <th>1.0"</th> <th>1.5"</th> <th>2.0"</th> <th>2.5"</th> <th>3.0"</th> <th>3.5"</th> <th>4.0"</th> <th>4.5"</th> <th>5.0"</th> <th>5.5"</th> </tr> </thead> <tbody> <tr> <td rowspan="8">Your Seat Depth</td> <td>13"</td> <td>☐</td> <td>☐★</td> <td>☐★</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>14"</td> <td>☐</td> <td>☐</td> <td>☐★</td> <td>☐★</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>15"</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐★</td> <td>☐★</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>16"</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐★</td> <td>☐★</td> <td></td> <td></td> <td></td> </tr> <tr> <td>17"</td> <td>☐☆</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐★</td> <td>☐★</td> <td></td> </tr> <tr> <td>18"</td> <td>☐☆</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐★</td> </tr> <tr> <td>19"</td> <td>☐☆</td> <td>☐☆</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> </tbody> </table> ☆ =Not Available Scissor Wheel Lock ★ =Excludes 24" x 2", 26" x 1", 25" x 1.95" tires are selected.					Your Center of Gravity									1.0"	1.5"	2.0"	2.5"	3.0"	3.5"	4.0"	4.5"	5.0"	5.5"	Your Seat Depth	13"	☐	☐ ★	☐ ★								14"	☐	☐	☐ ★	☐ ★							15"	☐	☐	☐	☐	☐ ★	☐ ★					16"	☐	☐	☐	☐	☐	☐ ★	☐ ★				17"	☐ ☆	☐	☐	☐	☐	☐	☐	☐ ★	☐ ★		18"	☐ ☆	☐	☐	☐	☐	☐	☐	☐	☐	☐ ★	19"	☐ ☆	☐ ☆	☐	☐	☐	☐	☐	☐	☐	☐
		Your Center of Gravity																																																																																																					
		1.0"	1.5"	2.0"	2.5"	3.0"	3.5"	4.0"	4.5"	5.0"	5.5"																																																																																												
Your Seat Depth	13"	☐	☐ ★	☐ ★																																																																																																			
	14"	☐	☐	☐ ★	☐ ★																																																																																																		
	15"	☐	☐	☐	☐	☐ ★	☐ ★																																																																																																
	16"	☐	☐	☐	☐	☐	☐ ★	☐ ★																																																																																															
	17"	☐ ☆	☐	☐	☐	☐	☐	☐	☐ ★	☐ ★																																																																																													
	18"	☐ ☆	☐	☐	☐	☐	☐	☐	☐	☐	☐ ★																																																																																												
	19"	☐ ☆	☐ ☆	☐	☐	☐	☐	☐	☐	☐	☐																																																																																												
	10. CAMBER ANGLE		☐ 0° ☐ 2° ☐ 4° ☐ 6° \$ STD																																																																																																				
11. FRONT OF SEAT SLING TO FRONT OF FOOTREST		☐ 15.0" ☐ 15.5" ☐ 16.0" ☐ 16.5" ☐ 17.0" ☐ 17.5" ☐ 18.0" ☐ 18.5" ☐ 19.0" ☐ 19.5" \$ STD *Measurement must be 1.5" shorter than your Front Seat Height																																																																																																					
HIGH MOUNT With Risers or Clamps		☐ 9.5" ☐ 10.0" ☐ 10.5" ☐ 11.0" ☐ 11.5" ☐ 12.0" ☐ 12.5" ☐ 13.0" ☐ 13.5" ☐ 14.0" ☐ 14.5" \$ 86																																																																																																					
12. INSIDE WHEEL CLEARANCE		☐ 3/4" * ☐ 1" ☐ 1 1/4" ☐ 1 1/2" ☐ 1 3/4" ☐ 2" \$ STD *3/4" Inside wheel clearance not available with 2 degree camber. (with the exception of Y-360 wheels) *3/4" Inside wheel clearance not available with armrest.																																																																																																					
NOTE																																																																																																							

1. SEAT WIDTH


Measure from outside of seat tube to the outside of the opposite seat tube.

**2. SEAT DEPTH**


Measure from at the front bottom of backrest tube to the front edge of seat sling.

**3. FOOTREST WIDTH**


Measure from inside of front frame tube to inside of opposite front frame tube.

**4. FRAME ANGLE**


Measure angle frame front to floor.

**5. BACKREST HEIGHT**


Measure from top of back post to seat sling at front bottom of backrest tube.

**6. BACKREST ANGLE**


Measure angle from front of back post to floor.

**7. FRONT SEAT HEIGHT**

Measure from floor to top of seat sling at front edge.


**8. REAR SEAT HEIGHT**

Measure from floor to top of seat sling at front bottom of backrest tube.


**9. CENTER OF GRAVITY**

Measure from center of back tube at the folding pivot to the center of the rear axle.


(If welding backrest is selected, Measure from center of back tube at the seat tube to the center of the rear axle.)

**10. CAMBER ANGLE**

Measure angle from wheel to vertical at floor.

**11. FRONT OF SEAT SLING TO FOOTREST****ADULT CHAIR**

Measure from top of seat sling at front edge to top of foot plate at front edge.


**PEDIATRIC CHAIR**

Measure vertical from top of seat sling at front edge to top of foot plate.




**12. INSIDE WHEEL CLEARANCE**

Measure from outside of seat back tube to inside of rear tire.

(If side guards are selected, measure from outside of side guards to inside of rear tire.)




COMPONENTS

WHEEL LOCKS			
☐ New Solution Push to Lock	☐ w/ 2" Extension Handle (\$92up charge)		\$ STD
☐ Gallop Push to Lock / Anodized			\$ STD
☐ Primo Push to Lock / Anodized			\$ 140
☐ Question Mark Style Scissor			\$ 150
☐ NEW Compact Scissor Lock / Anodized Black Only			\$ 280
☐ Gallop Scissor Lock / Anodized			\$ 280
☐ D's Locks	Install: ☐ Right side ☐ Left side	*Not Available with Y-360 wheels	\$ 1,360
PUSH HANDLES *If you are ordering push handles, You must select the backrest locking mechanism.			
☐ Integrated w/Fixed Backrest Height / Anodized Black Only			\$ STD
☐ Bolt-on / Anodized Black Only	Specify Height from floor -()		\$ 220
☐ Bolt-on w/Quick Release / Anodized Black Only	Specify Height from floor -()		\$ 320
☐ NEW Height Adj. / Anodized Black Only	Specify Maximum height from floor -()		\$ 390
NEW ARM RESTS Anodized Black Only			
☐ Fixed Tubular Armrest	Adj. Angle and Height	Height from seat sling Set at: ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 450
☐ Swing Away Tubular Armrest	Adj. Angle and Height	Height from seat sling Set at: ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 450
☐ Flip-Up Armrest	☐ w/Fixed Tubular Armrest	Height from seat sling Set at: ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 450
Adj. Angle	☐ w/ Swing Away Tubular Armrest	Height from seat sling Set at: ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 450
☐ Custom Length & Height (\$173 up charge)			
*Specify Height & Length →			
ANTI-TIPPERS			
☐ Press Release Removable Anti-tipper(pair)			E0971 \$ 330
SIDE GUARDS			
☐ Rigid Side Guards - Black ABS	☐ Non-Removable ☐ Removable ☐ Removable w/Hole (\$14 up charge)		\$ 260
Color: Black Only	Size: ☐ STD ☐ Medium ☐ Cut to Wheel (\$100 up charge)	Measurement	
☐ Rigid Side Guards - Aluminum	☐ Non-Removable ☐ Removable		\$ 420
	Size: ☐ Medium Only ☐ Cut to Wheel (\$100 up charge)	Measurement	
	Color ☐ Black (STD) ☐ Pol. Aluminum (STD)		
	☐ Powder Coated () (\$140 up charge)		
	☐ Gold Plate (+CFP)		
			
☐ Fabric Clothing Guards - Black Nylon w/Velcro			\$ 200
SEAT CUSHION *Please see section F for other cushion choices.-			
☐ Foam Cushion w/Nylon Black Cover Thickness ☐ 1" ☐ 2" ☐ 3" ☐ 4"			\$ CFP
☐ Custom Cushion Cover (Std. Foam Cushion Only) -Select Fabric () (\$104 up charge)			
ACCESSORIES			
☐ Frame Protectors / Black Leather/Zipper Type			\$ 150
☐ Gel Ovation Protector Wraps Gel Silicone ☐ Short (1/2") ☐ Long (3")			\$ 200
☐ E0978 Padded Seat Belt w/Auto Buckle			E0978 \$ 113
☐ Tie Down Brackets 4pcs. ☐ Bolted ☐ Welded			\$ 400
☐ Calf Strap ☐ Black ☐ Matching Fabric (\$65 up charge) -Select Fabric()			\$ 35
☐ Bodypoint Padded Calf Strap ☐ (14"-16" footrest width) ☐ (16"-20" footrest width) ☐ (20"-24" footrest)			
			\$89 \$95 \$102
☐ Hanging Zipper Pouch ☐ Black ☐ Matching Fabric (\$75) or ☐ Leather (\$80) Custom Size Width: Length:			\$ 120
☐ Matching Fabric on Padded Side Guards -Select Fabric ()			\$ 278
UPHOLSTERY CHOICE & COLOR *Positioning Back Available. Please see Section E			
☐ Standard Adjustable Height Backrest (Black)			\$ STD
☐ Adjustable Tension Backrest Black Only (*Not available with 8" Backrest Height)			\$ 300
Options	☐ Fun Fabric: For Std. or Adj. Style (Choose From Choices on Page 6 and write below) (\$ 92 up charge)		
	☐ Backrest Leather Trim (outside panels) (\$ up charge)		\$ CFP

FABRIC CHOICE SHEET

1. Camouflage Girls



2. Purple Zebra




3. Silver Grey Snake



5. Laughing Skulls




6. Purple Snake



7. Sweetheart Pinup Girls



9. Blue Flames



10. Arctic Camo




11. Furry Friends



12. Supercars



13. Urban Camo



14. Superbikes




15. Sizzle Flames




16. Hot Rod Flames



17. Skulls w/ Attitude



18. Sweet Pink




19. Heart and Soul



20. Home Run



21. Fuzzy Giraffe



22. Cheetah




23. Paperweight Cobalt



24. Zig Zag Dots



25. Smokey Tribal Flames




26. Rose and Rebellion




27. Tattoo Adventure(Cream




28. Red Tribal Flames




29. Tattoo Adventure(Black)



30. Butterfly Bandana



31. Tatsu Dragon



D TIRES, CASTERS, & FORKS

TIRES					
☐ Primo High Pressure Tire	☐ 24"x1" ☐ 25"x1" ☐ 26"x1"	Gray Tire w/ black line	• • • • •	E2211/E2212	\$ STD
☐ Primo High Pressure Tire	☐ 24"x1" ☐ 25"x1" or ☐ 26"x1"	☐ Blue ☐ Red	• • • • •	E2211/E2212	\$ 100
☐ Low Pressure Tire	☐ 24"x1-3/8" or ☐ 26"x1-3/8"	Gray Only	• • • • •	E2211/E2212	\$ STD
☐ Schwalbe Marathon Plus High Pressure Tire	☐ 24"x1", ☐ 25"x1" or ☐ 26"x1"	Black Only	• • • •	E2211/E2212	\$ 170
☐ Solid Tire	☐ 24"x1" ☐ 25"x1" ☐ 26"x1"	Black	• • • • •	E2218	\$ 219
☐ Moderate Knobby Tire (EuroTrek)	24"x1-3/8" (37-540)	Gray Only	• • • • •	E2211/E2212	\$ 155
☐ Kobra Knobby Tire	24"x 2" (50-540)	Gray Only ☐ Blue Line ☐ Red Line		E2211/E2212	\$ 155
☐ Kobra Knobby Tire	26"x 2" (50-559) 25" wheels	Gray Only ☐ Blue Line ☐ Red Line		E2211/E2212	\$ 155
☐ Nevegal Knobby Tire	24" x 1.95" (50-540)	Black Only	• • • • •	E2211/E2212	\$ 155
☐ Kenda Knobby Tire (Kwick Drumlin)	(559) 25" wheels 26" X 1. 75 - 2. 25	Black Only		E2211/E2212	\$ 155
☐ Flat-Free Inserts For 24"x1-3/8" Tires	<u>Only for 24"</u> • • • • •				E2211/E2213 \$ 155

CASTERS					
SIZE	TIRE WIDTH	HUB COLOR	TIRE COLOR	DESCRIPTION	
☐ 3"	1"	Black Hub	Black Tire Only	Polyurethane K0077	\$ STD
☐ 3"	1"	Plastic Black Hub	Clear Tire Only	Lighted, Polyurethane A9900	\$ 86
☐ 3"	1"	Red Hub	Red Tire Only	Polyurethane E2222	\$ STD
☐ 3"	1"	Black Hub	Clear Tire Only	Polyurethane E2222	\$ STD
☐ 3"	1"	Aluminum Silver Hub	Black Tire Only	Made By Frog Legs K0071	\$ 209
☐ 3"	1"	Aluminum Black Hub	Black Tire Only	Made By Frog Legs E2222	\$ 209
☐ 3"	1.5"	Aluminum Silver Hub	Black Tire Only	Soft Roll Made By Frog Legs E2222	\$ 209
☐ 3"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs E2222	\$ 209
☐ 4"	1 1/8"	Plastic Black Hub	Black Tire Only	Polyurethane E2222 Not Available with Narrow Frog Leg Forks	\$ STD
☐ 4"	1"	Plastic Black Hub	Clear Only	Lighted, Polyurethane E2221	\$ 86
☐ 4"	1"	Aluminum Silver Hub	Black Tire Only	Made By Frog Legs E2214	\$ 209
☐ 4"	1"	Aluminum Black Hub	Black Tire Only	Made By Frog Legs E2214	\$ 209
☐ 4"	1.5"	Aluminum Silver Hub	Tire ☐ Black ☐ Blue ☐ Red	Soft Roll Made By Frog Legs E1015	\$ 209
☐ 4"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs E2214	\$ 209
☐ 5"	1"	Composite Black	Black Tire Only	Polyurethane E2222	\$ STD
☐ 5"	1"	Plastic Black Hub	Clear Tire Only	Lighted, Polyurethane A9900	\$ 86
☐ 5"	1"	Aluminum Silver Hub	Black Tire Only	Made By Frog Legs A9900	\$ 209
☐ 5"	1"	Aluminum Black Hub	Black Tire Only	Made By Frog Legs E2214	\$ 209
☐ 5"	1.5"	Aluminum Silver Hub	Tire ☐ Black ☐ Blue ☐ Red	Soft Roll Made By Frog Legs K0072	\$ 209
☐ 5"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs E2222	\$ 209
☐ 6"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs E2222	\$ 234
☐ 6"	1.5"	Aluminum Silver Hub	Black Tire Only	Soft Roll Made By Frog Legs E2222	\$ 234
☐ "	☐ 1"OR ☐ 1.5"	Hub Color:	Tread Color:	Soft Roll Made By Frog Legs E2222	\$ CFP

FORKS					
☐ Frog Leg Shields(4 pcs) Only for Frog Leg Forks					\$ 30
☐ STD Aluminum Forks	Black Only	• • • • •			\$ STD
Extra Options for Aluminum Forks	☐ With Suspension Springs	• • • • •	E1015	\$ 72	
	☐ With Quick Release Axles	• • • • •	K0073	\$ 141	
☐ Frog Leg Suspension Forks 1" Wide (For 3", 4" x 1" width Caster and 5" STD Caster, 5" lighted Caster)	Color ☐ Anodized Black ☒ Anodized Silver	Not available with Quick Release Axle	E1015	\$ 607	
*User's Weight _____					
☐ Frog Leg Suspension Forks 1.5" Wide (For 3", 4" x 1.5" width Caster and 5" x 1"& 5" x 1.5" Casters)	Color ☐ Anodized Black ☐ Anodized Silver	Not available with Quick Release Axle	E1015	\$ 607	
*User's Weight _____					

Valid from 2024 Prices & Specifications Are Subject To Change Without Notice.

F WHEELS

WHEELS																		
Wire Wheels		☐ 24" (540) ☐ 25" (559) ☐ 26" (590)	\$ NCO \$ NCO \$ NCO															
Y-360 Billet Wheels		☐ 25" (559) Style ☐ Saw Blade	\$ 1,495															
Y-360 Billet Wheels MOD Style		☐ 25" (559) Only Style ☐ Tribal Sun ☐ Girls ☐ Eagle ☐ Holy Cross ☐ Hono(Flames) Specify Powder Coat Color for Insert Only () *Choose from Frame Colors	\$ 1,783															
Extra Options for																		
☐ Powder-Coated Spokes Only () *Choose from Frame Colors (\$250 up charge)																		
Spinergy Spox 18 Spokes 	☐ 24" (540) ☐ 25" (559) ☐ 26" (590) Spoke Color ☐ Black With Silver Hub ☐ Red With Black Hub ☐ Yellow With Black Hub ☐ Blue With Black Hub ☐ White With Black Hub ☐ Custom Color Spoke Pattern <table><tr><th colspan="2"></th><th>Left Wheel</th><th>Right Wheel</th></tr><tr><td rowspan="2">Spokes Color</td><td>Inside</td><td></td><td></td></tr><tr><td>Outside</td><td></td><td></td></tr><tr><td colspan="2">Hub Color</td><td>☐ Black/☐ Silver</td><td>☐ Black/☐ Silver</td></tr></table>				Left Wheel	Right Wheel	Spokes Color	Inside			Outside			Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver	\$ 1,100 \$ 1,210
			Left Wheel	Right Wheel														
	Spokes Color	Inside																
Outside																		
Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver															
Spinergy LX 12 Spokes 	☐ 24" (540) ☐ 25" (559) ☐ 26" (590) Spoke Color ☐ Black With Silver Hub ☐ Red With Black Hub ☐ Yellow With Black Hub ☐ Blue With Black Hub ☐ White With Black Hub ☐ Neon Green With Black Hub ☐ Pink With Black Hub ☐ Orange With Black Hub ☐ Purple With Black Hub ☐ Custom Color Spoke Pattern <table><tr><th colspan="2"></th><th>Left Wheel</th><th>Right Wheel</th></tr><tr><td rowspan="2">Spokes Color</td><td>Inside</td><td></td><td></td></tr><tr><td>Outside</td><td></td><td></td></tr><tr><td colspan="2">Hub Color</td><td>☐ Black/☐ Silver</td><td>☐ Black/☐ Silver</td></tr></table>				Left Wheel	Right Wheel	Spokes Color	Inside			Outside			Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver	\$ 1,252 \$ 1,362
			Left Wheel	Right Wheel														
	Spokes Color	Inside																
Outside																		
Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver															
Spinery X-Laced Sport Lite Extreme "XSLX" 24 Spokes 	☐ 24" (540) ☐ 25" (559) ☐ 26" (590) Spoke Color ☐ Black With Silver Hub ☐ Red With Black Hub ☐ Yellow With Black Hub ☐ Blue With Black Hub ☐ White With Black Hub ☐ Neon Green With Black Hub ☐ Pink With Black Hub ☐ Orange With Black Hub ☐ Purple With Black Hub ☐ Custom Color Spoke Pattern <table><tr><th colspan="2"></th><th>Left Wheel</th><th>Right Wheel</th></tr><tr><td rowspan="2">Spokes Color</td><td>Inside</td><td></td><td></td></tr><tr><td>Outside</td><td></td><td></td></tr><tr><td colspan="2">Hub Color</td><td>☐ Black/☐ Silver</td><td>☐ Black/☐ Silver</td></tr></table>				Left Wheel	Right Wheel	Spokes Color	Inside			Outside			Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver	\$ 1,380 \$ 1,490
			Left Wheel	Right Wheel														
	Spokes Color	Inside																
Outside																		
Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver															

Valid from 2024 Prices & Specifications Are Subject To Change Without Notice.

Spinergy Sport Lite Extreme "SLX" 24 Spoke 		☐ 24" (540) ☐ 25" (559) ☐ 26" (590) Spoke Color ☐ Black ☐ Red ☐ Yellow ☐ Blue With Silver Hub With Black Hub With Black Hub With Black Hub ☐ White ☐ Neon Green ☐ Pink ☐ Orange ☐ Purple With Black Hub With Black Hub With Black Hub With Black Hub With Black Hub ☐ Custom Color Spoke Pattern Left Wheel Right Wheel Spokes Color Inside Outside Hub Color ☐ Black/☐ Silver ☐ Black/☐ Silver		\$1,220 \$1,330
Spinergy Lite Extreme "XLX" X-Laced-12 Spoke 		☐ 24" (540) ☐ 25" (559) ☐ 26" (590) Spoke Color ☐ Black ☐ Red ☐ Yellow ☐ Blue With Silver Hub With Black Hub With Black Hub With Black Hub ☐ White ☐ Neon Green ☐ Pink ☐ Orange ☐ Purple With Black Hub With Black Hub With Black Hub With Black Hub With Black Hub ☐ Custom Color Spoke Pattern Left Wheel Right Wheel Spokes Color Inside Outside Hub Color ☐ Black/☐ Silver ☐ Black/☐ Silver		\$1,290 \$1,400
Spinergy Blade "LXL" 18 Spoke 		☐ 24" (540) ☐ 25" (559) ☐ 26" (590) Spoke Color ☐ Black ☐ Red ☐ Yellow ☐ Blue With Silver Hub With Black Hub With Black Hub With Black Hub ☐ White ☐ Neon Green ☐ Pink ☐ Orange ☐ Purple With Black Hub With Black Hub With Black Hub With Black Hub With Black Hub ☐ Custom Color Spoke Pattern Left Wheel Right Wheel Spokes Color Inside Outside Hub Color ☐ Black ☐ Black		\$1,220 \$1,330
Type	☐ Standard For 24", 25" or 26" Wheel Anodized Black ☐ Polish Upcharge \$450		\$STD	
	☐ Standard Handrim For 25" Y-360 Billet Wheel Anodized Black ☐ Polish Upcharge \$450		\$STD	
	☐ Vinyl Coated For 24", 25"& 26" Wheels Not available with Y-360 Billet Wheels		\$200	
	☐ Spinergy Silver Brushed Anodized For 24", 25"& 26" Not available with Y-360 Billet Wheels		\$220	
	☐ Natural Fit For 24", 25" & 26" Wheel ☐ Standard Grip (Not available with short tabs.) Not available with Y-360 Billet Wheels ☐ Super Grip (Not available with short tabs.) Not available with Y-360 Billet Wheels . . . ☐ Without Thumb Grip (Not available with Y-360 Billet Wheels) 		\$570 \$645 \$338	
	☐ Natural Fit(LT) For 24", 25" & 26" Wheel ☐ Standard Grip (Not available with short tabs.) Not available with Y-360 Billet Wheels ☐ Super Grip (Not available with short tabs.) Not available with Y-360 Billet Wheels ☐ Without Thumb Grip (Not available with Y-360 Billet Wheels) 		\$629 \$706 \$400	
	☐ The Surge Handrims * Not available with Y-360 Billet Wheels		\$553	
	☐ The Surge Handrims (LT) * Not available with Y-360 Billet Wheels		\$603	
	☐ Spinergy Flex Rim Available only on Spinergy LX & XLX		\$CFP	
	☐ The Q-Grip Handrims : anti-slip, latex-free, neoprene coating * Not available with Y-360 Billet Wheels		\$543	
☐ OMIT HANDRIMS		\$NCO		
TAB LENGTH	☐ Long Tab (STD inside clearance 3/4") Not available with Y-360 Billet Wheels *		STD	
	☐ Short Tab (Inside clearance 1/2") * Not available with Natural Fit Handrim with thumb grip		\$STD	
	☐ Short Tab (Set closest to wheel cut off excess) * Not available with Y-360 wheel		\$35	

Valid from 2023 Prices & Specifications Are Subject To Change Without Notice.

G CHAIR OPTIONS 1/3

SEAT CUSHION														
SUPRACOR® WHEELCHAIR CUSHIONS *Optimal Positioning for Paraplegics and Quadriplegic.														
Stimulite® Contoured Cushion- 3.5" HIGH. 3 1/4 lbs *Black Upholstery only *Comes with Zipper Pouch ☐ Extra Sensitive (\$35 up charge) ☐ Sling Style Bottom (\$52 up charge) ☐ Custom Size (\$- CFP) W(") x D(") ☐ Extra Cover (\$120 up charge)	☐ W14"xD16" (CD1416)		E2603	\$	707									
	☐ W16"xD16" (CD1616)		E2603	\$	707									
	☐ W16"xD18" (CD1618)		E2603	\$	707									
	☐ W18"xD16" (CD1816)		E2603	\$	707									
	☐ W18"xD18" (CD1818)		E2603	\$	707									
	☐ W18"xD20" (CD1820)		E2603	\$	714									
	☐ W20"xD16" (CD2016)		E2603	\$	714									
	☐ W20"xD18" (CD2018)		E2603	\$	714									
	☐ W20"xD20" (CD2020)		E2603	\$	734									
Stimulite® Slimline Cushion- 2 3/4" HIGH. 3 lbs *Black Upholstery only ☐ Extra Sensitive (\$35 up charge) ☐ Sling Style Bottom (\$52 up charge) ☐ Custom Size (\$- CFP) W(") x D(") ☐ Extra Cover (\$86 up charge)	☐ W14"xD16" (SM1416)	*	E2603	\$	446									
	☐ W16"xD16" (SM1616)		E2603	\$	446									
	☐ W16"xD18" (SM1618)		E2603	\$	446									
	☐ W18"xD18" (SM1818)		E2603	\$	446									
	☐ W18"xD20" (SM1820)		E2603	\$	490									
	☐ W20"xD16" (SM2016)		E2603	\$	490									
	☐ W20"xD18" (SM2018)		E2603	\$	490									
	☐ W20"xD20" (SM2020)		E2603	\$	518									
	Stimulite® Corbee Pediatric- 2" HIGH. 1/2 lb *Black Upholstery only ☐ Extra Sensitive (\$35 up charge) ☐ Sling Style Bottom (\$52 up charge) ☐ Custom Size (\$- CFP) W(") x D(")	☐ W10"xD10" (PD1010)		E2603	\$			342						
☐ W12"xD12" (PD1212)			E2603	\$	342									
☐ W14"xD14" (PD1414)			E2603	\$	342									
ROHO WHEELCHAIR CUSHIONS														
3.8" lbs	☐ 4" HIGH PROFILE® QUADTRO SELECT® CUSHION *Black Upholstery · · · ☐ Extra Cover(\$+100)) · · · only.					E2622-2623	\$	669						
☐ Specify Size W(") x D(") 														
3 lbs	☐ 3" MID PROFILE® QUADTRO SELECT® CUSHION *Black Upholstery only · ☐ Extra Cover(\$+100)					E2622-2623	\$	669						
☐ Specify Size W(") x D(") 														
2 lbs	☐ 2" LOW PROFILE® QUADTRO SELECT® CUSHION *Black Upholstery only · ☐ Extra Cover (\$+100) · · ·					E2622-2623	\$	669						
☐ Specify Size W(") x D(") 														
THE CURVE CUSHION - 3" HIGH. *Black Upholstery only ☐ Extra Cover (\$ + 46	☐ W13"xD13"	☐ W13"xD14"	☐ W13"xD15"	☐ W13"xD16"	☐ W13"xD17"	☐ W14"xD14"						\$ 260		
	☐ W14"xD15"	☐ W14"xD16"	☐ W14"xD17"	☐ W14"xD18"	☐ W15"xD14"	☐ W15"xD15"								
	☐ W15"xD16"	☐ W15"xD17"	☐ W15"xD18"	☐ W15"xD19"	☐ W15"xD20"	☐ W16"xD14"								
	☐ W16"xD15"	☐ W16"xD16"	☐ W16"xD17"	☐ W16"xD18"	☐ W16"xD19"	☐ W16"xD20"								
	☐ W17"xD15"	☐ W17"xD16"	☐ W17"xD17"	☐ W17"xD18"	☐ W17"xD19"	☐ W17"xD20"								
	☐ W18"xD15"	☐ W18"xD16"	☐ W18"xD17"	☐ W18"xD18"	☐ W18"xD19"	☐ W18"xD20"								
	☐ W19"xD16"	☐ W19"xD17"	☐ W19"xD18"	☐ W19"xD19"	☐ W19"xD20"	☐ W20"xD16"								
	☐ W20"xD17"	☐ W20"xD18"	☐ W20"xD19"	☐ W20"xD20"	☐ W21"xD16"	☐ W21"xD17"								
	☐ W21"xD18"	☐ W21"xD19"	☐ W21"xD20"	☐ W22"xD16"	☐ W22"xD17"	☐ W22"xD18"								
	☐ W22"xD19"	☐ W22"xD20"	☐ W23"xD16"	☐ W23"xD17"	☐ W23"xD18"	☐ W23"xD19"								
	☐ W23"xD20													

Valid from 2024 Prices & Specifications Are Subject To Change Without

G CHAIR OPTIONS2/3

SEAT CUSHION

Exgel Kaji Cushion

For Comfortable Sitting To Prevent Pressure Sores

No Custom Sizes

- ☐ **Owl Regular(1.6" Thick)**
Incontinence Cover Only
E2603
- ☐ **Extra Cover \$104**

Unique OWL shape that fits your body shape and optimizes pressure distribution. The "Owl eye" supports the pelvis with extra exgel material in the area where the pressure is applied. The "slit" is for the tailbone area to reduce the pressure on the area that are most susceptible to pressure.

- ☐ W14"xD16" \$362
☐ W15"xD16" \$362
☐ W16"xD16" \$362
☐ W18"xD16" \$408

No Custom Sizes



No Custom Sizes

- ☐ **Owl High(3.1" Thick)**
Incontinence Cover Only
E2603
- ☐ **Extra Cover \$104**

The "hip line" shape fits curves of the hips.

- ☐ W14"xD16" \$437
☐ W15"xD16" \$437
☐ W16"xD16" \$437
☐ W18"xD16" \$495
☐ W18"xD18" \$495



- ☐ **Owl Contour(3.0" Thick) Cushion**
Incontinence Cover Only
E2603
- ☐ **Extra Cover \$104**
No Custom Sizes

The Contour has a tapered shaped bottom. Firmer foam is used for stable posture support.

- ☐ W14"xD16" \$454
☐ W15"xD16" \$454
☐ W16"xD16" \$454
☐ W18"xD16" \$495



E2603 ☐ **Owl Deep Contour(4.3" Thick)** Prevents sliding inward and outward.

- ☐ W14"xD16" \$518 ☐ W15"xD16" \$518 ☐ W16"xD16" \$518
☐ W18"xD16" \$558 No Custom Sizes ☐ **Extra Cover \$104**



E2603 ☐ **Standard Regular(1.4" Thick)** Easy to Use-Flat Style Synthetic leather material on the surface then exgel material is placed to redistribute body pressure. Multilayered high density foam that provides proper immersion. Supports stable sitting posture.

- ☐ W12"xD12"\$368 ☐ W13" x D13"\$368 ☐ W14" x D14"\$368 ☐ W14" x D16" \$368 ☐ W16" x D16" \$368
☐ W16" x D17"\$368 ☐ W17" x D16"\$368 ☐ W17" x D17"\$368 ☐ W18" x D16"\$391 ☐ W18" x D18"\$391
☐ W18" x D19"\$440 ☐ W18" x D20"\$440 ☐ W19" x D19"\$440

No Custom Sizes

☐ **Extra Cover \$104** Incontinence Cover Only



E2603 ☐ **Standard High(2.6" Thick)**- High flat profile for more stability and pressure relief. Suitable for heavier users. Synthetic leather material on the surface then exgel material is placed to redistribute body pressure. Multilayered high density foam that provides proper immersion. Supports stable sitting posture.

*Black Upholstery only

No Custom Sizes

- ☐ W12" x D12"\$431 ☐ W13" x D13"\$ 431 ☐ W14" x D14"\$431 ☐ W14" x D16"\$ 431 ☐ W16" x D16"\$ 431
☐ W16" x D17"\$431 ☐ W17" x D16"\$431 ☐ W17" x D17"\$431 ☐ W18" x D16" \$460 ☐ W18" x D18" \$460
☐ W18" x D19"\$512 ☐ W18" x D20"\$512 ☐ W19" x D19"\$512

☐ **Extra Cover \$104** Incontinence Cover Only




- E2603 ☐ **Standard Anti-Thrust (2.6" Thick)**
* No Custom Sizes
Incontinence Cover Only
- ☐ W16 x D16 \$460
☐ W18 x D16 \$500
☐ W18 x D18 \$500

Prevents Unwanted Forward Movement of lower back and hip bone. Synthetic leather material on the surface then exgel material is placed to redistribute body pressure. Multilayered high density foam that provides proper immersion.



H CHAIR OPTIONS 3/3

				
ADI CARBON BACKREST (Support Contour-ACTIVE 2.5")				
Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release				
Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 13"-19" width	Width (")	E2613	\$ 986
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 13"-19" width	Width (")	E2613	\$ 1,078
	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 13"-19" width	Width (")	E2613	\$ 1,164
	☐ Custom Size (" Tall) x (" width)		E2613	\$ CFP
☐ Add Privacy Flap (\$80 up charge)				
ADI ALUMINUM BACKREST (Support Contour-ACTIVE 2.5")				
Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release				
Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 10"-20" width	Width (")	E2613	\$ 807
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 12"-20" width	Width (")	E2613	\$ 827
	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 14"-20" width	Width (")	E2613	\$ 846
	☐ Tall (18" Tall) *Backrest Height requires 20" or more *Available 16"-20" width	Width (")	E2613	\$ 866
	☐ X-Tall (20" Tall) *Backrest Height requires 22" or more *Available 16"-20" width	Width (")	E2613	\$ 886
☐ Custom Size (" Tall) x (" width) E2613 \$ CFP				
☐ Add Privacy Flap (\$80 up charge)				
ADI ALUMINUM BACKREST (Support Contour-DEEP 4") *Not Available with Lateral Supports				
Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release				
Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 10"-20" width	Width (")	E2615	\$ 940
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 12"-20" width	Width (")	E2615	\$ 959
	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 14"-20" width	Width (")	E2615	\$ 979
	☐ Tall (18" Tall) *Backrest Height requires 20" or more *Available 16"-20" width	Width (")	E2615	\$ 998
	☐ X-Tall (20" Tall) *Backrest Height requires 22" or more *Available 16"-20" width	Width (")	E2615	\$ 1,019
☐ Custom Size (" Tall) x (" width) E2615 \$ CFP				
☐ Add Privacy Flap (\$80 up charge)				
ADI LATERAL SUPPORTS (Lateral Supports are compatible with only active 2.5" ADI positioning back.)				
☐ Stationary Pad	Pad Size ☐ Small (3" H x 3" D) ☐ Medium(3" H x 4" D) ☐ Large(4.5" H x 4.5" D) ☐ Large(4" H x 6" D)			
	☐ Pair			\$ 422
	☐ Left side only or ☐ Right side only			\$ 211
☐ Swing-Out	Pad Size ☐ Small (3" H x 3" D) ☐ Medium(3" H x 4" D) ☐ Large(4.5" H x 4.5" D) ☐ Large(4" H x 6" D)			
	☐ Pair			\$ 688
	☐ Left side only or ☐ Right side only			\$ 344
OTHER				
☐ ADI Transfer Board ☐ 21" (ADV21) ☐ 24" (ADV24) ☐ 29" (ADV29)				\$ 82
☐ ADI Push and Transfer Gloves with Leather (one size) (ADGL)				\$ 110
☐ ADI Push and Transfer Gloves with Rubber Grip (one size) (ADG)				\$ 110
☐ ADI Carbon Solid Seat (Wide: 18" Max, Depth: 20") ※ ONLY AVAILABLE WITH COLOURS NON-REMOVABLE SIDE GUARDS				\$ 827
VARILITE® Seating Systems Available				CFP
Please visit for all options. www.varilite.com				

Valid from 2024 Prices & Specifications Are Subject To Change Without