

SABER

DEALER		COLOURS INFORMATION For Office Use Only	
Dealer:		Order Date:	S/N:
Account:	P.O.#:		
Ordered By:			
Customer Name:			
Customer Weight:			


CHAIR INFORMATION	PRICE
SABER K0005	Base Wheel Chair Price K0005 \$ 3,600
Max. Capacity 250Lbs	Total Section A \$
	Total Section B \$
NOTE	Total Section C(Custom Parts Color) \$
Main Frame : ZK55 & ZK60 High Grade A7000 Series Aluminum	Total Section D \$
Main Frame : Lifetime Warranty(5 YEARS)	Total Section E \$
*See warranty policy	Total Section F \$
	Total Section G \$
	Total Section H \$
	ORDER GRAND TOTAL \$

A FRAME COLORS & PARTS COLORS

FRAME COLORS		
Powder-Coated ☐ Neon Yellow ☐ Brass Metallic ☐ Tiffany Blue ☐ Sparkle Sky Blue ☐ Granny Sparkle Green	☐ Gloss Black ☐ Candy Blue ☐ Matte ☐ Blue Lilac ☐ Sparkle Burgundy ☐ Polished ☐ 24 karat Gold	☐ Twilight Flake ☐ Candy Purple ☐ Matte Purple ☐ Neon Green ☐ Reed Green ☐ Yellow ☐ Candy Green ☐ Matte Blue ☐ Orange Sparkle ☐ Mellon Yellow ☐ Fire Engine Red ☐ Magenta ☐ Candy Red ☐ Matte Green ☐ Gun Smoke Silver ☐ White ☐ Candy Raspberry ☐ Cobalt Blue ☐ Matte Red ☐ Shocker Yellow
		\$ STD
Special Colors ☐ Polished ☐ 24 karat Gold		\$ 920 \$ CFP
STD Color Black Color (*Suspension Springs-Silver Color Only)-		\$ STD
Custom Color Main Bolt on Parts One Color Package Includes: Backrest, Foot Plate, Footrest Rings, Backrest Brackets, Saddle Stops, Forks & Knurl Nuts, Caps, Front Suspension Springs, Axle Tube, Axle Clamps, Axle Plates, Axle Bases, Camber Discs ☆marked parts		☐ Powder-Coated () \$ 690 ☐ Polished \$ 863 ☐ 24 karat Gold \$ CFP

B FRAME MEASUREMENTS 1/2

*DETAILED MEASURING GUIDE IN
BACK OF ORDER FORM




1. SEAT WIDTH	☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19"						\$	STD																																																									
2. SEAT DEPTH	Depth Adj. Frame	☐ Short Frame (16" Depth)		Set at ☐ 14" ☐ 15" ☐ 16" 		\$	STD																																																										
		☐ Long Frame (19" Depth)		Set at ☐ 17" ☐ 18" ☐ 19" 		\$	STD																																																										
3. FOOTREST WIDTH	☐ STD (Seat Width Minus 5", Taper on Bottom Frame) *No Custom Modifications						\$	STD																																																									
Seat Width Footrest Width (Seat Width Minus 5")																																																																	
FOOT PLATE STYLE ☐ Add Anti-Skid Tape (\$20 up charge)	☐ Standard single loop with adjust. height & angle. STD Foot Plate K0040						\$	STD																																																									
	☐ Single Flip-Back-single loop (no riser avail) with adjust. height & angle. STD Foot Plate . . K0040						\$	173																																																									
	STD Foot Plate Size Chart <table border="1" style="display: inline-table; vertical-align: top;"> <thead> <tr> <th>Your Seat Width</th> <th>Foot Plate Size</th> </tr> </thead> <tbody> <tr> <td>14"-15"</td> <td>W6.5"xD5"</td> </tr> <tr> <td>16"-18"</td> <td>W8.5"xD6.5"</td> </tr> <tr> <td>19"</td> <td>W11"xD6.5"</td> </tr> </tbody> </table>						Your Seat Width	Foot Plate Size	14"-15"	W6.5"xD5"	16"-18"	W8.5"xD6.5"	19"	W11"xD6.5"																																																			
	Your Seat Width	Foot Plate Size																																																															
14"-15"	W6.5"xD5"																																																																
16"-18"	W8.5"xD6.5"																																																																
19"	W11"xD6.5"																																																																
*No Custom Modifications																																																																	
☐ Foot Propel w/ Bolt On Stabilizer Bar Style (\$250 up charge)																																																																	
4. FRAME BEND ANGLE	☐ 95° only *No Custom Modifications						\$	STD																																																									
Frame Bend Angle 95° Seat Bucket Frame Angle to the Ground FRAME ANGLE to the Ground <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="6">Your Seat Depth</th> </tr> <tr> <th>14"</th> <th>15"</th> <th>16"</th> <th>17"</th> <th>18"</th> <th>19"</th> </tr> </thead> <tbody> <tr> <th rowspan="6" style="writing-mode: vertical-rl; transform: rotate(180deg);">Seat Bucket</th> <th>0"</th> <td>95°</td> <td>95°</td> <td>95°</td> <td>95°</td> <td>95°</td> <td>95°</td> </tr> <tr> <th>1"</th> <td>91°</td> <td>91°</td> <td>91°</td> <td>92°</td> <td>92°</td> <td>92°</td> </tr> <tr> <th>2"</th> <td>87°</td> <td>87°</td> <td>88°</td> <td>88°</td> <td>89°</td> <td>89°</td> </tr> <tr> <th>3"</th> <td>83°</td> <td>83°</td> <td>84°</td> <td>85°</td> <td>85°</td> <td>86°</td> </tr> <tr> <th>4"</th> <td>78°</td> <td>80°</td> <td>81°</td> <td>81°</td> <td>82°</td> <td>83°</td> </tr> <tr> <th>5"</th> <td>74°</td> <td>76°</td> <td>77°</td> <td>78°</td> <td>79°</td> <td>80°</td> </tr> </tbody> </table>											Your Seat Depth						14"	15"	16"	17"	18"	19"	Seat Bucket	0"	95°	95°	95°	95°	95°	95°	1"	91°	91°	91°	92°	92°	92°	2"	87°	87°	88°	88°	89°	89°	3"	83°	83°	84°	85°	85°	86°	4"	78°	80°	81°	81°	82°	83°	5"	74°	76°	77°	78°	79°	80°
		Your Seat Depth																																																															
		14"	15"	16"	17"	18"	19"																																																										
Seat Bucket	0"	95°	95°	95°	95°	95°	95°																																																										
	1"	91°	91°	91°	92°	92°	92°																																																										
	2"	87°	87°	88°	88°	89°	89°																																																										
	3"	83°	83°	84°	85°	85°	86°																																																										
	4"	78°	80°	81°	81°	82°	83°																																																										
	5"	74°	76°	77°	78°	79°	80°																																																										

B FRAME MEASUREMENTS 2/2


5. BACKREST HEIGHT * Rigidizer bar 3.25" deep std.		☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18"	Adj. Range \$ STD																																																																																																														
		Type ☐ Locking mechanism with adjust. height & \$ STD ☐ Double Locking mechanism with adjust. height & \$ 40 ☐ Folding with adjust. height & angle \$ NCO *No Custom Modifications																																																																																																															
6. BACKREST ANGLE		Set at (°) to the ground *STD 90°	\$ STD																																																																																																														
7. FRONT SEAT HEIGHT		☐ 16.5" ☐ 17.0" ☐ 17.5" ☐ 18.0" ☐ 18.5" ☐ 19.0" ☐ 19.5" ☐ 20.0" ☐ 20.5"	\$ STD																																																																																																														
STD Front Seat Height Range No Custom Modifications * = Not Available with Quick Release		The front seat heights are impacted by the size of your front caster. <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="8">Front Seat Height</th> </tr> <tr> <th>16.5"</th> <th>17.0"</th> <th>17.5"</th> <th>18.0"</th> <th>18.5"</th> <th>19.0"</th> <th>19.5"</th> <th>20.0"</th> <th>20.5"</th> </tr> </thead> <tbody> <tr> <td rowspan="8">Your Casters & Forks</td> <td>3" Caster & STD Forks</td> <td>☐ *</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>3" Caster & Springs</td> <td>☐ *</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>3" Caster & Frog Legs</td> <td>☐</td> <td>☐</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>4" Caster & STD Forks</td> <td>☐ *</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>4" Caster & Springs</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>4" Caster & Frog Legs</td> <td>☐</td> <td>☐</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐</td> </tr> <tr> <td>5" Caster & STD Forks</td> <td>☐</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐ *</td> </tr> <tr> <td>5" Caster & Springs</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> </tr> <tr> <td>5" Caster & Frog Legs</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> </tr> </tbody> </table>			Front Seat Height								16.5"	17.0"	17.5"	18.0"	18.5"	19.0"	19.5"	20.0"	20.5"	Your Casters & Forks	3" Caster & STD Forks	☐ *	☐	☐	☐	☐	☐	☐	☐	☐	3" Caster & Springs	☐ *	☐	☐	☐	☐	☐	☐	☐	☐	3" Caster & Frog Legs	☐	☐	☐ *	☐ *	☐ *	☐ *	☐ *	☐	☐	4" Caster & STD Forks	☐ *	☐	☐	☐	☐	☐	☐	☐	☐	4" Caster & Springs	☐	☐	☐	☐	☐	☐	☐	☐	☐	4" Caster & Frog Legs	☐	☐	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐	5" Caster & STD Forks	☐	☐ *	☐ *	☐ *	☐	☐	☐	☐	☐ *	5" Caster & Springs	☐	☐	☐	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	5" Caster & Frog Legs	☐	☐	☐	☐	☐ *	☐ *	☐ *	☐ *	☐ *	
		Front Seat Height																																																																																																															
		16.5"	17.0"	17.5"	18.0"	18.5"	19.0"	19.5"	20.0"	20.5"																																																																																																							
Your Casters & Forks	3" Caster & STD Forks	☐ *	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																							
	3" Caster & Springs	☐ *	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																							
	3" Caster & Frog Legs	☐	☐	☐ *	☐ *	☐ *	☐ *	☐ *	☐	☐																																																																																																							
	4" Caster & STD Forks	☐ *	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																							
	4" Caster & Springs	☐	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																							
	4" Caster & Frog Legs	☐	☐	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐																																																																																																							
	5" Caster & STD Forks	☐	☐ *	☐ *	☐ *	☐	☐	☐	☐	☐ *																																																																																																							
	5" Caster & Springs	☐	☐	☐	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *																																																																																																							
5" Caster & Frog Legs	☐	☐	☐	☐	☐ *	☐ *	☐ *	☐ *	☐ *																																																																																																								
8. REAR SEAT HEIGHT		☐ 14.5 ☐ 15.0" ☐ 15.5" ☐ 16.0" ☐ 16.5" ☐ 17.0" ☐ 17.5" ☐ 18.0" ☐ 18.5" ☐ 19.0"	\$ STD																																																																																																														
Rear Seat Height Option ☐ Omit Air Pro Kit \$ - \$400 *For better shock performance		*The rear seat heights are impacted by the size of your rear tire. ☐ w/Colours Air Ride System Black Color *Includes air pro kit \$ 2,500 *Including ;Fox Racing Shox 300 HP Pump ☐ Powder-Coated () (\$456 up charge) ☐ Polished Aluminum (\$920 up charge)																																																																																																															
<table border="1"> <thead> <tr> <th colspan="2">STD Rear Seat Height Ranges</th> </tr> <tr> <th>Rear Tire Size</th> <th>Rear Seat Height</th> </tr> </thead> <tbody> <tr> <td>24"x1"(540)</td> <td>14.5"- 18.0"</td> </tr> <tr> <td>24"x1 3/8"(540)</td> <td>15.0"- 18.0"</td> </tr> <tr> <td>25"x1"(559)</td> <td>15.5"- 18.0"</td> </tr> <tr> <td>24"x2"(540)</td> <td>15.5"- 18.5"</td> </tr> <tr> <td>26"x1"(590)</td> <td>15.5"- 19.0"</td> </tr> <tr> <td>25"x2.1(559)</td> <td>16.0"- 19.0"</td> </tr> </tbody> </table>		STD Rear Seat Height Ranges		Rear Tire Size	Rear Seat Height	24"x1"(540)	14.5"- 18.0"	24"x1 3/8"(540)	15.0"- 18.0"	25"x1"(559)	15.5"- 18.0"	24"x2"(540)	15.5"- 18.5"	26"x1"(590)	15.5"- 19.0"	25"x2.1(559)	16.0"- 19.0"	<table border="1"> <thead> <tr> <th colspan="2">Rear Seat Height Ranges w/ Air Ride System</th> </tr> <tr> <th>Rear Tire Size</th> <th>Rear Seat Height</th> </tr> </thead> <tbody> <tr> <td>24"x1"(540)</td> <td>16.0"- 18.0"</td> </tr> <tr> <td>24"x1 3/8"(540)</td> <td>16.5"- 18.0"</td> </tr> <tr> <td>25"x1"(559)</td> <td>16.5"- 18.0"</td> </tr> <tr> <td>24"x2"(540)</td> <td>17.0"- 18.5"</td> </tr> <tr> <td>26"x1"(590)</td> <td>17.0"- 19.0"</td> </tr> <tr> <td>25"x2.1"(559)</td> <td>17.5"- 19.0"</td> </tr> </tbody> </table>	Rear Seat Height Ranges w/ Air Ride System		Rear Tire Size	Rear Seat Height	24"x1"(540)	16.0"- 18.0"	24"x1 3/8"(540)	16.5"- 18.0"	25"x1"(559)	16.5"- 18.0"	24"x2"(540)	17.0"- 18.5"	26"x1"(590)	17.0"- 19.0"	25"x2.1"(559)	17.5"- 19.0"	REAR SUSPENSION RATING ☐ Set up 50psi (For 80 lbs-110 lbs weight) ☐ Set up 60psi (For 110 lbs-140 lbs weight) ☐ Set up 80psi (For 140 lbs-170 lbs weight) ☐ Set up 100psi (For 170 lbs-200 lbs weight) ☐ Set up 120psi (For 200 lbs-230 lbs weight) ☐ Set up 150psi (For 230 lbs-250 lbs weight)																																																																														
STD Rear Seat Height Ranges																																																																																																																	
Rear Tire Size	Rear Seat Height																																																																																																																
24"x1"(540)	14.5"- 18.0"																																																																																																																
24"x1 3/8"(540)	15.0"- 18.0"																																																																																																																
25"x1"(559)	15.5"- 18.0"																																																																																																																
24"x2"(540)	15.5"- 18.5"																																																																																																																
26"x1"(590)	15.5"- 19.0"																																																																																																																
25"x2.1(559)	16.0"- 19.0"																																																																																																																
Rear Seat Height Ranges w/ Air Ride System																																																																																																																	
Rear Tire Size	Rear Seat Height																																																																																																																
24"x1"(540)	16.0"- 18.0"																																																																																																																
24"x1 3/8"(540)	16.5"- 18.0"																																																																																																																
25"x1"(559)	16.5"- 18.0"																																																																																																																
24"x2"(540)	17.0"- 18.5"																																																																																																																
26"x1"(590)	17.0"- 19.0"																																																																																																																
25"x2.1"(559)	17.5"- 19.0"																																																																																																																
9. CENTER OF GRAVITY		☐ 1.0" ☐ 1.5" ☐ 2.0" ☐ 2.5" ☐ 3.0" ☐ 3.5" ☐ 4.0" ☐ 4.5" ☐ 5.0" ☐ 5.5"	\$ STD																																																																																																														
Center of Gravity Ranges ★ = Excludes 24" x 2", 26" x 1", 25" x 2.1" tires are selected. ☆ = Not available with Air Ride		<table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="10">Your Center of Gravity</th> </tr> <tr> <th>1.0"</th> <th>1.5"</th> <th>2.0"</th> <th>2.5"</th> <th>3.0"</th> <th>3.5"</th> <th>4.0"</th> <th>4.5"</th> <th>5.0"</th> <th>5.5"</th> </tr> </thead> <tbody> <tr> <td rowspan="5">Your Seat Depth</td> <td>14"</td> <td>☐</td> <td>☐ ★</td> <td>☐ ★</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>15"</td> <td>☐ ☆</td> <td>☐ ☆</td> <td>☐</td> <td>☐ ★</td> <td>☐ ★</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>16"</td> <td>☐ ☆</td> <td>☐ ☆</td> <td>☐ ☆</td> <td>☐</td> <td>☐</td> <td>☐ ★</td> <td>☐ ★</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>17"</td> <td>☐ ☆</td> <td>☐ ☆</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐ ★</td> <td>☐ ★</td> <td>☐</td> </tr> <tr> <td>18"</td> <td>☐ ☆</td> <td>☐ ☆</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐ ★</td> </tr> <tr> <td>19"</td> <td>☐ ☆</td> <td>☐ ☆</td> <td>☐ ☆</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> </tbody> </table>			Your Center of Gravity										1.0"	1.5"	2.0"	2.5"	3.0"	3.5"	4.0"	4.5"	5.0"	5.5"	Your Seat Depth	14"	☐	☐ ★	☐ ★	☐	☐	☐	☐	☐	☐	☐	15"	☐ ☆	☐ ☆	☐	☐ ★	☐ ★	☐	☐	☐	☐	☐	16"	☐ ☆	☐ ☆	☐ ☆	☐	☐	☐ ★	☐ ★	☐	☐	☐	17"	☐ ☆	☐ ☆	☐	☐	☐	☐	☐	☐ ★	☐ ★	☐	18"	☐ ☆	☐ ☆	☐	☐	☐	☐	☐	☐	☐	☐ ★	19"	☐ ☆	☐ ☆	☐ ☆	☐	☐	☐	☐	☐	☐	☐																						
		Your Center of Gravity																																																																																																															
		1.0"	1.5"	2.0"	2.5"	3.0"	3.5"	4.0"	4.5"	5.0"	5.5"																																																																																																						
Your Seat Depth	14"	☐	☐ ★	☐ ★	☐	☐	☐	☐	☐	☐	☐																																																																																																						
	15"	☐ ☆	☐ ☆	☐	☐ ★	☐ ★	☐	☐	☐	☐	☐																																																																																																						
	16"	☐ ☆	☐ ☆	☐ ☆	☐	☐	☐ ★	☐ ★	☐	☐	☐																																																																																																						
	17"	☐ ☆	☐ ☆	☐	☐	☐	☐	☐	☐ ★	☐ ★	☐																																																																																																						
	18"	☐ ☆	☐ ☆	☐	☐	☐	☐	☐	☐	☐	☐ ★																																																																																																						
19"	☐ ☆	☐ ☆	☐ ☆	☐	☐	☐	☐	☐	☐	☐																																																																																																							
10. CAMBER ANGLE		☐ 0° ☐ 2° ☐ 4° MAX FOR SUSPENSION	\$ STD																																																																																																														
11. FRONT OF SEAT SLING TO FRONT OF FOOTREST		☐ 14.5" ☐ 15.0" ☐ 15.5" ☐ 16.0" ☐ 16.5" ☐ 17.0" ☐ 17.5" ☐ 18.0" ☐ 18.5" ☐ 19.0"	\$ STD																																																																																																														
*Measurement must be 1.5" shorter than your Front Seat Height HIGH MOUNT With Risers or Clamps		☐ 9.5" ☐ 10.0" ☐ 10.5" ☐ 11.0" ☐ 11.5" ☐ 12.0" ☐ 12.5" ☐ 13.0" ☐ 13.5" ☐ 14.0"	\$ 86																																																																																																														
12. INSIDE WHEEL CLEARANCE		☐ 3/4" * ☐ 1" ☐ 1 1/4" ☐ 1 1/2" ☐ 1 3/4" ☐ 2"	\$ STD																																																																																																														
		*3/4" Inside wheel clearance not available with 2 degree camber. (with the exception of Y-360 wheels) *3/4" Inside wheel clearance not available with armrest																																																																																																															

1. SEAT WIDTH


Measure from outside of seat tube to the outside of the opposite seat tube.

**2. SEAT DEPTH**


Measure from at the front bottom of backrest tube to the front edge of seat sling.

**3. FOOTREST WIDTH**


Measure from inside of front frame tube to inside of opposite front frame tube.

**4. FRAME ANGLE**


Measure angle frame front to floor.

**5. BACKREST HEIGHT**


Measure from top of back post to seat sling at front bottom of backrest tube.

**6. BACKREST ANGLE**


Measure angle from front of back post to floor.

**7. FRONT SEAT HEIGHT**

Measure from floor to top of seat sling at front edge.


**8. REAR SEAT HEIGHT**

Measure from floor to top of seat sling at front bottom of backrest tube.


**9. CENTER OF GRAVITY**

Measure from center of back tube at the folding pivot to the center of the rear axle.


(If welding backrest is selected, Measure from center of back tube at the seat tube to the center of the rear axle.)

**10. CAMBER ANGLE**


Measure angle from wheel to vertical at floor.

**11. FRONT OF SEAT SLING TO FOOTREST****ADULT CHAIR**

Measure from top of seat sling at front edge to top of foot plate at front edge.


**PEDIATRIC CHAIR**

Measure vertical from top of seat sling at front edge to top of foot plate.

**12. INSIDE WHEEL CLEARANCE**

Measure from outside of seat back tube to inside of rear tire.

(If side guards are selected, measure from outside of side guards to inside of rear tire.)



C SPECIAL PARTS COLORS (Please allow an additional 1-2 weeks delivery)

PARTS COLORS

Powder-Coated	Gloss Black	Twilight Flake	Yellow	Magenta	Fire Engine Red	White
	Neon Yellow	Candy Blue	Candy Purple	Candy Green	Candy Red	Candy Raspberry
	Cobalt Blue					
	Brass Metallic	Matte Gray	Matte Purple	Matte Blue	Matte Green	Matte Black
	Matte Red					
Sparkle Burgundy	Blue Lilac	Neon Green	Orange Sparkle	Mellon Yellow	Gun Smoke Silver	Shocker Yellow
Tiffany Blue		Granny Sparkle Green	Sparkle Sky Blue	Reed Green		

Special Colors Polished Aluminum


24 karat Gold Plated *Please allow an additional 4 weeks delivery

Please Choose the Color for each Part




*Parts not selected will be black color. (Suspension Spring: Silver Color)

*Minimum 3 parts selected per order.

*PC=Powder-Coated




D COMPONENTS

WHEEL LOCKS							
☐ New Solutions Push to Lock	☐ w/ 2" Extension Handle (\$92up charge)	\$ STD					
☐ Gallop Push to Lock / Anodized		\$ STD					
☐ Question Mark Style Scissor		\$ 150					
☐ Primo Push to Lock / Anodized		\$ 140					
☐ NEW Compact Scissor Lock / Anodized Black Only		\$ 280					
☐ Gallop Scissor Lock / Anodized		\$ 280					
☐ D's Locks	Install: ☐ Right side" ☐ Left side *Not Available with Air Ride Suspension	\$ 1,360					
PUSH HANDLES *If you are ordering push handles, You must select the backrest locking mechanism.							
☐ Integrated w/Fixed Backrest Height / Anodized Black Only		\$ STD					
☐ Bolt-on / Anodized Black Only Specify Height from floor -()		\$ 220					
☐ Bolt-on w/Quick Release / Anodized Black Only Specify Height from floor -()		\$ 320					
☐ NEW Height Adj. / Anodized Black Only Specify Maximum height from floor -()		\$ 390					
NEW ARM RESTS Anodized Black Only							
☐ Fixed Tubular Armrest	Adj. Angle and Height Height from seat sling Set at : ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 450					
☐ Swing Away Tubular Armrest	Adj. Angle and Height Height from seat sling Set at : ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 450					
☐ Flip-Up Armrest	☐ w/Fixed Tubular Armrest Height from seat sling Set at : ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 450					
Adj. Angle ☐ w/ Swing Away Tubular Armrest	Height from seat sling Set at : ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 450					
☐ Custom Length & Height (\$173 up charge) *Specify Height & Length →							
							
ANTI-TIPPERS							
☐ Press Release Removable Anti-tipper(pair)		E0971 \$ 330					
SIDE GUARDS							
☐ Rigid Side Guards - Black ABS	☐ Non-Removable ☐ Removable ☐ Removable w/Hole (\$14 up charge)	\$ 260					
Color: Black Only	Size: ☐ STD ☐ Medium ☐ Cut to Wheel (\$100 up charge) Measurement						
☐ Rigid Side Guards - Aluminum	☐ Non-Removable ☐ Removable	\$ 420					
 <table border="1"> <tr> <th>Height</th> <th>Size</th> </tr> <tr> <td>7.5"</td> <td>STD</td> </tr> <tr> <td>8.25"</td> <td>Medium</td> </tr> </table>	Height	Size	7.5"	STD	8.25"	Medium	Size: ☐ Medium Only ☐ Cut to Wheel (\$100 up charge) Measurement Color ☐ Black (STD) ☐ Pol. Aluminum (STD) ☐ Powder Coated () (\$140 up charge) ☐ Gold Plate (+CFP)
Height	Size						
7.5"	STD						
8.25"	Medium						
							
☐ Fabric Clothing Guards	Black Nylon w/Velcro	\$ 200					
SEAT CUSHION *Please see section for other cushion choices.-							
☐ Foam Cushion w/Nylon Black Cover	Thickness ☐ 1" ☐ 2" ☐ 3" ☐ 4"	\$ CFP					
☐ Custom Cushion Cover (Std. Foam Cushion Only) -Select Fabric ()		(\$104 up charge)					
ACCESSORIES							
☐ Frame Protectors / Black Leather/Zipper Type		\$ 150					
☐ Gel Ovation Protector Wraps Gel Silicone	☐ Short (1/2") ☐ Long (3")	\$ 200					
☐ E0978 Padded Seat Belt w/Auto Buckle Black Belt Only		E0978 \$ 113					
☐ Tie Down Brackets 4pcs.	☐ Bolted ☐ Welded	\$ 400					
☐ Calf Strap ☐ Black ☐ Matching Fabric (\$65 up charge) -Select Fabric()		\$ 35					
☐ Bodypoint Padded Calf Strap ☐ (14"-16" footrest width) ☐ (16"-20" footrest width) ☐ (20"-24" footrest)	\$89 \$95 \$102						
☐ Hanging Zipper Pouch ☐ Black ☐ Matching Fabric (\$75) or ☐ Leather (\$80) Custom Size Width: Length:		\$ 120					
☐ Matching Fabric on Padded Side Guards -Select Fabric ()		\$ 278					
UPHOLSTERY CHOICE & COLOR *Positioning Back Available. Please see Section E							
☐ Standard Adjustable Height Backrest (Black)		\$ STD					
☐ Adjustable Tension Backrest Black Only (*Not available with 8" Backrest Height)		\$ 300					
Options ☐ Fun Fabric: For Std. or Adj. Style (Choose From Choices on Page 7 and write below) (\$ 92 up charge)							
☐ Backrest Leather Trim (outside panels)		(\$ up charge) \$ CFP					

FABRIC CHOICE SHEET

1. Camouflage Girls



2. Purple Zebra



3. Silver Grey Snake



5. Laughing Skulls




6. Purple Snake



7. Sweetheart Pinup Girls



9. Blue Flames



10. Arctic Camo




11. Furry Friends



12. Supercars



13. Urban Camo



14. Superbikes




15. Sizzle Flames




16. Hot Rod Flames



17. Skulls w/ Attitude



18. Sweet Pink




19. Heart and Soul



20. Home Run



21. Fuzzy Giraffe



22. Cheetah




23. Paperweight Cobalt



24. Zig Zag Dots




25. Smokey Tribal Flames




26. Rose and Rebellion




27. Tattoo Adventure(Cream




28. Red Tribal Flames




29. Tattoo Adventure(Black)



30. Butterfly Bandana



31. Tatsu Dragon



ETIRES,CASTERS, & FORKS

TIRES						
☐ Primo High Pressure Tire ☐ 24"x1" ☐ 25"x1" ☐ 26"x1" Gray Tire w/ black line E2211/E2212						
☐ Primo High Pressure Tire ☐ 24"x1" ☐ 25"x1" or ☐ 26"x1" ☐ Blue ☐ Red E2211/E2212						
☐ Low Pressure Tire ☐ 24"x1-3/8" or ☐ 26"x1-3/8" Gray Only E2211/E2212						
☐ Schwalbe Marathon Plus High Pressure Tire ☐ 24"x1", ☐ 25"x1" or ☐ 26"x1" Black Only E2211/E2212						
☐ Solid Tire ☐ 24"x1" ☐ 25"x1" ☐ 26"x1 Black E2218						
☐ Moderate Knobby Tire (EuroTrek) 24"x1-3/8" (37-540) Gray Only E2211/E2212						
☐ Kobra Knobby Tire 24"x 2" (50-540) Gray Only ☐ Blue Line ☐ Red Line E2211/E2212						
☐ Kobra Knobby Tire 26"x 2" (50-559) Gray Only ☐ Blue Line ☐ Red Line E2211/E2212						
☐ Nevegal Knobby Tire 24" x 2.1"(50-540) Black Only E2211/E2212						
☐ Kenda Knobby Tire(Kwick Drumlin) (559) 26" X 1. 75 - 2. 25 Black Only E2211/E2212						
☐ Flat-Free Inserts For 24"x1-3/8" Tires Only E2211/E2213						
CASTERS						
SIZE	TIRE WIDTH	HUB COLOR	TIRE COLOR	DESCRIPTION		
☐ 3"	1"	Black Hub	Black Tire Only	Polyurethane	K0077	\$ STD
☐ 3"	1"	Plastic Black Hub	Clear Tire Only	Lighted, Polyurethane	A9900	\$ 86
☐ 3"	1"	Red Hub	Red Tire Only	Polyurethane	E2222	\$ STD
☐ 3"	1"	Black Hub	Clear Tire Only	Polyurethane	E2222	\$ STD
☐ 3"	1"	Aluminum Silver Hub	Black Tire Only	Made By Frog Legs	K0071	\$ 209
☐ 3"	1"	Aluminum Black Hub	Black Tire Only	Made By Frog Legs	E2222	\$ 209
☐ 3"	1.5"	Aluminum Silver Hub	Black Tire Only	Soft Roll Made By Frog Legs	E2222	\$ 209
☐ 3"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs	E2222	\$ 209
☐ 4"	1 1/8"	Plastic Black Hub	Black Tire Only	Polyurethane Not Available with Narrow Frog Leg Forks	E2222	\$ STD
☐ 4"	1"	Plastic Black Hub	Clear Only	Lighted, Polyurethane	E2221	\$ 86
☐ 4"	1"	Aluminum Silver Hub	Black Tire Only	Made By Frog Legs	E2214	\$ 209
☐ 4"	1"	Aluminum Black Hub	Black Tire Only	Made By Frog Legs	E2214	\$ 209
☐ 4"	1.5"	Aluminum Silver Hub	Tire ☐ Black ☐ Blue ☐ Red	Soft Roll Made By Frog Legs	E1015	\$ 209
☐ 4"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs	E2214	\$ 209
☐ 5"	1"	Composite Black	Black Tire Only	Polyurethane	E2222	\$ STD
☐ 5"	1"	Plastic Black Hub	Clear Tire Only	Lighted, Polyurethane	A9900	\$ 86
☐ 5"	1"	Aluminum Silver Hub	Black Tire Only	Made By Frog Legs	A9900	\$ 209
☐ 5"	1"	Aluminum Black Hub	Black Tire Only	Made By Frog Legs	E2214	\$ 209
☐ 5"	1.5"	Aluminum Silver Hub	Tire ☐ Black ☐ Blue ☐ Red	Soft Roll Made By Frog Legs	K0072	\$ 209
☐ 5"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs	E2222	\$ 209
☐ 6"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs	E2222	\$ 234
☐ 6"	1.5"	Aluminum Silver Hub	Black Tire Only	Soft Roll Made By Frog Legs	E2222	\$ 234
☐ "	☐ 1"OR ☐ 1.5"	Hub Color:	Tread Color:	Soft Roll Made By Frog Legs	E2222	\$ CFP
FORKS						
☐ Frog Leg Shields(4 pcs) Only for Frog Leg Forks						
☐ STD Aluminum Forks Black Only						
Extra Options for Aluminum Forks ☐ With Suspension Springs E1015						
☐ With Quick Release Axles K0073						
☐ Frog Leg Suspension Forks 1" Wide (For 3", 4" x 1" width Caster and 5" STD Caster, 5" lighted Caster) Not available with Quick Release Axle						
*User's Weight _____ Color ☐ Anodized Black ☐ Anodized Silver E1015						
☐ Frog Leg Suspension Forks 1.5" Wide (For 3", 4" x 1.5" width Caster and 5" x 1"& 5" x 1.5" Casters) Not available with Quick Release Axle						
*User's Weight _____ Color ☐ Anodized Black ☐ Anodized Silver E1015						

F WHEELS

WHEELS																	
Wire Wheels	☐ 24" (540)		\$ NCO														
	☐ 25" (559)		\$ NCO														
	☐ 26" (590)		\$ NCO														
Y-360 Billet Wheels	☐ 25" (559)																
*Max. Capacity 220Lbs *Camber 0- 2" max		Style ☐ Saw Blade															
*Not for Sports or Rugged use			\$ 1,495														
Y-360 Billet Wheels MOD	☐ 25" (559) Only																
Style	Style ☐ Tribal Sun ☐ Girls ☐ Eagle ☐ Holy Cross ☐ Hono(Flames) 		\$ 1,783														
*Max. Capacity 220Lbs *Camber 0- 2" max		Specify Powder Coat Color for Insert Only () *Choose from Frame Colors															
*Not for Sports or Rugged use																	
Extra Options for																	
☐ Powder-Coated Spokes Only () *Choose from Frame Colors (\$250 up charge)																	
Spinergy Spox 18 Spokes	☐ 24" (540) ☐ 25" (559) ☐ 26" (590)																
	Spoke Color ☐ Black With Silver Hub ☐ Red With Black Hub ☐ Yellow With Black Hub ☐ Blue With Black Hub ☐ White With Black Hub 		\$ 1,100														
	☐ Custom Color Spoke Pattern	<table><tr><th colspan="2"></th><th>Left Wheel</th><th>Right Wheel</th></tr><tr><td rowspan="2">Spokes Color</td><td>Inside</td><td></td><td></td></tr><tr><td>Outside</td><td></td><td></td></tr><tr><td colspan="2">Hub Color</td><td>☐ Black/☐ Silver</td><td>☐ Black/☐ Silver</td></tr></table>			Left Wheel	Right Wheel	Spokes Color	Inside			Outside			Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver
		Left Wheel	Right Wheel														
Spokes Color	Inside																
	Outside																
Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver														
Spinergy LX 12 Spokes	☐ 24" (540) ☐ 25" (559) ☐ 26" (590)																
	Spoke Color ☐ Black With Silver Hub ☐ Red With Black Hub ☐ Yellow With Black Hub ☐ Blue With Black Hub ☐ White With Black Hub ☐ Neon Green With Black Hub ☐ Pink With Black Hub ☐ Orange With Black Hub ☐ Purple With Black Hub		\$ 1,252														
	☐ Custom Color Spoke Pattern	<table><tr><th colspan="2"></th><th>Left Wheel</th><th>Right Wheel</th></tr><tr><td rowspan="2">Spokes Color</td><td>Inside</td><td></td><td></td></tr><tr><td>Outside</td><td></td><td></td></tr><tr><td colspan="2">Hub Color</td><td>☐ Black/☐ Silver</td><td>☐ Black/☐ Silver</td></tr></table>			Left Wheel	Right Wheel	Spokes Color	Inside			Outside			Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver
		Left Wheel	Right Wheel														
Spokes Color	Inside																
	Outside																
Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver														
Spinergy X-Laced Sport Lite Extreme "XSLX" 24 Spokes	☐ 24" (540) ☐ 25" (559) ☐ 26" (590)																
	Spoke Color ☐ Black With Silver Hub ☐ Red With Black Hub ☐ Yellow With Black Hub ☐ Blue With Black Hub ☐ White With Black Hub ☐ Neon Green With Black Hub ☐ Pink With Black Hub ☐ Orange With Black Hub ☐ Purple With Black Hub		\$ 1,380														
	☐ Custom Color Spoke Pattern	<table><tr><th colspan="2"></th><th>Left Wheel</th><th>Right Wheel</th></tr><tr><td rowspan="2">Spokes Color</td><td>Inside</td><td></td><td></td></tr><tr><td>Outside</td><td></td><td></td></tr><tr><td colspan="2">Hub Color</td><td>☐ Black/☐ Silver</td><td>☐ Black/☐ Silver</td></tr></table>			Left Wheel	Right Wheel	Spokes Color	Inside			Outside			Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver
		Left Wheel	Right Wheel														
Spokes Color	Inside																
	Outside																
Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver														

Spinergy Sport Lite Extreme "SLX" 24 Spoke 		☐ 24" (540) ☐ 25" (559) ☐ 26" (590) Spoke Color ☐ Black ☐ Red ☐ Yellow ☐ Blue With Silver Hub With Black Hub With Black Hub With Black Hub ☐ White ☐ Neon Green ☐ Pink ☐ Orange ☐ Purple With Black Hub With Black Hub With Black Hub With Black Hub With Black Hub ☐ Custom Color Spoke Pattern Left Wheel Right Wheel Spokes Color Inside Outside Hub Color ☐ Black/☐ Silver ☐ Black/☐ Silver		\$1,220 \$1,330
Spinergy Lite Extreme "XLX" X-Laced-12 Spoke 		☐ 24" (540) ☐ 25" (559) ☐ 26" (590) Spoke Color ☐ Black ☐ Red ☐ Yellow ☐ Blue With Silver Hub With Black Hub With Black Hub With Black Hub ☐ White ☐ Neon Green ☐ Pink ☐ Orange ☐ Purple With Black Hub With Black Hub With Black Hub With Black Hub With Black Hub ☐ Custom Color Spoke Pattern Left Wheel Right Wheel Spokes Color Inside Outside Hub Color ☐ Black/☐ Silver ☐ Black/☐ Silver		\$1,290 \$1,400
Spinergy Blade "LXL" 18 Spoke 		☐ 24" (540) ☐ 25" (559) ☐ 26" (590) Spoke Color ☐ Black ☐ Red ☐ Yellow ☐ Blue With Silver Hub With Black Hub With Black Hub With Black Hub ☐ White ☐ Neon Green ☐ Pink ☐ Orange ☐ Purple With Black Hub With Black Hub With Black Hub With Black Hub With Black Hub ☐ Custom Color Spoke Pattern Left Wheel Right Wheel Spokes Color Inside Outside Hub Color ☐ Black ☐ Black		\$1,220 \$1,330
Type	☐ Standard For 24", 25" or 26" Wheel Anodized Black ☐ Polish Upcharge \$450		\$STD	
	☐ Standard Handrim For 25" Y-360 Billet Wheel Anodized Black ☐ Polish Upcharge \$450		\$STD	
	☐ Vinyl Coated For 24", 25"& 26" Wheels Not available with Y-360 Billet Wheels		\$200	
	☐ Spinergy Silver Brushed Anodized For 24", 25"& 26" Not available with Y-360 Billet Wheels		\$220	
	☐ Natural Fit For 24", 25" & 26" Wheel ☐ Standard Grip (Not available with short tabs.) Not available with Y-360 Billet Wheels ☐ Super Grip (Not available with short tabs.) Not available with Y-360 Billet Wheels . . . ☐ Without Thumb Grip (Not available with Y-360 Billet Wheels) 		\$570 \$645 \$338	
	☐ Natural Fit(LT) For 24", 25" & 26" Wheel ☐ Standard Grip (Not available with short tabs.) Not available with Y-360 Billet Wheels ☐ Super Grip (Not available with short tabs.) Not available with Y-360 Billet Wheels ☐ Without Thumb Grip (Not available with Y-360 Billet Wheels) 		\$629 \$706 \$400	
	☐ The Surge Handrims * Not available with Y-360 Billet Wheels		\$553	
	☐ The Surge Handrims (LT) * Not available with Y-360 Billet Wheels		\$603	
	☐ Spinergy Flex Rim Available only on Spinergy LX & XLX		\$CFP	
	☐ The Q-Grip Handrims : anti-slip, latex-free, neoprene coating * Not available with Y-360 Billet Wheels		\$543	
☐ OMIT HANDRIMS		\$NCO		
TAB LENGTH	☐ Long Tab (STD inside clearance 3/4") Not available with Y-360 Billet Wheels *		STD	
	☐ Short Tab (Inside clearance 1/2") * Not available with Natural Fit Handrim with thumb grip		\$STD	
	☐ Short Tab (Set closest to wheel cut off excess) * Not available with Y-360 wheel		\$35	

Valid from 2023 Prices & Specifications Are Subject To Change Without Notice.

G CHAIR OPTIONS 1/3

SEAT CUSHION																		
SUPRACOR® WHEELCHAIR CUSHIONS *Optimal Positioning for Paraplegics and Quadriplegic.																		
Stimulite® Contoured Cushion- 3.5" HIGH. 3 ¼lbs *Black Upholstery only *Comes with Zipper Pouch ☐ Extra Sensitive (\$35 up charge) ☐ Sling Style Bottom (\$52 up charge) ☐ Custom Size (\$- CFP) W(") x D(") ☐ Extra Cover (\$120 up charge)	☐ W14"xD16" (CD1416)		E2603	\$	707													
	☐ W16"xD16" (CD1616)		E2603	\$	707													
	☐ W16"xD18" (CD1618)		E2603	\$	707													
	☐ W18"xD16" (CD1816)		E2603	\$	707													
	☐ W18"xD18" (CD1818)		E2603	\$	707													
	☐ W18"xD20" (CD1820)		E2603	\$	714													
	☐ W20"xD16" (CD2016)		E2603	\$	714													
	☐ W20"xD18" (CD2018)		E2603	\$	714													
	☐ W20"xD20" (CD2020)		E2603	\$	734													
	Stimulite® Slimline Cushion- 2 ¾" HIGH. 3 lbs *Black Upholstery only ☐ Extra Sensitive (\$35 up charge) ☐ Sling Style Bottom (\$52 up charge) ☐ Custom Size (\$- CFP) W(") x D(") ☐ Extra Cover (\$86 up charge)	☐ W14"xD16" (SM1416)	*	E2603	\$							446						
☐ W16"xD16" (SM1616)			E2603	\$	446													
☐ W16"xD18" (SM1618)			E2603	\$	446													
☐ W18"xD18" (SM1818)			E2603	\$	446													
☐ W18"xD20" (SM1820)			E2603	\$	490													
☐ W20"xD16" (SM2016)			E2603	\$	490													
☐ W20"xD18" (SM2018)			E2603	\$	490													
☐ W20"xD20" (SM2020)			E2603	\$	518													
Stimulite® Corbee Pediatric- 2" HIGH. ½ lb *Black Upholstery only ☐ Extra Sensitive (\$35 up charge) ☐ Sling Style Bottom (\$52 up charge) ☐ Custom Size (\$- CFP) W(") x D(")		☐ W10"xD10" (PD1010)		E2603	\$	342												
		☐ W12"xD12" (PD1212)		E2603	\$	342												
	☐ W14"xD14" (PD1414)		E2603	\$	342													
ROHO WHEELCHAIR CUSHIONS																		
3.8" lbs	☐ 4" HIGH PROFILE® QUADTRO SELECT® CUSHION *Black Upholstery				E2622-2623	\$	669											
	• • • ☐ Extra Cover(\$+100)) • • • only.																	
	☐ Specify Size W(") x D(")																	
3 lbs	☐ 3" MID PROFILE® QUADTRO SELECT® CUSHION *Black Upholstery only				E2622-2623	\$	669											
	• ☐ Extra Cover(\$+100)																	
	☐ Specify Size W(") x D(")																	
2 lbs	☐ 2" LOW PROFILE® QUADTRO SELECT® CUSHION *Black Upholstery only				E2622-2623	\$	669											
	• ☐ Extra Cover (\$+100) • • •																	
	☐ Specify Size W(") x D(")																	
THE CURVE CUSHION - 3" HIGH. *Black Upholstery only ☐ Extra Cover (\$ + 46 	☐ W13"xD13"	☐ W13"xD14"	☐ W13"xD15"	☐ W13"xD16"	☐ W13"xD17"	☐ W14"xD14"	\$	260										
	☐ W14"xD15"	☐ W14"xD16"	☐ W14"xD17"	☐ W14"xD18"	☐ W15"xD14"	☐ W15"xD15"												
	☐ W15"xD16"	☐ W15"xD17"	☐ W15"xD18"	☐ W15"xD19"	☐ W15"xD20"	☐ W16"xD14"												
	☐ W16"xD15"	☐ W16"xD16"	☐ W16"xD17"	☐ W16"xD18"	☐ W16"xD19"	☐ W16"xD20"												
	☐ W17"xD15"	☐ W17"xD16"	☐ W17"xD17"	☐ W17"xD18"	☐ W17"xD19"	☐ W17"xD20"												
	☐ W18"xD15"	☐ W18"xD16"	☐ W18"xD17"	☐ W18"xD18"	☐ W18"xD19"	☐ W18"xD20"												
	☐ W19"xD16"	☐ W19"xD17"	☐ W19"xD18"	☐ W19"xD19"	☐ W19"xD20"	☐ W20"xD16"												
	☐ W20"xD17"	☐ W20"xD18"	☐ W20"xD19"	☐ W20"xD20"	☐ W21"xD16"	☐ W21"xD17"												
	☐ W21"xD18"	☐ W21"xD19"	☐ W21"xD20"	☐ W22"xD16"	☐ W22"xD17"	☐ W22"xD18"												
	☐ W22"xD19"	☐ W22"xD20"	☐ W23"xD16"	☐ W23"xD17"	☐ W23"xD18"	☐ W23"xD19"												
	☐ W23"xD20"																	

Valid from 2024 Prices & Specifications Are Subject To Change Without Notice.

G CHAIR OPTIONS2/3

SEAT CUSHION

Exgel Kaji Cushion

For Comfortable Sitting To Prevent Pressure Sores

No Custom Sizes

- ☐ **Owl Regular(1.6" Thick)**
Incontinence Cover Only
E2603
- ☐ **Extra Cover \$104**

Unique OWL shape that fits your body shape and optimizes pressure distribution. The "Owl eye" supports the pelvis with extra exgel material in the area where The pressure is applied. The "slit" is for the tailbone area to reduce the pressure on the area that are most susceptible to pressure.

- ☐ W14"xD16" \$362
☐ W15"xD16" \$362
☐ W16"xD16" \$362
☐ W18"xD16" \$408

No Custom Sizes



No Custom Sizes

- ☐ **Owl High(3.1" Thick)**
Incontinence Cover Only
E2603
- ☐ **Extra Cover \$104**

The "hip line" shape fits curves of the hips.

- ☐ W14"xD16" \$437
☐ W15"xD16" \$437
☐ W16"xD16" \$437
☐ W18"xD16" \$495
☐ W18"xD18" \$495



- ☐ **Owl Contour(3.0" Thick) Cushion**
Incontinence Cover Only
E2603
- ☐ **Extra Cover \$104**
No Custom Sizes

The Contour has a tapered shaped bottom. Firmer foam is used for stable posture support.

- ☐ W14"xD16" \$454
☐ W15"xD16" \$454
☐ W16"xD16" \$454
☐ W18"xD16" \$495



E2603 ☐ **Owl Deep Contour(4.3" Thick)** Prevents sliding inward and outward.

- ☐ W14"xD16" \$518 ☐ W15"xD16" \$518 ☐ W16"xD16" \$518
☐ W18"xD16" \$558 No Custom Sizes ☐ **Extra Cover \$104**



E2603 ☐ **Standard Regular(1.4" Thick)** Easy to Use-Flat Style Synthetic leather material on the surface then exgel material is placed to redistribute body pressure. Multilayered high density foam that provides proper immersion. Supports stable sitting posture.

- ☐ W12"xD12"\$368 ☐ W13" x D13"\$368 ☐ W14" x D14"\$368 ☐ W14" x D16" \$368 ☐ W16" x D16" \$368
☐ W16" x D17"\$368 ☐ W17" x D16"\$368 ☐ W17" x D17"\$368 ☐ W18" x D16"\$391 ☐ W18" x D18"\$391
☐ W18" x D19"\$440 ☐ W18" x D20"\$440 ☐ W19" x D19"\$440

No Custom Sizes

☐ **Extra Cover \$104** Incontinence Cover Only



E2603 ☐ **Standard High(2.6" Thick)**- High flat profile for more stability and pressure relief. Suitable for heavier users. Synthetic leather material on the surface then exgel material is placed to redistribute body pressure. Multilayered high density foam that provides proper immersion. Supports stable sitting posture.

*Black Upholstery only

No Custom Sizes

- ☐ W12" x D12"\$431 ☐ W13" x D13"\$ 431 ☐ W14" x D14"\$431 ☐ W14" x D16"\$ 431 ☐ W16" x D16"\$ 431
☐ W16" x D17"\$431 ☐ W17" x D16"\$431 ☐ W17" x D17"\$431 ☐ W18" x D16" \$460 ☐ W18" x D18" \$460
☐ W18" x D19"\$512 ☐ W18" x D20"\$512 ☐ W19" x D19"\$512

☐ **Extra Cover \$104** Incontinence Cover Only




- E2603 ☐ **Standard Anti-Thrust (2.6" Thick)**
* No Custom Sizes
Incontinence Cover Only
- ☐ W16 x D16 \$460
☐ W18 x D16 \$500
☐ W18 x D18 \$500

Prevents Unwanted Forward Movement of lower back and hip bone. Synthetic leather material on the surface then exgel material is placed to redistribute body pressure. Multilayered high density foam that provides proper immersion.



Valid from 2024 Prices & Specifications Are Subject To Change Without Notice.

CHAIR OPTIONS 3/3

				
ADI CARBON BACKREST (Support Contour-ACTIVE 2.5")				
Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release				
Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 13"-19" width	Width (")	E2613	\$ 986
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 13"-19" width	Width (")	E2613	\$ 1,078
	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 13"-19" width	Width (")	E2613	\$ 1,164
	☐ Custom Size (" Tall) x (" width)		E2613	\$ CFP
☐ Add Privacy Flap (\$80 up charge)				
ADI ALUMINUM BACKREST (Support Contour-ACTIVE 2.5")				
Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release				
Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 10"-20" width	Width (")	E2613	\$ 807
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 12"-20" width	Width (")	E2613	\$ 827
	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 14"-20" width	Width (")	E2613	\$ 846
	☐ Tall (18" Tall) *Backrest Height requires 20" or more *Available 16"-20" width	Width (")	E2613	\$ 866
	☐ X-Tall (20" Tall) *Backrest Height requires 22" or more *Available 16"-20" width	Width (")	E2613	\$ 886
☐ Custom Size (" Tall) x (" width)				
☐ Add Privacy Flap (\$80 up charge)				
ADI ALUMINUM BACKREST (Support Contour-DEEP 4") *Not Available with Lateral Supports				
Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release				
Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 10"-20" width	Width (")	E2615	\$ 940
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 12"-20" width	Width (")	E2615	\$ 959
	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 14"-20" width	Width (")	E2615	\$ 979
	☐ Tall (18" Tall) *Backrest Height requires 20" or more *Available 16"-20" width	Width (")	E2615	\$ 998
	☐ X-Tall (20" Tall) *Backrest Height requires 22" or more *Available 16"-20" width	Width (")	E2615	\$ 1,019
☐ Custom Size (" Tall) x (" width)				
☐ Add Privacy Flap (\$80 up charge)				
ADI LATERAL SUPPORTS (Lateral Supports are compatible with only active 2.5" ADI positioning back.)				
☐ Stationary Pad	Pad Size ☐ Small (3" H x 3" D) ☐ Medium(3" H x 4" D) ☐ Large(4.5" H x 4.5" D) ☐ Large(4" H x 6" D)			
	☐ Pair			\$ 422
	☐ Left side only or ☐ Right side only			\$ 211
☐ Swing-Out	Pad Size ☐ Small (3" H x 3" D) ☐ Medium(3" H x 4" D) ☐ Large(4.5" H x 4.5" D) ☐ Large(4" H x 6" D)			
	☐ Pair			\$ 688
	☐ Left side only or ☐ Right side only			\$ 344
OTHER				
☐ ADI Transfer Board ☐ 21" (ADV21) ☐ 24" (ADV24) ☐ 29" (ADV29)				\$ 82
☐ ADI Push and Transfer Gloves with Leather (one size) (ADGL)				\$ 110
☐ ADI Push and Transfer Gloves with Rubber Grip (one size) (ADG)				\$ 110
☐ ADI Carbon Solid Seat (Wide: 18" Max, Depth: 20") ※ ONLY AVAILABLE WITH COLOURS NON-REMOVABLE SIDE GUARDS				\$ 827
VARILITE® Seating Systems Available				CFP
Please visit for all options. www.varilite.com				

Valid from 2024 Prices & Specifications Are Subject To Change Without Notice.