

SABER-JR

Tel: 951-808-9131 FAX: 951-808-9949
Toll Free: 800-892-8998 www.colourswheelchair.com


DEALER		COLOURS INFORMATION For Office Use Only	
Dealer:		Order Date:	
Account: P.O.#:		S/N:	
Ordered By:			
Customer Name:			
Customer Weight:			

CHAIR INFORMATION	PRICE
SABER-JR E1235	Base Wheel Chair Price E1235 \$ 3,200
Adjustable FSH-RSH	Total Section A \$
Max. Capacity 250Lbs	Total Section B \$
NOTE	Total Section C(Custom Parts Color) \$
Saber JR is the economical solution when you want to grow your Chair by changing the seat depth and width after ordering.	Total Section D \$
Main Frame : ZK55 & ZK60 High Grade A7000 Series Aluminum	Total Section E \$
	Total Section F \$
	Total Section G \$
	Total Section H \$
Main Frame : Lifetime Warranty (5 YEARS)	ORDER GRAND TOTAL \$

A FRAME COLORS & PARTS COLORS


FRAME COLORS							
☐ Powder-Coate	☐ Gloss Black	☐ Twilight Flake	☐ Yellow	☐ Magenta	☐ Fire Engine Red	☐ White	
☐ Neon Yellow	☐ Candy Blue	☐ Candy Purple	☐ Candy Green	☐ Candy Red	☐ Candy Raspberry	☐ Cobalt	
☐ Brass Metallic	☐ Matte Gray	☐ Matte Purple	☐ Matte Blue	☐ Matte Green	☐ Matte Black	☐ Matte Red	
☐ Tiffany Blue	☐ Blue Lilac	☐ Neon Green	☐ Orange Sparkle	☐ Mellon Yellow	☐ Gun Smoke Silver	☐ Shocker Yellow	
	☐ Sparkle Burgundy	☐ Granny Sparkle Green	☐ Sparkle Sky Blue	☐ Reed Green			\$ STD
Special Colors	☐ Polished						\$ 920
	☐ 24 karat Gold Plated						\$ CFP
PARTS COLORS							
STD Color	Black Color (*Suspension Springs-Silver Color Only)-						\$ STD
Custom Color Main Bolt on Parts One Color Package	☐ Powder-Coated () ☐ Polished ☐ 24 karat Gold Plated						\$ 690 \$ 863 \$ CFP
Including: Backrest, Foot Plate, Footrest Rings, Backrest Brackets, Saddle Stops Forks & Knurl Nuts, Caps, Front Suspension Springs, Axle Tube, Axle Clamps, Axle Plates, Axle Bases, Camber Discs ☆marked parts							

B FRAME MEASUREMENTS 1/2




1. SEAT WIDTH	☐ 10" ☐ 11" ☐ 12" ☐ 13" ☐ 14" ☐ 15"	\$ STD																																																																									
2. SEAT DEPTH	Depth Adj. Frame ☐ STD. Frame (13" Depth) ☐ Long. Frame (16" Depth) Set at ☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13" .. Set at ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ..	\$ STD \$ STD																																																																									
3. FOOTREST WIDTH	☐ STD (Seat Width Minus 2", No Taper Frame) *No Custom Modifications																																																																										
FOOT PLATE STYLE	☐ Standard single loop with adjust. height & angle. STD Foot Plate K0040 \$ STD ☐ Single Flip-Back-single loop (no riser avail) with adjust. height & angle. STD Foot Plate K0040 \$ 173																																																																										
☐ Add Anti-Skid Tape (\$20 up charge)	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <caption>STD Foot Plate Size Chart</caption> <thead> <tr> <th>Your Seat Width</th> <th>Foot Plate Size</th> </tr> </thead> <tbody> <tr> <td>10"-12"</td> <td>W6.5"xD5"</td> </tr> <tr> <td>13"-15"</td> <td>W8.5"xD6.5"</td> </tr> </tbody> </table>		Your Seat Width	Foot Plate Size	10"-12"	W6.5"xD5"	13"-15"	W8.5"xD6.5"																																																																			
Your Seat Width	Foot Plate Size																																																																										
10"-12"	W6.5"xD5"																																																																										
13"-15"	W8.5"xD6.5"																																																																										
*No Custom Modifications																																																																											
4. FRAME BEND ANGLE	☐ 95° only *No Custom Modifications																																																																										
<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <caption>FRAME ANGLE to the Ground</caption> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="8">Your Seat Depth</th> </tr> <tr> <th>9"</th> <th>10"</th> <th>11"</th> <th>12"</th> <th>13"</th> <th>14"</th> <th>15"</th> <th>16"</th> </tr> </thead> <tbody> <tr> <th rowspan="6" style="writing-mode: vertical-rl; transform: rotate(180deg);">Seat Bucket</th> <th>0"</th> <td>95°</td> <td>95°</td> <td>95°</td> <td>95°</td> <td>95°</td> <td>95°</td> <td>95°</td> <td>95°</td> </tr> <tr> <th>1"</th> <td>89°</td> <td>89°</td> <td>90°</td> <td>90°</td> <td>91°</td> <td>91°</td> <td>91°</td> <td>91°</td> </tr> <tr> <th>2"</th> <td>82°</td> <td>83°</td> <td>85°</td> <td>85°</td> <td>86°</td> <td>87°</td> <td>87°</td> <td>88°</td> </tr> <tr> <th>3"</th> <td>76°</td> <td>78°</td> <td>79°</td> <td>81°</td> <td>82°</td> <td>83°</td> <td>83°</td> <td>84°</td> </tr> <tr> <th>4"</th> <td style="background-image: linear-gradient(to top right, transparent 49%, black 49% 51%, black 51% 53%, transparent 53%);"></td> <td style="background-image: linear-gradient(to top right, transparent 49%, black 49% 51%, black 51% 53%, transparent 53%);"></td> <td>74°</td> <td>76°</td> <td>77°</td> <td>78°</td> <td>80°</td> <td>81°</td> </tr> <tr> <th>5"</th> <td style="background-image: linear-gradient(to top right, transparent 49%, black 49% 51%, black 51% 53%, transparent 53%);"></td> <td style="background-image: linear-gradient(to top right, transparent 49%, black 49% 51%, black 51% 53%, transparent 53%);"></td> <td style="background-image: linear-gradient(to top right, transparent 49%, black 49% 51%, black 51% 53%, transparent 53%);"></td> <td>70°</td> <td>72°</td> <td>74°</td> <td>76°</td> <td>77°</td> </tr> </tbody> </table>					Your Seat Depth								9"	10"	11"	12"	13"	14"	15"	16"	Seat Bucket	0"	95°	95°	95°	95°	95°	95°	95°	95°	1"	89°	89°	90°	90°	91°	91°	91°	91°	2"	82°	83°	85°	85°	86°	87°	87°	88°	3"	76°	78°	79°	81°	82°	83°	83°	84°	4"			74°	76°	77°	78°	80°	81°	5"				70°	72°	74°	76°	77°
		Your Seat Depth																																																																									
		9"	10"	11"	12"	13"	14"	15"	16"																																																																		
Seat Bucket	0"	95°	95°	95°	95°	95°	95°	95°	95°																																																																		
	1"	89°	89°	90°	90°	91°	91°	91°	91°																																																																		
	2"	82°	83°	85°	85°	86°	87°	87°	88°																																																																		
	3"	76°	78°	79°	81°	82°	83°	83°	84°																																																																		
	4"			74°	76°	77°	78°	80°	81°																																																																		
	5"				70°	72°	74°	76°	77°																																																																		

B FRAME MEASUREMENTS 2/2


5. BACKREST HEIGHT * Rigidizer bar 3.25" deep std.		☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18"	Adj. Range Adj. Range Adj. Range	\$ STD																																																																																																																																																																																																																																				
		Type ☐ Locking mechanism with adjust. height & angle \$ STD ☐ Double Locking mechanism with adjust. height & angle \$ 40 ☐ Folding with adjust. height & angle \$ NCO *No Custom Modifications																																																																																																																																																																																																																																						
6. BACKREST ANGLE		Set at (°) to the ground *STD 90°		\$ STD																																																																																																																																																																																																																																				
7. FRONT SEAT HEIGHT		☐ 14.5" ☐ 15.0" ☐ 15.5" ☐ 16.0" ☐ 16.5" ☐ 17.0" ☐ 17.5" ☐ 18.0" ☐ 18.5"		\$ STD																																																																																																																																																																																																																																				
STD Front Seat Height Ranges *No Custom Modifications * = Not Available with Quick Release Caster Axle.		<table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="9">Front Seat Height</th> </tr> <tr> <th>14.5"</th> <th>15.0"</th> <th>15.5"</th> <th>16.0"</th> <th>16.5"</th> <th>17.0"</th> <th>17.5"</th> <th>18.0"</th> <th>18.5"</th> </tr> </thead> <tbody> <tr> <td rowspan="8">Your Casters & Forks</td> <td>3" Caster & STD Forks</td> <td>☐ *</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>3" Caster & Springs</td> <td>☐ *</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>3" Caster & Frog Legs</td> <td></td> <td></td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>4" Caster & STD Forks</td> <td>☐ *</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>4" Caster & Springs</td> <td></td> <td></td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>4" Caster & Frog Legs</td> <td></td> <td></td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> </tr> <tr> <td>5" Caster & STD Forks</td> <td></td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> </tr> <tr> <td>5" Caster & Springs</td> <td></td> <td></td> <td></td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> </tr> <tr> <td></td> <td>5" Caster & Frog Legs</td> <td></td> <td></td> <td></td> <td></td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> <td>☐ *</td> </tr> </tbody> </table>					Front Seat Height									14.5"	15.0"	15.5"	16.0"	16.5"	17.0"	17.5"	18.0"	18.5"	Your Casters & Forks	3" Caster & STD Forks	☐ *	☐	☐	☐	☐	☐	☐	☐	☐	☐	3" Caster & Springs	☐ *	☐	☐	☐	☐	☐	☐	☐	☐	☐	3" Caster & Frog Legs			☐ *	☐ *	☐ *	☐ *	☐ *	☐	☐	☐	4" Caster & STD Forks	☐ *	☐	☐	☐	☐	☐	☐	☐	☐	☐	4" Caster & Springs			☐	☐	☐	☐	☐	☐	☐	☐	4" Caster & Frog Legs			☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	5" Caster & STD Forks		☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	5" Caster & Springs				☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *		5" Caster & Frog Legs					☐ *	☐ *	☐ *	☐ *	☐ *																																																																																																												
		Front Seat Height																																																																																																																																																																																																																																						
		14.5"	15.0"	15.5"	16.0"	16.5"	17.0"	17.5"	18.0"	18.5"																																																																																																																																																																																																																														
Your Casters & Forks	3" Caster & STD Forks	☐ *	☐	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																													
	3" Caster & Springs	☐ *	☐	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																													
	3" Caster & Frog Legs			☐ *	☐ *	☐ *	☐ *	☐ *	☐	☐	☐																																																																																																																																																																																																																													
	4" Caster & STD Forks	☐ *	☐	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																													
	4" Caster & Springs			☐	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																													
	4" Caster & Frog Legs			☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *																																																																																																																																																																																																																													
	5" Caster & STD Forks		☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *																																																																																																																																																																																																																													
	5" Caster & Springs				☐ *	☐ *	☐ *	☐ *	☐ *	☐ *	☐ *																																																																																																																																																																																																																													
	5" Caster & Frog Legs					☐ *	☐ *	☐ *	☐ *	☐ *																																																																																																																																																																																																																														
8. REAR SEAT HEIGHT		☐ 12.5" ☐ 13.0" ☐ 13.5" ☐ 14.0" ☐ 14.5" ☐ 15.0" ☐ 15.5" ☐ 16.0" ☐ 16.5" ☐ 17.0" ☐ 17.5"		\$ STD																																																																																																																																																																																																																																				
STD Rear Seat Height Ranges *No Custom Modifications		<table border="1"> <thead> <tr> <th>Rear Tire Size</th> <th>Rear Seat Height</th> </tr> </thead> <tbody> <tr> <td>20"x1"(451)</td> <td>12.5" - 16.0"</td> </tr> <tr> <td>20"x1 3/8"(451)</td> <td>13.0" - 16.5"</td> </tr> <tr> <td>22"x1"(501)</td> <td>13.5" - 17.0"</td> </tr> <tr> <td>22"x1 3/8"(501)</td> <td>14.0" - 17.5"</td> </tr> </tbody> </table>			Rear Tire Size	Rear Seat Height	20"x1"(451)	12.5" - 16.0"	20"x1 3/8"(451)	13.0" - 16.5"	22"x1"(501)	13.5" - 17.0"	22"x1 3/8"(501)	14.0" - 17.5"																																																																																																																																																																																																																										
Rear Tire Size	Rear Seat Height																																																																																																																																																																																																																																							
20"x1"(451)	12.5" - 16.0"																																																																																																																																																																																																																																							
20"x1 3/8"(451)	13.0" - 16.5"																																																																																																																																																																																																																																							
22"x1"(501)	13.5" - 17.0"																																																																																																																																																																																																																																							
22"x1 3/8"(501)	14.0" - 17.5"																																																																																																																																																																																																																																							
9. CENTER OF GRAVITY		☐ -1.5" ☐ -1.0" ☐ -0.5" ☐ 0" ☐ 0.5" ☐ 1.0" ☐ 1.5" ☐ 2.0" ☐ 2.5" ☐ 3.0" ☐ 3.5"		\$ STD																																																																																																																																																																																																																																				
Center of Gravity Ranges		<table border="1"> <thead> <tr> <th rowspan="2">Seat Depth</th> <th rowspan="2">Frame</th> <th rowspan="2">Wheel</th> <th colspan="11">Your Center of Gravity</th> </tr> <tr> <th>-1.5"</th> <th>-1.0"</th> <th>-0.5"</th> <th>0"</th> <th>0.5"</th> <th>1.0"</th> <th>1.5"</th> <th>2.0"</th> <th>2.5"</th> <th>3.0"</th> <th>3.5"</th> </tr> </thead> <tbody> <tr> <td rowspan="4">9"</td> <td rowspan="2">STD Frame</td> <td>20" wheel</td> <td>☐</td> <td>☐</td> <td>☐ ☆</td> <td>☐ ☆</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>22" wheel</td> <td>☐</td> <td>☐</td> <td>☐ ☆</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="2">10"</td> <td>20" wheel</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐ ☆</td> <td>☐ ☆</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>22" wheel</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐ ☆</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="2">11"</td> <td>20" wheel</td> <td></td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐ ☆</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>22" wheel</td> <td></td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="4">12"</td> <td rowspan="2">STD Frame</td> <td>20" wheel</td> <td>☐ ★</td> <td>☐ ★</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐ ☆</td> <td></td> <td></td> <td></td> </tr> <tr> <td>22" wheel</td> <td>☐ ★</td> <td>☐ ★</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="2">13"</td> <td>20" wheel</td> <td>☐ ★</td> <td>☐ ★</td> <td>☐ ★</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td></td> </tr> <tr> <td>22" wheel</td> <td>☐ ★</td> <td>☐ ★</td> <td>☐ ★</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td></td> </tr> <tr> <td rowspan="4">14"</td> <td rowspan="2">Long Frame</td> <td>20" wheel</td> <td></td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>22" wheel</td> <td></td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td rowspan="2">15"</td> <td>20" wheel</td> <td></td> <td></td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>22" wheel</td> <td></td> <td></td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td rowspan="2">16"</td> <td>20" wheel</td> <td></td> <td></td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>22" wheel</td> <td></td> <td></td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> </tbody> </table>			Seat Depth	Frame	Wheel	Your Center of Gravity											-1.5"	-1.0"	-0.5"	0"	0.5"	1.0"	1.5"	2.0"	2.5"	3.0"	3.5"	9"	STD Frame	20" wheel	☐	☐	☐ ☆	☐ ☆									22" wheel	☐	☐	☐ ☆									10"	20" wheel	☐	☐	☐	☐ ☆	☐ ☆							22" wheel	☐	☐	☐	☐ ☆								11"	20" wheel		☐	☐	☐	☐	☐	☐ ☆					22" wheel		☐	☐	☐	☐	☐						12"	STD Frame	20" wheel	☐ ★	☐ ★	☐	☐	☐	☐	☐	☐ ☆				22" wheel	☐ ★	☐ ★	☐	☐	☐	☐	☐				13"	20" wheel	☐ ★	☐ ★	☐ ★	☐	☐	☐	☐	☐	☐	☐		22" wheel	☐ ★	☐ ★	☐ ★	☐	☐	☐	☐	☐	☐	☐		14"	Long Frame	20" wheel		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	22" wheel		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	15"	20" wheel			☐	☐	☐	☐	☐	☐	☐	☐	☐	22" wheel			☐	☐	☐	☐	☐	☐	☐	☐	☐	16"	20" wheel			☐	☐	☐	☐	☐	☐	☐	☐	☐	22" wheel			☐	☐	☐	☐	☐	☐	☐	☐	☐
Seat Depth	Frame	Wheel	Your Center of Gravity																																																																																																																																																																																																																																					
			-1.5"	-1.0"	-0.5"	0"	0.5"	1.0"	1.5"	2.0"	2.5"	3.0"	3.5"																																																																																																																																																																																																																											
9"	STD Frame	20" wheel	☐	☐	☐ ☆	☐ ☆																																																																																																																																																																																																																																		
		22" wheel	☐	☐	☐ ☆																																																																																																																																																																																																																																			
	10"	20" wheel	☐	☐	☐	☐ ☆	☐ ☆																																																																																																																																																																																																																																	
		22" wheel	☐	☐	☐	☐ ☆																																																																																																																																																																																																																																		
11"	20" wheel		☐	☐	☐	☐	☐	☐ ☆																																																																																																																																																																																																																																
	22" wheel		☐	☐	☐	☐	☐																																																																																																																																																																																																																																	
12"	STD Frame	20" wheel	☐ ★	☐ ★	☐	☐	☐	☐	☐	☐ ☆																																																																																																																																																																																																																														
		22" wheel	☐ ★	☐ ★	☐	☐	☐	☐	☐																																																																																																																																																																																																																															
	13"	20" wheel	☐ ★	☐ ★	☐ ★	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																												
		22" wheel	☐ ★	☐ ★	☐ ★	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																												
14"	Long Frame	20" wheel		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																											
		22" wheel		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																											
	15"	20" wheel			☐	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																											
		22" wheel			☐	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																											
16"	20" wheel			☐	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																												
	22" wheel			☐	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																												
		☆ = Excludes 5" Casters are selected. ★ = Excludes STD Frame is selected.																																																																																																																																																																																																																																						
10. CAMBER ANGLE		☐ 0° ☐ 2° ☐ 4°		\$ STD																																																																																																																																																																																																																																				
11. FRONT OF SEATSLING TO FOOTREST		☐ 12.5" ☐ 13.0" ☐ 13.5" ☐ 14.0" ☐ 14.5" ☐ 15.0" ☐ 15.5" ☐ 16.0" ☐ 16.5" ☐ 17.0"		\$ STD																																																																																																																																																																																																																																				
*Measurement must be 1.5" shorter than your Front Seat Height																																																																																																																																																																																																																																								
HIGH MOUNT With Risers or Clamps		☐ 6.5" ☐ 7.0" ☐ 7.5" ☐ 8.0" ☐ 8.5" ☐ 9.0" ☐ 9.5" ☐ 10.0" ☐ 10.5" ☐ 11.0" ☐ 11.5" ☐ 12.0"		\$ 86																																																																																																																																																																																																																																				
12. INSIDE WHEEL CLEARANCE		☐ 3/4" * ☐ 1" ☐ 1 1/4" ☐ 1 1/2" ☐ 1 3/4" ☐ 2"		\$ STD																																																																																																																																																																																																																																				
*3/4" Inside wheel clearance not available with 2 degree camber. *3/4" Inside wheel clearance not available with armrest.																																																																																																																																																																																																																																								
NOTE																																																																																																																																																																																																																																								

1. SEAT WIDTH


Measure from outside of seat tube to the outside of the opposite seat tube.

**2. SEAT DEPTH**


Measure from at the front bottom of backrest tube to the front edge of seat sling.

**3. FOOTREST WIDTH**


Measure from inside of front frame tube to inside of opposite front frame tube.

**4. FRAME ANGLE**


Measure angle frame front to floor.

**5. BACKREST HEIGHT**


Measure from top of back post to seat sling at front bottom of backrest tube.

**6. BACKREST ANGLE**


Measure angle from front of back post to floor.

**7. FRONT SEAT HEIGHT**

Measure from floor to top of seat sling at front edge.


**8. REAR SEAT HEIGHT**

Measure from floor to top of seat sling at front bottom of backrest tube.


**9. CENTER OF GRAVITY**

Measure from center of back tube at the folding pivot to the center of the rear axle.


(If welding backrest is selected, Measure from center of back tube at the seat tube to the center of the rear axle.)

**10. CAMBER ANGLE**

Measure angle from wheel to vertical at floor.

**11. FRONT OF SEAT SLING TO FOOTREST****ADULT CHAIR**

Measure from top of seat sling at front edge to top of foot plate at front edge.


**PEDIATRIC CHAIR**

Measure vertical from top of seat sling at front edge to top of foot plate.

**12. INSIDE WHEEL CLEARANCE**

Measure from outside of seat back tube to inside of rear tire.

(If side guards are selected, measure from outside of side guards to inside of rear tire.)



C SPECIAL PARTS COLORS (Please allow an additional 1-2 weeks delivery)

PARTS COLORS						
Powder-Coated	Gloss Black	Twilight Flake	Yellow	Magenta	Fire Engine Red	White
Neon Yellow	Candy Blue	Candy Purple	Candy Green	Candy Red	Candy Raspberry	Cobalt Blue
Brass Metallic	Matte Gray	Matte Purple	Matte Blue	Matte Green	Matte Black	Matte Red
Sparkle Burgundy	Blue Lilac	Neon Green	Orange Sparkle	Mellon Yellow	Gun Smoke Silver	Shocker Yellow
Tiffany Blue		Granny Sparkle Green	Sparkle Sky Blue	Reed Green		
Special Colors	Polished Aluminum 24 karat Gold Plated					

Please Choose the Color for each Part
 *Parts not selected will be black color. (Suspension Spring: Silver Color)
 *Minimum 3 parts selected per order.

*PC=Powder-Coated

Saddle Stops

☐ PC ()	\$55
☐ Polished	\$132
☐ Gold Plated	\$CFP

Backrest

☐ PC ()	\$173
☐ Polished	\$259
☐ Gold Plated	\$CFP

Backrest Brackets

☐ PC ()	\$125
☐ Polished	\$132
☐ Gold Plated	\$CFP

Foot Plate

☐ PC ()	\$70
☐ Polished	\$104
☐ Gold Plated	\$CFP

Footrest Rings

☐ PC ()	\$50
☐ Polished	\$60
☐ Gold Plated	\$CFP

Foot Plate Clamps

☐ PC ()	\$70
☐ Polished	\$98
☐ Gold Plated	\$CFP

Footrest Tubes

☐ PC	N/A
☐ Polished	\$100
☐ Gold Plated	\$CFP

Caps

☐ PC ()	\$50
☐ Polished	N/A
☐ Gold Plated	N/A

Caster Housing

☐ PC ()	\$208
☐ Polished	\$322
☐ Gold Plated	N/A

Front Springs

☐ PC ()	\$50
☐ Polished	N/A
☐ Gold Plated	N/A

Forks & Knurl Nuts

☐ PC ()	\$90
☐ Polished	\$104
☐ Gold Plated	\$CFP

Axle Plates

☐ PC ()	\$90
☐ Polished	\$110
☐ Gold Plated	\$CFP

Camber Plates

☐ PC ()	\$90
☐ Polished	\$100
☐ Gold Plated	\$CFP

Axle Bases

☐ PC ()	\$70
☐ Polished	\$100
☐ Gold Plated	\$CFP



Axle Clamps

☐ PC ()	\$100
☐ Polished	\$120
☐ Gold Plated	\$CFP

Axle Tube

☐ PC ()	\$115
☐ Polished	\$120
☐ Gold Plated	\$CFP

D COMPONENTS

WHEEL LOCKS		
☐ New Solutions Push to Lock	☐ w/ 2" Extension Handle (\$92up charge)	\$ STD
☐ Gallop Push to Lock / Anodized		\$ STD
☐ PRIMO Push To Lock		\$ 140
☐ Question Mark Style Scissor		\$ 150
☐ NEW Compact Scissor Lock / Anodized Black Only		\$ 280
☐ Gallop Scissor Lock / Anodized		\$ 280
PUSH HANDLES *If you are ordering push handles, You must select the backrest locking mechanism.		
☐ Integrated w/Fixed Backrest Height / Anodized Black Only		\$ STD
☐ Bolt-on / Anodized Black Only Specify Height from floor -()		\$ 220
☐ Bolt-on w/Quick Release / Anodized Black Only Specify Height from floor -()		\$ 320
☐ NEW Height Adj. / Anodized Black Only Specify Maximum height from floor -()		\$ 390
NEW ARM RESTS Anodized Black Only		
☐ Fixed Tubular Armrest	Adj. Angle and Height Height from seat sling Set at : ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 450
☐ Swing Away Tubular Armrest	Adj. Angle and Height Height from seat sling Set at : ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 450
☐ Flip-Up Armrest	☐ w/Fixed Tubular Armrest Height from seat sling Set at : ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 450
Adj. Angle ☐ w/ Swing Away Tubular Armrest	Height from seat sling Set at : ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 450
☐ Custom Length & Height (\$173 up charge) *Specify Height & Length → 		
ANTI-TIPPERS		
☐ Press Release Removable Anti-tipper(pair)	E0971	\$ 330
SIDE GUARDS		
☐ Rigid Side Guards - Black ABS Color: Black Only	☐ Non-Removable ☐ Removable ☐ Removable w/Hole (\$14 up charge) Size: ☐ STD ☐ Medium ☐ Cut to Wheel (\$100 up charge) Measurement	\$ 260
☐ Rigid Side Guards - Aluminum 	☐ Non-Removable ☐ Removable Size: ☐ Medium Only ☐ Cut to Wheel (\$100 up charge) Measurement Color ☐ Black (STD) ☐ Pol. Aluminum (STD) ☐ Powder Coated () (\$140 up charge) ☐ Gold Plate (+CFP)	\$ 420
☐ Fabric Clothing Guards Black Nylon w/Velcro		\$ 200
SEAT CUSHION *Please see section for other cushion choices.-		
☐ Foam Cushion w/Nylon Black Cover	Thickness ☐ 1" ☐ 2" ☐ 3" ☐ 4"	\$ CFP
☐ Custom Cushion Cover (Std. Foam Cushion Only) -Select Fabric () (\$104 up charge)		
ACCESSORIES		
☐ Frame Protectors / Black Leather/Zipper Type		\$ 150
☐ Gel Ovation Protector Wraps Gel Silicone	☐ Short (1/2") ☐ Long (3")	\$ 200
☐ E0978 Padded Seat Belt w/Auto Buckle Black Belt Only	E0978	\$ 113
☐ Tie Down Brackets 4pcs.	☐ Bolted ☐ Welded	\$ 400
☐ Calf Strap ☐ Black ☐ Matching Fabric (\$65 up charge) -Select Fabric()		\$ 35
☐ Bodypoint Padded Calf Strap ☐ (14"-16" footrest width) ☐ (16"-20" footrest width) ☐ (20"-24" footrest)	\$89 \$95 \$102	
☐ Hanging Zipper Pouch ☐ Black ☐ Matching Fabric (\$75) or ☐ Leather (\$80) Custom Size Width: Length:		\$ 120
☐ Matching Fabric on Padded Side Guards -Select Fabric ()		\$ 278
UPHOLSTERY CHOICE & COLOR *Positioning Back Available. Please see Section E		
☐ Standard Adjustable Height Backrest (Black)		\$ STD
☐ Adjustable Tension Backrest Black Only (*Not available with 8" Backrest Height)		\$ 300
Options ☐ Fun Fabric: For Std. or Adj. Style (Choose From Choices on Page 7 and write below) (\$ 92 up charge)		
☐ Backrest Leather Trim (outside panels)	(\$ up charge)	\$ CFP

FABRIC CHOICE SHEET
OR
(PROVIDE 3 YARDS OF CHOICE OF FABRIC)

1. SNOOPY



2. TINKER BELL



3. Bouncy Sports



4. POKEMON



5. CARS



6. BATMAN



7. PATTERN AIRPLANES



8. Plaid- Clifford



9. Princess



10. BALLARINA



11. SPORTY



12. Winnie The Pooh



13. Work Trucks Fabric



14. HELLO KITTY



15. Scooby Doo



16. Strawberry Shortcake



17. Traffic Cars



18. SuperBikes



ETIRES,CASTERS, & FORKS

TIRES					
☐ Low Pressure Tire Only ☐ 20"x1-3/8" or ☐ 22"x1-3/8" Gray E2211/E2212					\$ STD
☐ Schwalbe Right Run High Pressure Tire ☐ 20 x 1(451) ☐ 22"x1"(501) E2211/E2212 Gray Tire with black wall Only					\$ NCO
☐ Solid Tire ☐ 20"x1" (451) ☐ Dark Gray ☐ 22 x 1 ☐ Black Only(\$30) E2218					\$ 178
☐ E2213 Flat-Free Inserts For 20"x1-3/8" or 22"x1-3/8" Tires Only E2211/E2213					\$ 155
☐ Schwalbe Marathon Plus High Pressure Tire ☐ 22 x 1 Only					\$ 170
CASTERS					
SIZE	TIRE WIDTH	HUB COLOR	TIRE COLOR	DESCRIPTION	
☐ 3"	1"	Black Hub	Black Tire Only	Polyurethane	\$ STD
☐ 3"	1"	Plastic Black Hub	Clear Tire Only	Lighted, Polyurethane	\$ 86
☐ 3"	1"	Red Hub	Red Tire Only	Polyurethane	\$ STD
☐ 3"	1"	Black Hub	Clear Tire Only	Polyurethane	\$ STD
☐ 3"	1"	Aluminum Silver Hub	Black Tire Only	Made By Frog Legs	\$ 209
☐ 3"	1"	Aluminum Black Hub	Black Tire Only	Made By Frog Legs	\$ 209
☐ 3"	1.5"	Aluminum Silver Hub	Black Tire Only	Soft Roll Made By Frog Legs	\$ 209
☐ 3"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs	\$ 209
☐ 4"	1 1/8"	Plastic Black Hub	Black Tire Only	Polyurethane E2222	\$ STD
☐ 4"	1"	Plastic Black Hub	Clear Only	Lighted, Polyurethane	\$ 86
☐ 4"	1"	Aluminum Silver Hub	Black Tire Only	Made By Frog Legs	\$ 209
☐ 4"	1"	Aluminum Black Hub	Black Tire Only	Made By Frog Legs	\$ 209
☐ 4"	1.5"	Aluminum Silver Hub	Tire ☐ Black ☐ Blue ☐ Red	Soft Roll Made By Frog Legs	\$ 209
☐ 4"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs	\$ 209
☐ 5"	1"	Composite Black Hub	Black Tire Only		\$ STD
☐ 5"	1"	Plastic Black Hub	Clear Tire Only	Lighted, Polyurethane	\$ 86
☐ 5"	1"	Aluminum Silver Hub	Black Tire Only	Made By Frog Legs	\$ 209
☐ 5"	1"	Aluminum Black Hub	Black Tire Only	Made By Frog Legs	\$ 209
☐ 5"	1.5"	Aluminum Silver Hub	Tire ☐ Black ☐ Blue ☐ Red	Soft Roll Made By Frog Legs	\$ 209
☐ 5"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs	\$ 209
☐ "	☐ 1"OR ☐ 1.5"	Hub Color:	Tread Color:	Soft Roll Made By Frog Legs	\$ CFP
FORKS					
☐ Frog Leg Shields(4 pcs) Only for Frog Leg Forks					\$ 30
☐ STD Aluminum Forks Black Only Extra Options for Aluminum Forks ☐ With Suspension E1015 ☐ With Quick Release Axles K0073					\$ STD \$ 72 \$ 141
☐ Frog Leg Suspension Forks Std 1" Wide (For 3", 4" x 1" width Caster and 5" lighted) (Not available with Quick Release Axles User's Color ☐ Anodized Black <u>☐ Anodized Silver</u> Or STD 4" x 1 1/8" Casters) E1015					\$ 607
☐ Frog Leg Suspension Forks 1.5" Wide (For 3", 4" x 1.5" width Caster and 5" Caster) (Not available with Quick Release Axles) User's Color ☐ Anodized Black ☐ Anodized Silver E1015					\$ 607

F WHEELS

WHEELS																	
Wire Wheels		☐ 20" (451) ☐ 22" (501) 	\$ NCO														
Spinergy Spox 18 Spokes 	☐ 20" (451) ☐ 22" (501) Spoke Color ☐ Black ☐ Red ☐ Yellow ☐ Blue ☐ White With Silver Hub With Black Hub With Black Hub With Black Hub With Black Hub	\$ 1,100															
	☐ Custom Color Spoke Pattern <table border="1"> <thead> <tr> <th colspan="2"></th> <th>Left Wheel</th> <th>Right Wheel</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Spokes Color</td> <td>Inside</td> <td></td> <td></td> </tr> <tr> <td>Outside</td> <td></td> <td></td> </tr> <tr> <td colspan="2">Hub Color</td> <td>☐ Black/☐ Silver</td> <td>☐ Black/☐ Silver</td> </tr> </tbody> </table>			Left Wheel	Right Wheel	Spokes Color	Inside			Outside			Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver	\$ 1,210
			Left Wheel	Right Wheel													
	Spokes Color	Inside															
Outside																	
Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver														
Spinergy LX 12 Spokes 	☐ 22" (501) Spoke Color ☐ Black ☐ Red ☐ Yellow ☐ Blue With Silver Hub With Black Hub With Black Hub With Black Hub ☐ White ☐ Neon Green ☐ Pink ☐ Orange With Black Hub With Black Hub With Black Hub With Black Hub ☐ Purple with Black Hub	\$ 1,252															
	☐ Custom Color Spoke Pattern <table border="1"> <thead> <tr> <th colspan="2"></th> <th>Left Wheel</th> <th>Right Wheel</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Spokes Color</td> <td>Inside</td> <td></td> <td></td> </tr> <tr> <td>Outside</td> <td></td> <td></td> </tr> <tr> <td colspan="2">Hub Color</td> <td>☐ Black/☐ Silver</td> <td>☐ Black/☐ Silver</td> </tr> </tbody> </table>			Left Wheel	Right Wheel	Spokes Color	Inside			Outside			Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver	\$ 1,362
			Left Wheel	Right Wheel													
	Spokes Color	Inside															
Outside																	
Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver														
HANDRIMS																	
Type	☐ Standard For 20"& 22" Wheel Anodized Sliver		\$ STD														
	☐ Vinyl Coated For 20"& 22" Wheel		\$ 200														
	☐ Natural Fit For 22" Wheel Only																
	☐ Standard Grip (Not available with short tabs.)		\$ 570														
	☐ Super Grip (Not available with short tabs.)		\$ 645														
	☐ Without Thumb Grip		\$ 338														
	☐ Natural Fit (LT) For 22" Wheel Only																
	☐ Standard Grip (Not available with short tabs.)		\$ 629														
	☐ Super Grip (Not available with short tabs.)		\$ 706														
	☐ Without Thumb Grip		\$ 400														
☐ The Surge Handrims		\$ 553															
☐ The Surge Handrims (LT)		\$ 603															
☐ The Q-Grip Handrims : anti-slip, latex-free, neoprene coating. 22" Only		\$ 543															
☐ OMIT HANDRIMS		\$ NCO															
TAB LENGTH	☐ Long Tabs(STD inside clearance 3/4") *		\$ STD														
	☐ Short Tabs(Inside clearance 1/2")* Not available with Natural Fit Handrim with thumb grip		\$ STD														
	☐ Short Tab (Set closest to wheel cut off excess)		\$ 35														

G CHAIR OPTIONS 1/3

SEAT CUSHION	
SUPRACOR® WHEELCHAIR CUSHIONS * Optimal Positioning for Paraplegics and Quadriplegic.	
Stimulite® Contoured Cushion- 3.5" HIGH. 3 ¼lbs *Black Upholstery only *Comes with Zipper Pouch ☐ Extra Sensitive (\$35 up charge) ☐ Sling Style Bottom (\$52 up charge) ☐ Custom Size (\$- CFP) W(") x D(") ☐ Extra Cover (\$120 up charge)	☐ W14"xD16" (CD1416) E2603 \$ 707
	
Stimulite® Slimline Cushion- 2 ¾" HIGH. 3 lbs *Black Upholstery only ☐ Extra Sensitive (\$35 up charge) ☐ Sling Style Bottom (\$52 up charge) ☐ Custom Size (\$- CFP) W(") x D(") ☐ Extra Cover (\$86 up charge)	☐ W14"xD16" (SM1416) * E2603 \$ 446
	
Stimulite® Corbee Pediatric- 2" HIGH. ½ lb *Black Upholstery only ☐ Extra Sensitive (\$35 up charge) ☐ Sling Style Bottom (\$52 up charge) ☐ Custom Size (\$- CFP) W(") x D(")	☐ W10"xD10" (PD1010) ☐ W12"xD12" (PD1212) ☐ W14"xD14" (PD1414) E2603 \$ 342 E2603 \$ 342 E2603 \$ 342
	
ROHO WHEELCHAIR CUSHIONS	
3.8" lbs ☐ 4" HIGH PROFILE® QUADTRO SELECT® CUSHION *Black Upholstery . . . ☐ Extra Cover(\$+100)) . . . only. E2622-2623	\$ 669
☐ Specify Size W(") x D(")	
3 lbs ☐ 3" MID PROFILE® QUADTRO SELECT® CUSHION *Black Upholstery only . ☐ Extra Cover(\$+100) E2622-2623	\$ 669
☐ Specify Size W(") x D(")	
2 lbs ☐ 2" LOW PROFILE® QUADTRO SELECT® CUSHION *Black Upholstery only . ☐ Extra Cover (\$+100) . . . E2622-2623	\$ 669
☐ Specify Size W(") x D(")	
THE CURVE CUSHION - 3" HIGH. *Black Upholstery only	☐ W10"xD10" ☐ W10"xD11" ☐ W10"xD12" ☐ W10"xD13" ☐ W10"xD14" ☐ W11"xD10" ☐ W11"xD11" ☐ W11"xD12" ☐ W11"xD13" ☐ W11"xD14" ☐ W12"xD10" ☐ W12"xD11" ☐ W12"xD12" ☐ W12"xD13" ☐ W12"xD14" ☐ W13"xD10" ☐ W13"xD11" ☐ W13"xD12" ☐ W13"xD13" ☐ W13"xD14" ☐ W14"xD10" ☐ W14"xD11" ☐ W14"xD12" ☐ W14"xD13" ☐ W14"xD14" ☐ W15"xD10" ☐ W15"xD11" ☐ W15"xD12" ☐ W15"xD13" ☐ W15"xD14" ☐ W15"xD15" ☐ W15"xD16"
	\$ 260

SEAT CUSHION
Exgel Kaji Cushion
SABER JR.: Page 11 of 12

For Comfortable Sitting To Prevent Pressure Sores

No Custom Sizes

☐ **Owl Regular(1.6" Thick)**
Incontinence Cover Only
E2603

☐ **Extra Cover \$104**

Unique OWL shape that fits your body shape and optimizes pressure distribution. The "Owl eye" supports the pelvis with extra exgel material in the area where The pressure is applied. The "slit" is for the tailbone area to reduce the pressure on the area that are most susceptible to pressure.

☐ W14"xD16" \$362
☐ W15"xD16" \$362



No Custom Sizes

No Custom Sizes

☐ **Owl High(3.1" Thick)**
Incontinence Cover Only
E2603

☐ **Extra Cover \$104**

The "hip line" shape fits curves of the hips.

☐ W14"xD16" \$437
☐ W15"xD16" \$437



☐ **Owl Contour(3.0" Thick) Cushion**
Incontinence Cover Only
E2603

☐ **Extra Cover \$104**

No Custom Sizes

The Contour has a tapered shaped bottom. Firmer foam is used for stable posture support.

☐ W14"xD16" \$454
☐ W15"xD16" \$454



E2603 ☐ **Owl Deep Contour(4.3" Thick)** Prevents sliding inward and outward.

☐ W14"xD16" \$518 ☐ W15"xD16" \$518
No Custom Sizes ☐ **Extra Cover \$104**



E2603 ☐ **Standard Regular(1.4" Thick)** Easy to Use-Flat Style Synthetic leather material on the surface then exgel material is placed to redistribute body pressure. Multilayered high density foam that provides proper immersion. Supports stable sitting posture.

☐ W12"x D12"\$368 ☐ W13" x D13"\$368 ☐ W14" x D14"\$368 ☐ W14" x D16" \$368



No Custom Sizes

☐ **Extra Cover \$104** Incontinence Cover Only

E2603 ☐ **Standard High(2.6" Thick)**- High flat profile for more stability and pressure relief. Suitable for heavier users. Synthetic leather material on the surface then exgel material is placed to redistribute body pressure. Multilayered high density foam that provides proper immersion. Supports stable sitting posture.

*Black Upholstery only


No Custom Sizes

☐ W12" x D12"\$431 ☐ W13" x D13"\$ 431 ☐ W14" x D14"\$431 ☐ W14" x D16"\$ 431



☐ **Extra Cover \$104** Incontinence Cover Only

CHAIR OPTIONS 3/3

				
ADI CARBON BACKREST (Support Contour-ACTIVE 2.5") Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release				
Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 13"-19" width	Width (")	E2613	\$ 986
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 13"-19" width	Width (")	E2613	\$ 1,078
	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 13"-19" width	Width (")	E2613	\$ 1,164
	☐ Custom Size (" Tall) x (" width)		E2613	\$ CFP
☐ Add Privacy Flap (\$80 up charge)				
ADI ALUMINUM BACKREST (Support Contour-ACTIVE 2.5") Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release				
Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 10"-20" width	Width (")	E2613	\$ 807
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 12"-20" width	Width (")	E2613	\$ 827
	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 14"-20" width	Width (")	E2613	\$ 846
	☐ Tall (18" Tall) *Backrest Height requires 20" or more *Available 16"-20" width	Width (")	E2613	\$ 866
	☐ X-Tall (20" Tall) *Backrest Height requires 22" or more *Available 16"-20" width	Width (")	E2613	\$ 886
☐ Custom Size (" Tall) x (" width) E2613 \$ CFP				
☐ Add Privacy Flap (\$80 up charge)				
ADI ALUMINUM BACKREST (Support Contour-DEEP 4") *Not Available with Lateral Supports Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release				
Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 10"-20" width	Width (")	E2615	\$ 940
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 12"-20" width	Width (")	E2615	\$ 959
	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 14"-20" width	Width (")	E2615	\$ 979
	☐ Tall (18" Tall) *Backrest Height requires 20" or more *Available 16"-20" width	Width (")	E2615	\$ 998
	☐ X-Tall (20" Tall) *Backrest Height requires 22" or more *Available 16"-20" width	Width (")	E2615	\$ 1,019
☐ Custom Size (" Tall) x (" width) E2615 \$ CFP				
☐ Add Privacy Flap (\$80 up charge)				
ADI LATERAL SUPPORTS (Lateral Supports are compatible with only active 2.5" ADI positioning back.)				
☐ Stationary Pad	Pad Size ☐ Small (3" H x 3" D) ☐ Medium(3" H x 4" D) ☐ Large(4.5" H x 4.5" D) ☐ Large(4" H x 6" D)			
	☐ Pair			\$ 422
	☐ Left side only or ☐ Right side only			\$ 211
☐ Swing-Out	Pad Size ☐ Small (3" H x 3" D) ☐ Medium(3" H x 4" D) ☐ Large(4.5" H x 4.5" D) ☐ Large(4" H x 6" D)			
	☐ Pair			\$ 688
	☐ Left side only or ☐ Right side only			\$ 344
OTHER				
☐ ADI Transfer Board ☐ 21" (ADV21) ☐ 24" (ADV24) ☐ 29" (ADV29)				\$ 82
☐ ADI Push and Transfer Gloves with Leather (one size) (ADGL)				\$ 110
☐ ADI Push and Transfer Gloves with Rubber Grip (one size) (ADG)				\$ 110
☐ ADI Carbon Solid Seat (Wide: 18" Max, Depth: 20") ※ ONLY AVAILABLE WITH COLOURS NON-REMOVABLE SIDE GUARDS				\$ 827
VARILITE® Seating Systems Available				CFP
Please visit for all options. www.varilite.com				

Valid from 2024 Prices & Specifications Are Subject To Change Without