



1- Purchasing information

P.O. number:* _____ Date: _____
Company Name:* _____
Purchasing contact:* _____
Phone:* _____
Email:* _____
Contact preference:* Phone ☐ Email ☐
Marked for: _____

3- Shipping information

Ship to:* _____
Name: _____
Address: _____
City: _____ State: _____
Zip Code: _____
Phone: _____

2- ATP/Clinician information

ATP/Clinician:* _____
Phone:* _____
Email:* _____
Contact preference:* Phone ☐ Email ☐

* Required

MA082 ☐
English Manual (STD)

MA089 ☐
Spanish Manual

Taxes not included

MODEL								USD		
WC03	☐	Ultralight folding Helio wheelchair (265lb weight capacity) A7 package: side frames, symmetrical hydroformed crossbrace and back canes made of 7000 series aluminum						K0005	\$2,395	
WC08	☐	C2 carbon fiber upgrade: side frames, symmetrical molded crossbrace and back canes made of ultralight carbon fiber							\$2,140	
WC09	☐	HD Heavy Duty package (350 lb weight capacity)							\$535	
WC10	☐	E-Motion adaptor Kit (2 adaptors) - <i>Only necessary with 6° camber</i>							\$36	
Frame										
SEAT WIDTH ³										
SW	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐	19" ¹ ☐			NC
	☐	20" ¹ ☐							E2201	\$505
SEAT DEPTH										
SD	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐			NC
	☐	20" ☐							E2203	\$485
TRANSIT TIE DOWN										
AC04	☐	Transit Tie Down (Unoccupied)								NC
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Short belt 20"-41"								\$365
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Long belt 20"-46"								\$365
AC35	☐	WC-19 Transit Tie Down without belt ⁴								\$335

1- Available with HD Kit (350 lb); 2- Only with HD Kit (350 lb) [3. Width calculator](#) 4- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

NEWTON ULTRALIGHT PACKAGE									
PK01	☐	Includes: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels					Save \$275	\$530	

Helio FRONT Seat-to-floor Height - Please select your choice

Forks / Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
4"	P1	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"												
	P2	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
5"	P1																		
	P2				14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
	P3	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"						
	P4	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
7"	P1										16 1/2"	17 1/2"	18 1/2"	17"	18"	19"			
	P2							16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"			
	P3							17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"
	P4	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"
	P5	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"	19 1/2"	20 1/2"	21 1/2"

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS				Available		
CA01-03 to CA01-08	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6", 7", 8"		NC
CA10 to CA11	☐	Pneumatic casters (1 ¼")		6", 8"	E2214/E2215	\$165
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"		\$95
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"		\$215
CASTER OPTIONS						
CA12	☐	Caster Pin Locks <i>(Available with +1" or +2" Stem bolt ONLY)</i> ¹			K0073	\$300
CA13	☐	Carbon fiber Frog Legs suspension forks <i>(Not available with caster pin locks)</i>			E1015	\$490

1- Not available with WC-19

Helio - REAR Seat-to-floor Height

WHEEL SIZES		Height available		Specify desired height: _____
☐	20" (451) wheel	12 1/2	to 17 1/4	
☐	22" (501) wheel	13 1/2	to 18 1/4	
☐	24" (540) wheel	14 1/2	to 19 1/4	
☐	25" (559) wheel	15	to 19 3/4	
☐	26" (590) wheel	15 1/2	to 20 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest						
SWING-IN/SWING-OUT FOOTREST						
FR03-01	☐	60° Swing-in/swing-out footrest - 13.5" - 17"		Set at: *		NC
FR03-02	☐	60° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *		NC
FR03-03	☐	60° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *		NC
FR04-01	☐	70° Swing-in/swing-out footrest - 13.5" - 17"		Set at: *		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 13.5" - 16" ⁵		Set at: *		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 14.5" - 19.5" ⁵		Set at: *		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 15.5" - 20.5" ⁵		Set at: *		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) ¹	7.5" - 11"	Set at: *		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}	9.5"- 13"	Set at: *		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}	9.5" - 14.5"	Set at: *		NC
FOOTREST OPTIONS						
FR09	☐	High mount <i>(footplate attached to the hanger with clamps)</i> ³	5" - 13.5"	Set at:*		\$85
FR10	☐	Elevating legrest with calf pad, Length adjustable ⁴ Left ☐ Right ☐	14" - 22"	Set at:	E0990	\$245
FR99	☐	Omit Footrest				NC

1- Available only with two piece adjustable footplates; 2- May interfere with front casters; 3- Not available with front mount and the elevating legrest; * +/-1/2"
4- The elevating legrest replace the footrest side selected; Not available with one piece footplate; 5- Not available with 8" caster

FOOTPLATES						
FP01	☐	Standard - Composite ¹				STD
FP02	☐	Newton adjustable angle - Composite			K0040	\$215
FP03	☐	Newton adjustable angle - Aluminum			K0040	\$235
FP04	☐	Newton adjustable angle - Carbon fiber <i>(with rubber inserts)</i>				\$445
FP06	☐	One piece adjustable angle flip-up - Aluminum			K0040	\$195
FP07	☐	One piece adjustable angle flip-up - Carbon fiber <i>(with rubber inserts)</i>				\$465
FOOTPLATE ACCESSORIES						
FP08	☐	Length adjustable heel loop ²			E0951	\$41
FP09	☐	Calf strap			K0038	\$36
FP30	☐	Bodypoint Aeromesh Padded calf strap			K0038	\$118

1- Not available with front mount; 2- not available with one piece footplate

SWING AWAY RESIDUAL LIMB SUPPORT						
FR27	☐	Residual limb support - flat 6"x8"	Left ☐ Right ☐		E1020	\$420
FR28	☐	Residual limb support - flat 8"x10"	Left ☐ Right ☐		E1020	\$420
FR29	☐	Residual limb support - flat 10"x10"	Left ☐ Right ☐		E1020	\$420
FR30	☐	Residual limb support - flat 10"x14"	Left ☐ Right ☐		E1020	\$420
FR32	☐	Residual limb support - contour 6"x8"	Left ☐ Right ☐		E1020	\$420
FR33	☐	Residual limb support - contour 8"x10"	Left ☐ Right ☐		E1020	\$420

Backrest						
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLES - For Aluminum chair <i>(Not available with push handles options)</i>						
BC60	☐	Straight aluminum back cane	21" - 24"	increment of 1"	Set at ² :	\$77
BC59	☐	8° bend aluminum back cane	21" - 24"	increment of 1"	Set at ² :	\$77
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS <i>(MUST select ONE push handle options)</i>						
BC11	☐	Straight back cane	12 - 15" ☐	15 - 18" ☐	18 - 21" STD ☐	increment of 1/2"
BC06						
BC12						
BC08	☐	8° Bend back cane	13 ½ - 15" ☐	15 - 18" ☐	18 - 21" STD ☐	increment of 1/2"
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS <i>(MUST select ONE push handle options)</i>						
BC13	☐	Straight back cane	15 - 18" ☐	18 - 21" STD ☐	increment of 1/2"	
BC09						
BC14						
BC10	☐	8° bend back cane	15 - 18" ☐	18 - 21" STD ☐	increment of 1/2"	
Select back cane angle:			85° ¹ ☐	90° ☐	95° STD ☐	100° ☐
105° ☐						
110° ☐						
PUSH HANDLES OPTIONS <i>(ONE option at a time)</i>						
PH01	☐	Push handles				STD
PH05	☐	Fold down push handles ^{3, 5}				\$145
PH06-920	☐	Clamp on height adjustable push handles 9" - 20" ^{3, 4, 5}				\$325
PH06-923	☐	Clamp on height adjustable push handles 9" - 23" ^{3, 4, 5}				\$325
PH02	☐	Omit push handles				NC
STROLLER HANDLE AND STABILIZER BAR						
PH04	☐	Stroller handle <i>(only available with push handle) - (not available with the HD option)</i>			K0108	\$165
PH03	☐	Newton folding stabilizer bar <i>(not compatible with stroller handle)</i>				\$270
¹ - Not available with a 8° bend back cane; ² - If not indicated, default height setting is at the lowest position; measured from seat sling to top of back upholstery; ³ - 265lb weight limit ⁴ - Not compatible with swing away armrests, 8° bend back canes and amputee axle plates; ⁵ - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock						
BACK UPHOLSTERY						
BH07	☐	Slip-on Active-Mesh back upholstery				STD
BH08	☐	Adjustable tension Active-Mesh back upholstery			E2611	\$305
BH99	☐	Omit Back upholstery				NC
	☐	NXT back Support			See pricelist	
SEAT CUSHION						
SC01	☐	2" Cushion				\$170
SC02	☐	3" Cushion				\$190
SC99	☐	Omit seat cushion				STD
	☐	NXT cushion			See pricelist	

Rear wheels								
ONE ARM DRIVE ¹		Only available with Newton One rear wheels, permanent axles, 0° camber						
HR22	☐	One arm drive - aluminum inner handrim ^{2, 3}	24"	Left ☐	Right ☐		E0958	\$1,495
HR60	☐	One arm drive - plastic coated inner handrim ^{2, 3}	24"	Left ☐	Right ☐		E0958	\$1,600
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)						NC
REAR WHEELS						Available		
RW01	☐	Mag ⁴				20", 22" 24"		\$57
RW02	☐	Newton One - spoke wheel ⁵				20", 22" 24"		NC
RW03	☐	Newton Gravity - ultralight wheel				20", 22", 24", 25", 26"		\$360
RW04	☐	Spinerger Spox	Blk STD ☐	Wht ⁶ ☐	Blue ⁶ ☐	Red ⁶ ☐	Yel ⁶ ☐	\$915
RW05	☐	Spinerger LX	Blk STD ☐	Pur ⁶ ☐	Wht ⁶ ☐	Blue ⁶ ☐	Red ⁶ ☐	\$1,145
RW07	☐	Spinerger CLX ⁷	Blk STD ☐	Pur ⁶ ☐	Wht ⁶ ☐	Blue ⁶ ☐	Red ⁶ ☐	\$1,625
TIRES						Available		
Solid								
TI01	☐	Soft Urethane 1 3/8"				20", 22" 24"	E2218	STD
TI02	☐	Soft Urethane knobby 1 3/8" ⁸				22", 24", 25", 26"	E2218	\$97
TI04	☐	Soft Urethane 1" - <i>Shox</i>				22", 24", 25", 26"	E2218	\$118
Pneumatic								
TI05	☐	Pneumatic 1 3/8"				20", 22", 24", 25", 26"	E2211/E2212	NC
TI08	☐	Pneumatic with Airless insert 1 3/8" ⁹				22", 24", 26"	E2211/E2213	\$82
TI06	☐	Pneumatic HP, Low Tread, Puncture resistant, black 1" - <i>SpeedLite</i>				20", 22", 24", 25", 26"	E2211/E2212	\$105
TI07	☐	Pneumatic HP, Medium Tread, Puncture resistant, black 1" - <i>TrailBlazer</i>				24", 25", 26"	E2211/E2212	\$150

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; 2- Only standard handrim position available; 3- Not available with HD option
4- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 5- Not compatible with Shox tires; 6- color spokes require an additional 10 days lead-time;
7- Only available with 1" tires; 8- 22" is only available with Mags and Newton One rear wheels; 9- Not available with Spinerger CLX, Spinerger LX 25", 26" and Spox 25", 26" rear wheels

Handrims								
HANDRIM			Available					
HR01	☐	Aluminum anodized				20", 22", 24", 25", 26"		STD
HR61	☐	Aluminum black hard anodized ²				20", 22", 24", 25"		\$75
HR02	☐	Plastic coated ¹				20", 22", 24", 25", 26"		\$110
HR03	☐	High friction coated ^{1,2,3}				22", 24", 25", 26"		\$375
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² <i>See on page 7 for color choice and price</i>				20", 22", 24", 25", 26"		
HR28	☐	Surge ^{1,2,3} (1 1/2" Oval handrim w/ Gripton high friction strip)				22", 24", 25", 26"		\$450
HR05	☐	Surge LT ^{1,2,3} (1 1/8" Oval handrim w/ Gripton high friction strip)				22", 24", 25", 26"		\$495
HR04	☐	Natural Fit ^{1,2,3}				22", 24", 25", 26"		\$395
HR62	☐	Simi H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)				22", 24", 25", 26"		\$395
HR63	☐	Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)				22", 24", 25", 26"		\$445
HR64	☐	Optimum H ^{1,2,3} (1 1/8" heart-shaped handrim)				22", 24", 25", 26"		\$345
HR99	☐	Omit handrim						NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive;

Handrims option								
ASSEMBLY POSITION								
HR29	☐	Standard Handrim position <i>Full tab</i>						STD
HR030	☐	Narrow Handrim position no cut <i>Full tab</i>						NC
HR30	☐	Narrow Handrim position with cut ³ <i>Short tab 2 positions</i>						\$30
HR31	☐	Super Narrow Handrim ³ <i>Short tab 2 positions STD</i> ☐ <i>Short tab 1 position</i> ☐						\$30
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS								
HR23	☐	Standard grip						\$95
HR27	☐	Super grip						\$150
HR099	☐	Omit thumb piece						NC


3- Only available with Aluminum and Air Grip handrims;

AXLE ¹								
AX01	☐	Quick release axle						STD
AX02	☐	Permanent axle						NC
AX03	☐	Quad release axle					K0108	\$130
AXLE PLATE								
AX04	☐	Amputee adjustable axle plate ²					E0959	\$205

1- Not required with one arm drive 2- May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER								
CM00	☐	0° camber						STD
CM03	☐	3° camber						NC
CM06	☐	6° camber (not available with amputee axle plate)						\$165

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

Most stable													
AMPUTEE	1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

If not indicated, default setting is at 1.5"

Possible conflict between a seat depth under 16" and a center of gravity over 2,5".

Possible conflict between a 26" rear wheel and a center of gravity over 2,5".

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

1-Only available with the amputee axle plate

WHEEL LOCK						
WL08	☐	Newton Wheel lock - push to lock				STD
WL14	☐	6" removable extension handle for push to lock			E0961	\$77
WL16	☐	Aluminum push to lock with extensions			E0961	\$77
WL02	☐	Pull to lock				NC
WL04	☐	Newton grade aid push to lock (works best with pneumatic or high pressure tire)			E0974	\$155
WL13	☐	6" removable extension handle for pull to lock and grade aid			E0961	\$77
WL05	☐	Scissors Lock				\$155
WL06	☐	Attendant Lock (additional set of wheel lock mounted to the back)				\$215
WL15	☐	Unilateral wheel lock - pull to lock ¹	Left ☐	Right ☐		\$330
WL99	☐	Omit wheel locks				NC

1- For more information about incompatibilities and restriction, refer to the table at page 8 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_us/support-and-education/how-to-documents

Armrests						
HEIGHT ADJUSTABLE FLIP BACK ARMREST (Convertible to "T" armrest) ^{1,4}						
AR01-812	☐	10" Desk length armpad	8" - 12"	Locked ☐	Unlocked STD ☐	E0973 \$355
AR01-1014	☐	10" Desk length armpad	10" - 14"	Locked ☐	Unlocked STD ☐	E0973 \$355
AR02-812	☐	14" Full length armpad	8" - 12"	Locked ☐	Unlocked STD ☐	E0973 \$355
AR02-1014	☐	14" Full length armpad	10" - 14"	Locked ☐	Unlocked STD ☐	E0973 \$355
HEIGHT ADJUSTABLE "T" ARMREST ¹						
AR13-610	☐	10" Desk length armpad ⁵	6" - 10"			E0973 \$330
AR03-812	☐	10" Desk length armpad	8" - 12"			E0973 \$330
AR03-1014	☐	10" Desk length armpad	10" - 14"			E0973 \$330
AR14-610	☐	14" Full length armpad ⁵	6" - 10"			E0973 \$330
AR04-812	☐	14" Full length armpad	8" - 12"			E0973 \$330
AR04-1014	☐	14" Full length armpad	10" - 14"			E0973 \$330
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²						
AR05	☐	Tubular armrest without plastic side guards - Short pad	8" - 11"			E0973 \$230
AR19	☐	Tubular armrest with plastic side guards - Short pad	8" - 11"			E0973 \$395
AR23	☐	Tubular armrest without plastic side guards - Long pad	8" - 11"			E0973 \$230
AR24	☐	Tubular armrest with plastic side guards - Long pad	8" - 11"			E0973 \$395
AR06	☐	10" Desk length flat armpad without plastic side guards	8" - 11"			E0973 \$230
AR20	☐	10" Desk length flat armpad with plastic side guards	8" - 11"			E0973 \$395
AR17	☐	14" Full length flat armpad without plastic side guards	8" - 11"			E0973 \$230
AR21	☐	14" Full length flat armpad with plastic side guards	8" - 11"			E0973 \$395
ARMREST OPTIONS						
AR12	☐	14" Full Length armpad ³ - Gel Ovation				\$165
AR99	☐	Omit armrest				NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- Could interfere with some rigid backrests; Not available with attendant lock and fixed carbon fiber side guards;

3- Only available with full length armrest; Not available with tubular (short and long) and short armrest; 4- Not available with attendant lock; 5- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS (not available with Flip Back and "T" Armrest)						
SG01	☐	Plastic side guards (removable)			K0108	\$200
SG02	☐	Carbon fiber side guards (fixed)				\$270
SG03	☐	Carbon fiber side guards (removable)			K0108	\$305
SG06	☐	Plastic fender side guards - straight bracket (removable)				\$290
SG08	☐	Plastic fender side guards - offset bracket (removable) ¹				\$290
SG04	☐	Carbon fiber fender side guards (removable)			K0108	\$550
SG99	☐	Omit side guard				STD
SIDE GUARDS OPTION						
SG07	☐	Side guards clip (pair) ²				NC

1- only compatible with 0° camber; Increase distance between fender side guards by 1 1/8"; 2- Not available with fixed carbon fiber side guard

POSITIONING BELT					
SB01-S	☐	Velcro adjustable - Standard 35" ¹		E0978	\$46
SB01-L	☐	Velcro adjustable - Long 60"		E0978	\$46
SB02-S	☐	Auto buckle - Standard 35" ¹		E0978	\$87
SB02-L	☐	Auto buckle - Long 60"		E0978	\$87
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"		E0978	\$85
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"		E0978	\$85
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"		E0978	\$180
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"		E0978	\$180
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"		E0978	\$180
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"		E0978	\$195
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"		E0978	\$195
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"		E0978	\$195
SB03	☐	Hardware attachment for 2 extra points (1 pair)			\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"		K0108	\$305
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"		K0108	\$305
SB99	☐	Omit positioning belt			STD


1- Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 13 1/2" and 19 3/4"

3- Not available with Mag wheels and Spinerq; **4-** Not compatible with swing away armrest or amputee axle plate and WC-19 transit tie-down

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

Fork and Stem bolt combinations



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.5 to 3.75
22 in	16	1.0 to 2.75
	17	1.0 to 3.25
	18+	1.0 to 3.75
24 in	16	1.0 to 2.0
	17	1.0 to 2.75
	18+	1.0 to 3.75

Notes :

BioFit™ CUSHION		DEPTH	WIDTH										
			12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"
 NXCABF_____ (W" x D") HCPCS CODE: E2607-E2608	12"		\$445	\$445	\$445								
	14"		\$445	\$445	\$445								
	15"			\$445	\$445	\$445	\$445						
	16"			\$445	\$445	\$445	\$445	\$445	\$445	\$480	\$480	\$480	\$480
	17"					\$445	\$445	\$445	\$445	\$480	\$480		
	18"					\$445	\$445	\$445	\$445	\$480	\$480	\$480	\$480
	19"					\$445	\$445	\$445	\$445	\$480	\$480		
	20"					\$445	\$445	\$445	\$480	\$480	\$480	\$480	\$480
	Option: Change cover for incontinent/infection control outer cover												N/C

SEATING AND CUSHION ACCESSORIES

	MODEL NO.	Description	Fits Back Width	\$	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6 & 43.2 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7 & 48.3 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	80	



Optima™
THORACIC BACK SUPPORT
CARBON FIBER SHELL (WEIGHT SAVINGS - 1lb)
HCPCS CODE: E2620-E2621



Optima™ DEEP
THORACIC BACK SUPPORT
CARBON FIBER SHELL (WEIGHT SAVINGS - 1lb)
HCPCS CODE: E2620-E2621

THORACIC SHAPE	WIDTH	HEIGHT	MODEL # CARBON FIBER	\$ CARBON	MODEL # ALUMINUM	\$ ALUMINUM
	14"	13"	NOCFACB1413	\$925		
	14"	16"	NOCFACB1416	\$960		
	15"	13"	NOCFACB1513	\$925		
	15"	16"	NOCFACB1516	\$960		
	16"	13"	NOCFACB1613	\$925	NOACB1613	\$695
	16"	16"	NOCFACB1616	\$960	NOACB1616	\$695
	16"	19"			NOACB1619	\$695
	17"	13"	NOCFACB1713	\$925		
	17"	16"	NOCFACB1716	\$960		
	18"	13"	NOCFACB1813	\$925	NOACB1813	\$695
	18"	16"	NOCFACB1816	\$960	NOACB1816	\$695
	18"	19"			NOACB1819	\$695
	20"	13"	NOCFACB2013	\$925		
	20"	16"	NOCFACB2016	\$960	NOACB2016	\$695
	20"	19"			NOACB2019	\$695
	22"	13"			NOACB2213	\$745
	22"	16"			NOACB2216	\$745
	22"	19"			NOACB2219	\$745
	ITEM	WIDTH X DEPTH		\$	QTY	
	Replacement Cover & Foam	NOACC _____		130		
	WIDTH	HEIGHT	MODEL # CARBON FIBER	\$ CARBON	MODEL # ALUMINUM	\$ ALUMINUM
	14"	13"	NOCFPCB1413	\$1015		
	14"	16"	NOCFPCB1416	\$1055		
	15"	13"	NOCFPCB1513	\$1015		
	15"	16"	NOCFPCB1516	\$1055		
	16"	13"	NOCFPCB1613	\$1015		
	16"	16"	NOCFPCB1616	\$1055	NOPCB1616	\$695
	16"	19"			NOPCB1619	\$695
	17"	13"	NOCFPCB1713	\$1015		
	17"	16"	NOCFPCB1716	\$1055		
	18"	13"	NOCFPCB1813	\$1015		
	18"	16"	NOCFPCB1816	\$1055	NOPCB1816	\$695
	18"	19"			NOPCB1819	\$695
	20"	13"	NOCFPCB2013	\$1015		
	20"	16"	NOCFPCB2016	\$1055	NOPCB2016	\$695
	20"	19"			NOPCB2019	\$695
	22"	13"			NOPCB2213	\$745
	22"	16"			NOPCB2216	\$745
	22"	19"			NOPCB2219	\$745
	ITEM	WIDTH X DEPTH		\$	QTY	
	Replacement Cover & Foam	NOPCC _____		130		

PLEASE NOTE: Each back will fit widths up to 2" wider.

