

B C Skate Chair

ORDER FORM 2024

Tel: 951-808-9131

FAX: 951-808-9949



Toll Free: 800-892-8998

www.colourswheelchair.com

DEALER		COLOURS INFORMATION For Office Use Only	
Dealer:		Order Date:	
Account: P.O.#:		S/N:	
Ordered By:			
Customer Name:			
Customer Weight:			


CHAIR INFORMATION	PRICE
BC Skate Chair(5 YEAR WARRANTY)	Base Wheel Chair Price K0005 \$ 7,000
Max. Capacity 250Lbs	Total Section A \$
NOTE	Total Section B(Custom Parts Color) \$
	Total Section C \$
	Total Section D \$
	Total Section E \$
	Total Section F \$
	Total Section G \$
	Total Section H \$
	ORDER GRAND TOTAL \$

A FRAME COLORS & PARTS COLORS


MAIN FRAME COLORS		
☐ Powder-Coated ☐ Blue Lilac ☐ Brass Metallic ☐ Tiffany Blue ☐ Reed Green	☐ Gloss Black ☐ Candy Blue ☐ Matte Gray ☐ Neon Yellow* ☐ Sparkle Burgundy ☐ Polished ☐ 24 karat Gold	☐ Twilight Flake ☐ Candy Purple ☐ Matte Purple ☐ Neon Green* ☐ Granny Sparkle Green ☐ Orange Sparkle ☐ Sparkle Sky Blue
☐ Yellow ☐ Candy Green ☐ Matte Blue ☐ Sparkle Sky Blue	☐ Magenta ☐ Candy Red ☐ Matte Green ☐ Mellon Yellow	☐ Fire Engine Red ☐ Candy Raspberry ☐ Matte Black ☐ Gun Smoke Silver ☐ Blue Lilac
		☐ White ☐ Cobalt ☐ Matte Red ☐ Shocker Yellow
		\$ STD
		\$ 920
		\$ CFP
PARTS COLORS (Custom Parts Color Section, Please see Section B)		
STD Color Black Color		\$ STD
☐ NO LOGOS ON ENTIRE CHAIR		
Custom Color Suspension Unit One Color Package Including: Axle Plates, Camber Discs, Upper A-Arms, Lower A-Arms, Suspension Main Frame • • • ★marked parts		☐ Powder-Coated () • • \$ 456 ☐ Polished • • • • • \$ 920 ☐ 24 karat Gold • • • • • \$ CFP Plated-
 Main Frame *Frame style may vary depending on Measurements		 ★Suspension Main Frame ★Upper A-Arms ★Lower A-Arms ★Axle Receiver Holder

1. SEAT WIDTH


Measure from outside of seat tube to the outside of the opposite seat tube.

**2. SEAT DEPTH**


Measure from at the front bottom of backrest tube to the front edge of seat sling.

**3. FOOTREST WIDTH**


Measure from inside of front frame tube to inside of opposite front frame tube.

**4. FRAME ANGLE**


Measure angle frame front to floor.

**5. BACKREST HEIGHT**


Measure from top of back post to seat sling at front bottom of backrest tube.

**6. BACKREST ANGLE**


Measure angle from front of back post to floor.

**7. FRONT SEAT HEIGHT**

Measure from floor to top of seat sling at front edge.


**8. REAR SEAT HEIGHT**

Measure from floor to top of seat sling at front bottom of backrest tube.


**9. CENTER OF GRAVITY**

Measure from center of back tube at the folding pivot to the center of the rear axle.


(If welding backrest is selected, Measure from center of back tube at the seat tube to the center of the rear axle.)

**10. CAMBER ANGLE**

Measure angle from wheel to vertical at floor.

**11. FRONT OF SEAT SLING TO FOOTREST****ADULT CHAIR**

Measure from top of seat sling at front edge to top of foot plate at front edge.


**PEDIATRIC CHAIR**

Measure vertical from top of seat sling at front edge to top of foot plate.

**12. INSIDE WHEEL CLEARANCE**

Measure from outside of seat back tube to inside of rear tire.

(If side guards are selected, measure from outside of side guards to inside of rear tire.)



B SPECIAL PARTS COLORS (Please allow an additional 1-2 weeks delivery)**PARTS COLORS**

Powder-Coated	Gloss Black	Twilight Flake	Yellow	Magenta	Fire Engine Red	White
Neon Yellow	Candy Blue	Candy Purple	Candy Green	Candy Red	Candy Raspberry	Cobalt Blue
Brass Metallic	Matte Gray	Matte Purple	Matte Blue	Matte Green	Matte Black	Matte Red
Sparkle Burgundy	Blue Lilac	Neon Green	Orange Sparkle	Mellon Yellow	Gun Smoke Silver	
Tiffany Blue	Shocker Yellow	Granny Sparkle Green	Sparkle Sky Blue	Reed Green		

Special Colors Polished Aluminum
24 karat Gold Plated ***Please allow an additional 4 weeks delivery**


Please Choose the Color for each Part

*Parts not selected will be black color. (Suspension Spring: Silver Color)

*PC=Powder-Coated

Foot Plate

☐ PC ()	\$70
☐ Polished	\$104
☐ Gold Plated	\$CFP

**Caps**


☐ PC ()	\$50
☐ Polished	N/A
☐ Gold Plated	N/A

Upper A-Arms

☐ PC ()	\$138
☐ Polished	\$345
☐ Gold Plated	\$CFP

Lower A-Arms

☐ PC ()	\$138
☐ Polished	\$322
☐ Gold Plated	\$CFP

**Suspension Main Frame**



☐ PC ()	\$200
☐ Polished	\$460
☐ Gold Plated	\$CFP

Axle Receiver Holder

☐ PC ()	\$83
☐ Polished	\$207
☐ Gold Plated	\$CFP

C FRAME MEASUREMENTS 1/2





*Frame style may vary depending on measurements.






1. SEAT WIDTH	☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19"	\$ STD
2. SEAT DEPTH	☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19"	\$ STD
☐ Aluminum Seat Pan (Black Only)		\$ 324
☐ Positioning Frame Add (")		\$ 173
3. FOOTREST WIDTH	☐ STD (Seat Width Minus 5", Taper on Bottom Frame) ☐ Custom (") Taper on Bottom Frame ☐ Custom (") V - Taper Frame	\$ STD \$ NCO \$ NCO
Taper on Bottom Frame Footrest Width V - Taper Frame Footrest Width		
FOOT PLATE STYLE	☐ Welded Tubular Loop -not height Adjustable ☐ Tubular Loop with adjustable height *Not Available for V-Taper ☐ Single Loop with adjust angle & height STD Foot Plate *Not Available for V-Taper Frame	\$ STD \$ 331
☐ Add Anti-Skid Tape (\$20 up charge) ☐ Fill Inside of Tubular Loop (\$75 up charge)		
* Must Specify Measurement Size of Loop ▶ (") *Measurement must be 2.5" shorter than your Footrest Width Angle or Bucket of Loop ▶ ☐ Custom Foot Plate (\$115 up charge) *Available Solid Plate Only (") *Measurement must be 2.5" shorter than your Footrest Width ☐ ABS Foot Plate (\$86 up charge)		
4. FRAME ANGLE	☐ 75° ☐ 80° ☐ 85° ☐ 90° to the ground ☐ Custom (°) to the ground	\$ STD \$ NCO

Valid from 2024 Prices & Specifications Are Subject To Change Without Notice.

C FRAME MEASUREMENTS 2/2


5. BACKREST HEIGHT * Welded Backrest only	☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18"	\$ STD																																																																																	
☐ Custom Backrest		\$ 200																																																																																	
																																																																																			
☐ Folding Backrest	☐ Add Locking Mechanism \$163	\$ 288																																																																																	
																																																																																			
SIDE GUARDS▶ * Welded Side Guards only *Not available with folding backrest	☐ Welded Side Guards * Must Specify Measurement ▶	\$ STD																																																																																	
																																																																																			
6. BACKREST ANGLE	(°) to the ground *STD 90°	\$ STD																																																																																	
7. FRONT SEAT HEIGHT	☐ 16.5" ☐ 17.0" ☐ 17.5" ☐ 18.0" ☐ 18.5" ☐ 19.0" ☐ 19.5" ☐ 20.0" ☐ 20.5"	\$ STD																																																																																	
8. REAR SEAT HEIGHT	*The rear seat heights are impacted by the size of your rear tire.	\$ STD																																																																																	
<table border="1"> <thead> <tr> <th>Your Rear Tire Size</th> <th colspan="8">Rear Seat Height</th> </tr> </thead> <tbody> <tr> <td>24"x1"(540)</td> <td>☐ 16.0"</td> <td>☐ 16.5"</td> <td>☐ 17.0"</td> <td>☐ 17.5"</td> <td>☐ 18.0"</td> <td>☐ 18.5"</td> <td></td> <td></td> </tr> <tr> <td>24"x1.2"(540)</td> <td></td> <td>☐ 16.5"</td> <td>☐ 17.0"</td> <td>☐ 17.5"</td> <td>☐ 18.0"</td> <td>☐ 18.5"</td> <td>☐ 19.0"</td> <td></td> </tr> <tr> <td>24"x1 3/8"(540)</td> <td></td> <td>☐ 16.5"</td> <td>☐ 17.0"</td> <td>☐ 17.5"</td> <td>☐ 18.0"</td> <td>☐ 18.5"</td> <td>☐ 19.0"</td> <td></td> </tr> <tr> <td>25"x1"(559)</td> <td></td> <td>☐ 16.5"</td> <td>☐ 17.0"</td> <td>☐ 17.5"</td> <td>☐ 18.0"</td> <td>☐ 18.5"</td> <td>☐ 19.0"</td> <td></td> </tr> <tr> <td>25"x1.2"(559)</td> <td></td> <td></td> <td>☐ 17.0"</td> <td>☐ 17.5"</td> <td>☐ 18.0"</td> <td>☐ 18.5"</td> <td>☐ 19.0"</td> <td></td> </tr> <tr> <td>24"x2"(540)</td> <td></td> <td></td> <td>☐ 17.0"</td> <td>☐ 17.5"</td> <td>☐ 18.0"</td> <td>☐ 18.5"</td> <td>☐ 19.0"</td> <td></td> </tr> <tr> <td>26"x1"(590)</td> <td></td> <td></td> <td>☐ 17.0"</td> <td>☐ 17.5"</td> <td>☐ 18.0"</td> <td>☐ 18.5"</td> <td>☐ 19.0"</td> <td></td> </tr> <tr> <td>25"x1.95"(559)</td> <td></td> <td></td> <td></td> <td>☐ 17.5"</td> <td>☐ 18.0"</td> <td>☐ 18.5"</td> <td>☐ 19.0"</td> <td>☐ 19.5"</td> </tr> </tbody> </table>			Your Rear Tire Size	Rear Seat Height								24"x1"(540)	☐ 16.0"	☐ 16.5"	☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"			24"x1.2"(540)		☐ 16.5"	☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"		24"x1 3/8"(540)		☐ 16.5"	☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"		25"x1"(559)		☐ 16.5"	☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"		25"x1.2"(559)			☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"		24"x2"(540)			☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"		26"x1"(590)			☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"		25"x1.95"(559)				☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"	☐ 19.5"
Your Rear Tire Size	Rear Seat Height																																																																																		
24"x1"(540)	☐ 16.0"	☐ 16.5"	☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"																																																																													
24"x1.2"(540)		☐ 16.5"	☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"																																																																												
24"x1 3/8"(540)		☐ 16.5"	☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"																																																																												
25"x1"(559)		☐ 16.5"	☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"																																																																												
25"x1.2"(559)			☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"																																																																												
24"x2"(540)			☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"																																																																												
26"x1"(590)			☐ 17.0"	☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"																																																																												
25"x1.95"(559)				☐ 17.5"	☐ 18.0"	☐ 18.5"	☐ 19.0"	☐ 19.5"																																																																											
9. CENTER OF GRAVITY	☐ 3.5" ☐ 4.0" ☐ 4.5" ☐ 5.0" ☐ 5.5" ☐ 6.0" ☐ 6.5" ☐ 7.0"	\$ STD																																																																																	
10. CAMBER ANGLE	☐ 0° ☐ 2° ☐ 4° MAX	\$ STD																																																																																	
11. FROM GROUND TO TOP OF FOOTREST OR FROM SEAT SLING TO TOP OF FOOTREST	  * Only Choose One Measurement	\$ STD																																																																																	
12. INSIDE WHEEL CLEARANCE	☐ 3/4" ☐ 1" ☐ 1 1/4" ☐ 1 1/2" ☐ 1 3/4" ☐ 2" *3/4" Inside wheel clearance not available with D's Locks	\$ STD																																																																																	
13. REAR SUSPENSION RATING	☐ Set up 50psi (For 80 lbs-110 lbs weight) ☐ Set up 60psi (For 110 lbs-140 lbs weight) ☐ Set up 80psi (For 140 lbs-170 lbs weight) ☐ Set up 100psi (For 170 lbs-200 lbs weight) ☐ Set up 120psi (For 200 lbs-230 lbs weight) ☐ Set up 150psi (For 230 lbs-250 lbs weight)	\$ STD																																																																																	
* Air Pro Kit Included	Pick Air Tube Color ☐ Black																																																																																		
*SHOCK PUMP	☐ Fox Racing Shox 300 HP Pump ☐ Omit Pump *Customer Needs Pump To Adjust Rear Suspension Rating	\$ STD \$ -50																																																																																	
NOTE																																																																																			

D COMPONENTS

WHEEL LOCKS		\$	STD
☐ Gallop Push To Lock w/ 1" Clamp		\$	STD
☐ Question Mark Style Scissor		\$	STD
☐ NEW Compact Scissor Lock / Anodized Black		\$	280
☐ Gallop Scissor Lock / Anodized		\$	280
PUSH HANDLES			
☐ Integrated w/Fixed Backrest Height / Anodized Black Only		\$	STD
☐ Bolt-on / Anodized Black Only Specify Height from floor -()		\$	220
☐ Bolt-on w/Quick Release / Anodized Black Only Specify Height from floor -()		\$	320
☐ NEW Height Adj. / Anodized Black Only Specify Maximum height from floor -()		\$	390
ANTI-TIPPERS			
☐ Press Release Removable Anti-tipper		\$	330
ACCESSORIES			
☐ Frame Protectors / Black Leather/Zipper Type		\$	150
☐ Gel Ovation Protector Frame Wraps Gel Silicone ☐ Short (1/2") ☐ Long (3")		\$	200
☐ Padded Seat Belt w/Auto Buckle Belt- Black Only		\$	113
☐ Calf Strap ☐ Black ☐ Matching Fabric (\$55 up charge) -Select Fabric()		\$	35
☐ BodyPoint Padded Calf Strap ☐ (14"-16" footrest width) ☐ (16"-20" footrest width) ☐ (20"-24" footrest width) \$89 \$95 \$102			
☐ SEAT FOAM CUSHION w/Nylon Black Cover Thickness ☐ 1" ☐ 2" ☐ 3" ☐ 4"		\$	CFP
☐ Hanging Zipper Pouch ☐ Black Nylon ☐ Matching Fabric (\$75) ☐ Leather (\$80) Custom Size: Width: Length:		\$	120
☐ Ratchet Strap ☐ Small ☐ Medium ☐ Large Where on chair: _____ 8" Pads 10" Pads 12" Pads ex: footplate, hips, knees, front legs. \$ 288 \$ 288 \$ 311			
☐ Grind Bar ☐ Must Specify Measurement		\$	200
			
UPHOLSTERY STYLE, COLOR & FABRIC *Positioning Back Available. Please see Section E			
STYLE			
☐ Standard Adjustable Height Backrest Black		\$	STD
☐ Adjustable Tension Backrest Black Only (*Not available with 8" Backrest Height)		\$	300
Custom Options	☐ Fun Fabric: For Std. or Adj. Style (Choose From Choices on Page 7 and write choice below) (\$92 up)		
	☐ Backrest Leather Trim (outside panels) (\$up charge)DEPENDS ON MEASUREMENTS		
If you want additional custom components Please write down the details in this area.			
			
		\$	CFP

FABRIC CHOICE SHEET

1. Camouflage Girls



2. Purple Zebra




3. Silver Grey Snake



5. Laughing Skulls




6. Purple Snake



7. Sweetheart Pinup Girls



9. Blue Flames



10. Arctic Camo




11. Furry Friends



12. Supercars



13. Urban Camo



14. Superbikes




15. Sizzle Flames




16. Hot Rod Flames



17. Skulls w/ Attitude



18. Sweet Pink




19. Heart and Soul



20. Home Run



21. Fuzzy Giraffe



22. Cheetah




23. Paperweight Cobalt



24. Zig Zag Dots



25. Smokey Tribal Flames




26. Rose and Rebellion




27. Tattoo Adventure(Cream




28. Red Tribal Flames




29. Tattoo Adventure(Black)




30. Butterfly Bandana



31. Tatsu Dragon



E TIRES, CASTERS, & FORKS

TIRES					
☐ Primo V-Trak High Pressure Tire ☐ 24"x1" ☐ 25"x1" or ☐ 26"x1"					Gray Tire with black wall Only \$ STD
☐ Primo High Pressure Tire ☐ 24"x1" ☐ 25"x1" or ☐ 26"x1" ☐ Blue ☐ Red					\$ 100
☐ Schwalbe Air Born Tire ☐ 24"x1.2"(540) ☐ 25"x1.2"(559)					\$ NCO
☐ Schwalbe Marathon Plus High Pressure Tire ☐ 24"x1" ☐ 25"x1" or ☐ 26"x1"					Black Only \$ NCO
☐ Solid Tire ☐ 24"x1" ☐ 25"x1" Black ☐ 26"x1"					\$ 219
☐ Kobra Knobby Tire 24"x 2" (50-540)					Gray Only ☐ Blue Line ☐ Red Line \$ 155
(Street Tire. Off Road Conditions: gravel, grass, & dirt))					
☐ Kobra Knobby Tire 26"x 2" (50-559)					Gray Only ☐ Blue Line ☐ Red Line \$ 155
25" wheels (Street Tire. Off Road Conditions: gravel, grass, & dirt))					
☐ Nevegal Knobby Tire (540) 24"x 2.1"					Black Only (off road example: traction, snow, mud, & sand) \$ 155
☐ Kenda Knobby Tire(Kwick Drumlin) (50-559)					25" wheels- 26" X 1. 75 - 2. 25 Black Only (wet or loose conditions, concrete, gravel paths and forest roads. Designed to prevent punctures) \$ 155
CASTERS					
☐ Customer to Supply Skate Wheels					\$ STD
► Please give us the wheel diameter					
					
SIZE	TIRE WIDTH	HUB COLOR	TIRE COLOR	DESCRIPTION	
☐ 3"	1"	Black Hub	Black Tire Only	Polyurethane	\$ NCO
☐ 3"	1"	Plastic Black Hub	Clear Tire Only	Lighted, Polyurethane	\$ 86
☐ 3"	1"	Black Hub	Red Tire Only	Polyurethane	\$ NCO
☐ 3"	1"	Black Hub	Clear Tire Only	Polyurethane	\$ NCO
☐ 3"	1"	Aluminum Silver Hub	Black Tire Only	Soft Roll Made By Frog Legs	\$ 209
☐ 3"	1"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs	\$ 209
☐ 3"	1.5"	Aluminum Silver Hub	Black Tire Only	Soft Roll Made By Frog Legs	\$ 209
☐ 3"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs	\$ 209
☐ 3"	☐ 1" or ☐ 1.5"	Hub Color:	Tread Color:	Soft Roll Made By Frog Legs	\$ CFP
FORKS					
Pro Sport Frog Leg Suspension Forks Only					
☐ Frog Leg Suspension Forks Std 1" Wide (For 3", 4" x 1" width Caster and 5" STD Caster, 5" lighted Caster) Not for 4 x 1 1/8 STD					\$ NCO
Color ☐ Anodized Black ► End User Weight Required: _____ lbs					
☐ Frog Leg Suspension Forks 1.5" Wide (For 3", 4" x 1.5" width Caster and 5" x 1"& 5" x 1.5" Casters)					\$ NCO
Color ☐ Anodized Black ► End User Weight Required: _____ lbs					
☐ Frog Leg Shields(4pcs)					\$ 30

F WHEELS

WHEELS																		
Wire Wheels ☐ 24" (540) ☐ 25" (559) ☐ 26" (590) 		\$ NCO \$ NCO																
Spinergy Sport Lite Extreme "SLX" 24 Spoke 	☐ 24" (540) ☐ 25" (559) ☐ 26" (590) Spoke Color ☐ Black With Silver Hub ☐ Red With Black Hub ☐ Yellow With Black Hub ☐ Blue With Black Hub ☐ White With Black Hub ☐ Neon Green With Black Hub ☐ Pink With Black Hub ☐ Orange With Black Hub ☐ Purple With Black Hub ☐ Custom Color Spoke Pattern <table border="1"> <thead> <tr> <th colspan="2"></th> <th>Left Wheel</th> <th>Right Wheel</th> </tr> </thead> <tbody> <tr> <td>Spokes</td> <td>Inside</td> <td></td> <td></td> </tr> <tr> <td>Color</td> <td>Outside</td> <td></td> <td></td> </tr> <tr> <td>Hub Color</td> <td></td> <td>☐ Black/☐ Silver</td> <td>☐ Black/☐ Silver</td> </tr> </tbody> </table>			Left Wheel	Right Wheel	Spokes	Inside			Color	Outside			Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver	\$ 1,220 (+\$110)
		Left Wheel	Right Wheel															
Spokes	Inside																	
Color	Outside																	
Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver															
Spinergy X-Laced Sport Lite Extreme "XSLX" 24 spoke 	☐ 24" (540) ☐ 25" (559) ☐ 26" (590) ☐ Black With Silver Hub ☐ Red With Black Hub ☐ Yellow With Black Hub ☐ Blue With Black Hub ☐ White With Black Hub ☐ Neon Green With Black Hub ☐ Pink With Black Hub ☐ Orange With Black Hub ☐ Purple With Black Hub ☐ Custom Color Spoke Pattern <table border="1"> <thead> <tr> <th colspan="2"></th> <th>Left Wheel</th> <th>Right Wheel</th> </tr> </thead> <tbody> <tr> <td>Spokes</td> <td>Inside</td> <td></td> <td></td> </tr> <tr> <td>Color</td> <td>Outside</td> <td></td> <td></td> </tr> <tr> <td>Hub Color</td> <td></td> <td>☐ Black/☐ Silver</td> <td>☐ Black/☐ Silver</td> </tr> </tbody> </table>			Left Wheel	Right Wheel	Spokes	Inside			Color	Outside			Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver	\$ 1,380 (+\$110)
		Left Wheel	Right Wheel															
Spokes	Inside																	
Color	Outside																	
Hub Color		☐ Black/ ☐ Silver	☐ Black/ ☐ Silver															
HANDRIMS																		
Type	☐ Standard For 24", 25" or 26" Wheel Anodized Black	\$ STD																
	☐ Vinyl Coated For 24", 25", 26" Wheel Not available with Y-360 Billet Wheels Wheels)	\$ 200																
	☐ Spinergy Silver Brushed Anodized For 24", 25"& 26" Wheels Not available with Y-360 Billet Wheels	\$ 220																
	☐ Natural Fit For 24", 25" & 26" Wheel ☐ Standard Grip (Not available with short tabs. Not available with Y-360 Billet Wheels ☐ Super Grip (Not available with short tabs. Not available with Y-360 Billet Wheels ☐ Without Thumb Grip (Not available with Y-360 Billet Wheels	\$ 570 \$ 645 \$ 338																
	☐ Natural Fit (LT) For 24", 25" & 26" Wheel ☐ Standard Grip (Not available with short tabs. Not available with Y-360 Billet Wheels ☐ Super Grip (Not available with short tabs. Not available with Y-360 Billet Wheels ☐ Without Thumb Grip (Not available with Y-360 Billet Wheels	\$ 629 \$ 706 \$ 400																
	☐ The Surge Handrims * Not available with Y-360 Billet Wheels	\$ 553																
	☐ The Surge Handrims (LT) * Not available with Y-360 Billet Wheels	\$ 603																
	☐ The Q-Grip Handrims : anti-slip, latex-free, neoprene coating * Not available with Y-360 Billet Wheels	\$ 543																
	☐ OMIT HANDRIMS	\$ NCO																
	☐ TAB LENGTH ☐ Long Tab (STD inside clearance 3/4") * Not available with Y-360 Wheels.	\$ STD																
☐ Short Tab (Inside clearance 1/2") *Not available with Natural Fit Handrim with thumb grip	\$ STD																	
☐ Short Tab (Set closest to wheel cut off excess)	\$ 35																	
NOTES																		

CHAIR OPTIONS 1/3

SEAT CUSHION											
SUPRACOR® WHEELCHAIR CUSHIONS		* Optimal Positioning for Paraplegics and Quadriplegic.									
Stimulite® Contoured Cushion- 3.5" HIGH. 3 ¼lbs *Black Upholstery only		☐ W14"xD16" (CD1416) ☐ W16"xD16" (CD1616) ☐ W16"xD18" (CD1618) ☐ W18"xD16" (CD1816) ☐ W18"xD18" (CD1818) ☐ W18"xD20" (CD1820) ☐ W20"xD16" (CD2016) ☐ W20"xD18" (CD2018) ☐ W20"xD20" (CD2020)				E2603 \$ 707 E2603 \$ 707 E2603 \$ 707 E2603 \$ 707 E2603 \$ 707 E2603 \$ 714 E2603 \$ 714 E2603 \$ 714 E2603 \$ 734					
Stimulite® Slimline Cushion- 2 ¾" HIGH. 3 lbs *Black Upholstery only		☐ W14"xD16" (SM1416) * ☐ W16"xD16" (SM1616) ☐ W16"xD18" (SM1618) ☐ W18"xD18" (SM1818) ☐ W18"xD20" (SM1820) ☐ W20"xD16" (SM2016) ☐ W20"xD18" (SM2018) ☐ W20"xD20" (SM2020)				E2603 \$ 446 E2603 \$ 446 E2603 \$ 446 E2603 \$ 446 E2603 \$ 490 E2603 \$ 490 E2603 \$ 490 E2603 \$ 518					
Stimulite® Corbee Pediatric- 2" HIGH. ½ lb *Black Upholstery only		☐ W10"xD10" (PD1010) ☐ W12"xD12" (PD1212) ☐ W14"xD14" (PD1414)				E2603 \$ 342 E2603 \$ 342 E2603 \$ 342					
ROHO WHEELCHAIR CUSHIONS											
3.8" lbs ☐ 4" HIGH PROFILE® QUADTRO SELECT® CUSHION		*Black Upholstery . . . ☐ Extra Cover(\$+100) . . . only.		E2622-2623		\$ 669					
☐ Specify Size W(") x D(")											
3 lbs ☐ 3" MID PROFILE® QUADTRO SELECT® CUSHION		*Black Upholstery only . ☐ Extra Cover(\$+100)		E2622-2623		\$ 669					
☐ Specify Size W(") x D(")											
2 lbs ☐ 2" LOW PROFILE® QUADTRO SELECT® CUSHION		*Black Upholstery only . ☐ Extra Cover (\$+100) . . .		E2622-2623		\$ 669					
☐ Specify Size W(") x D(")											
THE CURVE CUSHION - 3" HIGH. *Black Upholstery only ☐ Extra Cover (\$+ 46)		☐ W13"xD13" ☐ W13"xD14" ☐ W13"xD15" ☐ W13"xD16" ☐ W13"xD17" ☐ W14"xD14"						\$ 260			
		☐ W14"xD15" ☐ W14"xD16" ☐ W14"xD17" ☐ W14"xD18" ☐ W15"xD14" ☐ W15"xD15"									
		☐ W15"xD16" ☐ W15"xD17" ☐ W15"xD18" ☐ W15"xD19" ☐ W15"xD20" ☐ W16"xD14"									
		☐ W16"xD15" ☐ W16"xD16" ☐ W16"xD17" ☐ W16"xD18" ☐ W16"xD19" ☐ W16"xD20"									
		☐ W17"xD15" ☐ W17"xD16" ☐ W17"xD17" ☐ W17"xD18" ☐ W17"xD19" ☐ W17"xD20"									
		☐ W18"xD15" ☐ W18"xD16" ☐ W18"xD17" ☐ W18"xD18" ☐ W18"xD19" ☐ W18"xD20"									
		☐ W19"xD16" ☐ W19"xD17" ☐ W19"xD18" ☐ W19"xD19" ☐ W19"xD20" ☐ W20"xD16"									
		☐ W20"xD17" ☐ W20"xD18" ☐ W20"xD19" ☐ W20"xD20" ☐ W21"xD16" ☐ W21"xD17"									
		☐ W21"xD18" ☐ W21"xD19" ☐ W21"xD20" ☐ W22"xD16" ☐ W22"xD17" ☐ W22"xD18"									
		☐ W22"xD19" ☐ W22"xD20" ☐ W23"xD16" ☐ W23"xD17" ☐ W23"xD18" ☐ W23"xD19"									
		☐ W23"xD20									
											

G CHAIR OPTIONS 2/3

SEAT CUSHION

Exgel Kaji Cushion

For Comfortable Sitting To Prevent Pressure Sores

No Custom Sizes

☐ **Owl Regular(1.6" Thick)**

Incontinence Cover Only

E2603

☐ **Extra Cover \$104**

Unique OWL shape that fits your body shape and optimizes pressure distribution. The "Owl eye" supports the pelvis with extra exgel material in the area where the pressure is applied. The "slit" is for the tailbone area to reduce the pressure on the area that are most susceptible to pressure.

☐ W14"xD16" \$362

☐ W15"xD16" \$362

☐ W16"xD16" \$362

☐ W18"xD16" \$408



No Custom Sizes

No Custom Sizes

☐ **Owl High(3.1" Thick)**

Incontinence Cover Only

E2603

☐ **Extra Cover \$104**

The "hip line" shape fits curves of the hips.

☐ W14"xD16" \$437

☐ W15"xD16" \$437

☐ W16"xD16" \$437

☐ W18"xD16" \$495

☐ W18"xD18" \$495



☐ **Owl Contour(3.0" Thick) Cushion**

Incontinence Cover Only

E2603

☐ **Extra Cover \$104**

No Custom Sizes

The Contour has a tapered shaped bottom. Firmer foam is used for stable posture support.

☐ W14"xD16" \$454

☐ W15"xD16" \$454

☐ W16"xD16" \$454

☐ W18"xD16" \$495



E2603 ☐ **Owl Deep Contour(4.3" Thick)** Prevents sliding inward and outward.

☐ W14"xD16" \$518 ☐ W15"xD16" \$518 ☐ W16"xD16" \$518

☐ W18"xD16" \$558 No Custom Sizes ☐ **Extra Cover \$104**



E2603 ☐ **Standard Regular(1.4" Thick)** Easy to Use-Flat Style Synthetic leather material on the surface then exgel material is placed to redistribute body pressure. Multilayered high density foam that provides proper immersion. Supports stable sitting posture.

☐ W12"x D12"\$368 ☐ W13" x D13"\$368 ☐ W14" x D14"\$368 ☐ W14" x D16" \$368 ☐ W16" x D16" \$368

☐ W16" x D17"\$368 ☐ W17" x D16"\$368 ☐ W17" x D17"\$368 ☐ W18" x D16"\$391 ☐ W18" x D18"\$391

☐ W18" x D19"\$440 ☐ W18" x D20"\$440 ☐ W19" x D19"\$440

No Custom Sizes

☐ **Extra Cover \$104** Incontinence Cover Only



E2603 ☐ **Standard High(2.6" Thick)**- High flat profile for more stability and pressure relief. Suitable for heavier users. Synthetic leather material on the surface then exgel material is placed to redistribute body pressure. Multilayered high density foam that provides proper immersion. Supports stable sitting posture.

*Black Upholstery only

No Custom Sizes

☐ W12" x D12"\$431 ☐ W13" x D13"\$ 431 ☐ W14" x D14"\$431

☐ W14" x D16"\$ 431 ☐ W16" x D16"\$ 431

☐ W16" x D17"\$431 ☐ W17" x D16"\$431 ☐ W17" x D17"\$431

☐ W18" x D16" \$460 ☐ W18" x D18" \$460

☐ W18" x D19"\$512 ☐ W18" x D20"\$512 ☐ W19" x D19"\$512

☐ **Extra Cover \$104** Incontinence Cover Only



E2603 ☐ **Standard Anti-Thrust (2.6" Thick)**

* No Custom Sizes

Incontinence Cover Only

☐ W16 x D16 \$460


☐ W18 x D16 \$500

☐ W18 x D18 \$500

Prevents Unwanted Forward Movement of lower back and hip bone. Synthetic leather material on the surface then exgel material is placed to redistribute body pressure. Multilayered high density foam that provides proper immersion.



CHAIR OPTIONS 3/3

				
ADI CARBON BACKREST (Support Contour-ACTIVE 2.5")				
Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release				
Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 13"-19" width	Width (")	E2613	\$ 986
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 13"-19" width	Width (")	E2613	\$ 1,078
☐ Add Privacy Flap (\$80 up charge)	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 13"-19" width	Width (")	E2613	\$ 1,164
	☐ Custom Size (" Tall) x (" width)		E2613	\$ CFP
ADI ALUMINUM BACKREST (Support Contour-ACTIVE 2.5")				
Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release				
Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 10"-20" width	Width (")	E2613	\$ 807
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 12"-20" width	Width (")	E2613	\$ 827
☐ Add Privacy Flap (\$80 up charge)	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 14"-20" width	Width (")	E2613	\$ 846
	☐ Tall (18" Tall) *Backrest Height requires 20" or more *Available 16"-20" width	Width (")	E2613	\$ 866
☐ Add Privacy Flap (\$80 up charge)	☐ X-Tall (20" Tall) *Backrest Height requires 22" or more *Available 16"-20" width	Width (")	E2613	\$ 886
	☐ Custom Size (" Tall) x (" width)		E2613	\$ CFP
ADI ALUMINUM BACKREST (Support Contour-DEEP 4") *Not Available with Lateral Supports				
Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release				
Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 10"-20" width	Width (")	E2615	\$ 940
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 12"-20" width	Width (")	E2615	\$ 959
☐ Add Privacy Flap (\$80 up charge)	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 14"-20" width	Width (")	E2615	\$ 979
	☐ Tall (18" Tall) *Backrest Height requires 20" or more *Available 16"-20" width	Width (")	E2615	\$ 998
☐ Add Privacy Flap (\$80 up charge)	☐ X-Tall (20" Tall) *Backrest Height requires 22" or more *Available 16"-20" width	Width (")	E2615	\$ 1,019
	☐ Custom Size (" Tall) x (" width)		E2615	\$ CFP
ADI LATERAL SUPPORTS (Lateral Supports are compatible with only active 2.5" ADI positioning back.)				
☐ Stationary Pad	Pad Size ☐ Small (3" H x 3" D) ☐ Medium(3" H x 4" D) ☐ Large(4.5" H x 4.5" D) ☐ Large(4" H x 6" D)			
	☐ Pair			\$ 422
☐ Swing-Out	☐ Left side only or ☐ Right side only			\$ 211
	Pad Size ☐ Small (3" H x 3" D) ☐ Medium(3" H x 4" D) ☐ Large(4.5" H x 4.5" D) ☐ Large(4" H x 6" D)			
☐ Swing-Out	☐ Pair			\$ 688
	☐ Left side only or ☐ Right side only			\$ 344
OTHER				
☐ ADI Transfer Board ☐ 21" (ADV21) ☐ 24" (ADV24) ☐ 29" (ADV29)				\$ 82
☐ ADI Push and Transfer Gloves with Leather (one size) (ADGL)				\$ 110
☐ ADI Push and Transfer Gloves with Rubber Grip (one size) (ADG)				\$ 110
☐ ADI Carbon Solid Seat (Wide: 18" Max, Depth: 20") ※ ONLY AVAILABLE WITH COLOURS NON-REMOVABLE SIDE GUARDS				\$ 827
VARILITE® Seating Systems Available				
Please visit for all options. www.varilite.com				
CFP				

Valid from 2024 Prices & Specifications Are Subject To Change Without Notice.